

COVID-19 Vaccine Drug Reactions: Child Eye and Vision Disorders

Preliminary Notes – Reactions Listings Start on Page 2 Below

1. Child Eye and Vision Disorder cases Reported through June 4, 2021 in the United States to the Vaccine Adverse Event Reporting System (VAERS).
2. In the United States, it is very rare for children to be given COVID-19 vaccine drugs. As children are tested with experimental drugs, there may be a significant increase in child eye and vision disorders.
3. In February and early March, 2021, there were articles published related to the large number of deaths linked to COVID-19 vaccine drugs, including pieces by Reuters and International Business Times. Shortly after these publications, there appeared a small number of *fake cases* submitted in order to try to discredit VAERS. This included a death of a 2-year-old child. Submitting a false case to VAERS is against U.S. federal law. Fake cases only benefit the drug manufacturers and do not benefit people who experience serious short-term reactions such as death and blood clots or reactions from long-term, repeated injections.

COVID-19 Vaccine Drug Reactions: Child Eye and Vision Disorders

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1374454	6/4/2021	VA	17	6/4/2021	6/4/2021	Patient experiences blurred vision, hot, dizziness at the observation area after the vaccination. Her pupils were dilated and her lip was pale. She felt better after zip of water and felt normal after few minutes.
1374391	6/4/2021	IN	16	5/28/2021	5/28/2021	Bleeding & bruising happened instantly as the injection was given. Within 2 minutes (walking to the waiting area) she was feeling dizzy. By the time we sat down she said she felt like she was going to be sick. She began sweating - it was dripping off her head and neck and her eyes kept closing. She was extremely pale and her lips were white. She was like this for approximately 10 minutes.
1374250	6/4/2021	OH	15	5/21/2021	5/22/2021	Severe headache 10 out of 10 started the following day with vertigo. During this time he developed an episode of sudden onset double vision and vomiting which resolved after approximately 10 minutes. The headache and the vertigo lasted for several days.
1374156	6/4/2021		14	6/4/2021	6/4/2021	AE: patient experienced blurred vision and ringing in the ears Treatment: No medical treatment were given. Patient was observed for 15 minutes. Outcome: Patient was discharged home with the help of mother.
1372312	6/3/2021	CT	17	6/3/2021	6/3/2021	Approximately 10 minutes after receiving 1st covid Pfizer shot, patient reported feeling light headed and dizziness. He reported blurry vision,ringing in ears and was looking very pale. He was evaluated and monitored any other symptoms until paramedics came. Water and ice was given to patient while he waited. paramedics came and monitored patient and left
1371101	6/3/2021	MD	16	6/2/2021	6/2/2021	patient reports blurred vision and light headed. Vitals stable. patient asked to lay down with legs elevated. cold water given patient became fine in 15 minutes

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1371175	6/3/2021	DE	15	6/2/2021	6/2/2021	Reports ate a few peanut butter pretzels today. Reported lightheadedness that resolved within about 1 minute, followed by seeing spots for about 2 minutes resolved, momentary tightness on inspiration that resolved, and ringing in ears for about 3 minutes resolved. Later reported nausea on ambulation post vaccination to seat in observation area that resolved upon sitting down. Also, reported has history of similar s/sx with flu vaccination. Denies chest pain and other s/sx. Nurses responded with emergency cart. 01:47pm LUE 96/70 pulse regular R20, lungs clear, lips noted to be dusky/purplish. Benadryl 50mg PO x1 administered. Lips color reassessed and after few minutes returned to usual pink color. Reports nausea, lightheadedness, visual spots, and ringing in ears resolved, all s/sx resolved, stated "I feel normal". Counseled follow up with pediatrician, urgent care or emergency department for any return s/sx, Mom verbalized understanding. Observed for 30 minutes. Ambulated with steady gait off floor with his parent and sibling.
1371519	6/3/2021	TX	14	6/3/2021	6/3/2021	The patient complained about feeling lightheaded, sweaty, and blurred vision. Spo2 99 HR 96, BP 124/98 T 95.1 The patient?s mother stated that he always gets that way when he receives a vaccine or donates blood. The clinical staff attended to him. He stated that he felt fine after about 5 minutes.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1372356	6/3/2021	CA	15	6/3/2021	6/3/2021	RN vaccinated client and within 30 seconds noticed client started moving to the side. RN held client at chair, RN responded while two other RNs set up anti-gravity chair. Between all nurses, lifted client and laid in chair. PHN joined, client oriented to self and situation, pale, diaphoretic. Vitals at 1412: blood pressure 100/60 pulse 76, oxygen 97%. Client stated feeling dizzy, denied headache, blurry vision, nausea, shortness of breath, chest pain. Client given water and juice. Father present stated no reaction to first vaccine, allergies to peanuts and seafood. Vitals at 1414: blood pressure 106/70, pulse 79, oxygen 98%. Client alert and oriented x4, stated felt dizzy but did not lose consciousness. Per client same thing happened years ago when having blood drawn. Father informed we would observe for 30 mins. 1417: blood pressure 108/72, pulse 81, oxygen 98%. Client stated feeling better. Vitals at 1422: blood pressure 106/74, pulse 79, oxygen 97%. Client stated symptoms resolved. Alert and oriented x4, color normal for ethnicity. Per Father, client's blood pressure is on the lower end. Vitals at 1427: blood pressure 100/70, pulse 85, oxygen 99%. No complaints. Vitals at 1437: blood pressure 100/70, pulse 85, oxygen 98%. Per client feeling fine, everything resolved. Client and Father given ER precautions and advised to follow up with provider. Last vitals before client leaving blood pressure 106/78, pulse 87, oxygen 97%. Client able to stand up with no complaints. Client left facility with steady gait at 1444.44.
1372906	6/3/2021	IL	14	6/3/2021	6/3/2021	Patient fainted approximately 5 minutes after receiving the vaccine. He fell to the ground hitting his head on some shelving while falling. He was quickly revived by his father, but still felt dizzy and complained of blurred vision. Patient was given a bottle of water and comforted by his father and brother. When I checked on him about 20-30 minutes later, he said he felt fine. He looked a lot better too.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1373108	6/3/2021	CA	13	6/3/2021	6/3/2021	Client received the 2nd COVID vaccine of Pfizer (Lot# EW0182, expiration 06/28/2021). At 1729, Client reports nausea and wants to vomit. RN, RN, RN, RN, and RN respond to this event. The registered nurses placed Client in an anti-gravity chair and provided an emesis bag. RN responded to this event at 1730. Client appears pale, diaphoretic, states being nausea, wants to vomit, and dizzy. At 1730, vital signs are heart rate 89, oxygen saturation 99%. At 1733, vital signs are blood pressure 110/82, heart rate 62, oxygen saturation 99%. Client is offered supplemental nutrition and fluids. Client accepted both. At 1735, heart rate is 61 and oxygen saturation is 99%. At 1735, PHN responds and speaks to mother to educate her about ED precautions and common adverse effects. Client's mother reports Client has a history of ADHD, takes medications as needed, no known allergies, had a long day, as not ate much today, and was nervous prior to vaccination. At 1736, vital signs are blood pressure 110/78, heart rate 66, oxygen saturation 99%. Client reports no chest pain, no blurred vision, no headache, no shortness of breath, nausea is improving, and skin tone is returning to appropriate coloration of ethnicity. At 1742, vital signs are blood pressure 117/82, heart rate 82, oxygen saturation 99%. Client reports no new symptoms and improvement of nauseousness. At 1753 vital signs are blood pressure 112/68, heart rate 86, oxygen saturation 99%. Client reports all symptoms has resolved and is now hungry. Client stood up with no complaints at 1754. At 1754, Client walked out of facility with a steady gait accompanied by his mother.
1371225	6/3/2021	PA	17	6/3/2021	6/3/2021	Patient developed warmth, clamminess, nausea and lightheadedness shortly after her shot. She admitted to near syncope, but there was no LOC. No tunnel vision. Symptoms resolved on their own. VVS throughout. No orthostasis.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1369800	6/2/2021	CA	17	6/2/2021	6/2/2021	Vaccinating nurse noticed patient became pale and fixating his eyes after receiving first dose of pfizer covid-19 vaccine. Vaccinating nurse asked patient if he was okay and the patient responded "I feel lightheaded. I think I will faint." Vaccinating nurse guided patient to the floor and elevated legs on chair. Lead nurse and EMT responded to the patient in nurse station. Patient was alert and oriented x 4 during whole interaction and stated he felt better within two minutes. Patient was able to sit up against wall and was offered water. Vitals were taken: BP 130/90, HR 67, O2 SAT 98%. Patient offered gravity chair and patient stated he was ready. Patient was stood up with two person assist and after 10 seconds of standing patient was able to verbally state "I feel fine now, I can walk to the room." Lead nurse directed EMT to monitor for 30 minutes in gravity chair and take final vital signs and escort patient with father to car.
1368138	6/2/2021	DE	16	6/1/2021	6/1/2021	Reports did not eat today, usually eats. Reported lightheadedness that resolved within about 2 minutes, followed by nausea for about 2 minutes resolved - was followed by hunger, and muffled hearing for about 3 minutes resolved. Denies chest pain, change in vision, and other s/sx. 03:57pm LUE 112/62 P62 R20. Reports lightheadedness, nausea, and muffled hearing, all s/sx resolved, stated "I feel normal", drank a cola and ate a protein bar. Observed for 30 minutes. Ambulated with steady gait off floor with his parent.
1366577	6/2/2021	IL	14	6/1/2021	6/1/2021	Patient felt dizzy immediately after the shot was given. She said she was going to pass out, and did for about 10 seconds. She was sitting up in a chair during this time, with her mom holding her up. She came to, the about 20 seconds later, she passed out again for another 10 seconds. She came to, and was given some water to drink, but 20 seconds after that she threw up the water. I took her blood pressure, and it was 60/40, with a pulse of 60. She was very pale. After resting in the chair and taking deep breaths, her color returned and she felt much better. she also said her vision wasn't blurry anymore. Ten minutes later, she left with her mom, feeling ok. She was very anxious about getting the shot, and told me she had passed out in the pass after giving blood.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366854	6/2/2021	CA	17	6/1/2021	6/1/2021	Patient felt lightheaded, dizzy, popping and ringing in ears, blurred vision, and fainted for a few seconds. This occurred about 5-10 min following vaccination. Most likely a vasovagal syncope reaction. No history of allergic reactions nor syncope. After laying patient down and elevating his legs, he felt much better. Patient remained in this position for about 15 minutes. He then sat up, ate a snack, and drank water and was observed for an additional 15 minutes. Vitals were within normal range. Patient stated feeling "normal" and "fine" after this and he was able to go home without additional issues.
1367895	6/2/2021	OR	16	6/1/2021	6/1/2021	Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: blurry vision-Mild, Systemic: Shakiness-Mild, Systemic: Weakness-Mild, Additional Details: Patient reported leg weakness and blurred vision and dizziness/slight difficulty breathing upon getting ready to leave observation area. Said she hadn't eaten in a while and felt cold due to A/C in the store as well. BP was low and HR high, so called 911 to get her emergency help as she didn't feel like she could walk out of store safely. Felt strange and that her legs might give way. EMS arrived, vitals looked good, pt refused ambulance.
1368039	6/2/2021	FL	14	6/2/2021	6/2/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Patient recovered and mom says she was taking him to the doctors office for follow-up

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1368620	6/2/2021	CA	14	6/2/2021	6/2/2021	<p>HPI: Patient is a * year old * who presents following administration of the first dose of Pfizer COVID19 vaccine in the left deltoid. She states that immediately following administration of the vaccine, she started to feel lightheaded with ?fuzzy vision,? and pain with swallowing. She denies a history of anaphylaxis. She affirms seasonal allergies and confirms that she was feeling ?stuffy? this morning. She affirms that she ate and drank this morning without odynophagia. She relates that there was a big family argument that is causing her to feel stressed at this time as well. She affirms pleuritic chest pain, odynophagia, epigastric abdominal pain, headache, lightheadedness, and blurry vision. She denies chest pain, difficulty breathing, swelling of the face/lips/tongue/throat, skin rash/itching, cramping abdominal pain, nausea, and vomiting. Exam: GEN: Alert and oriented x 4, NAD. Patient appears to have a developmental delay secondary to eye contact avoidance, slow to respond, and speech impediment. HEAD: NCAT EYES: PERRL, EOMI ENT: Ears normal, Nose normal, OP normal, no evidence of angioedema NECK: Supple, without LAD. CV: RRR, no m/r/g PULM: Shallow, guarded breathing at rest, but clear to auscultation bilaterally with deep inspiration, no accessory muscle use ABD: Soft, no tenderness. SKIN: No rashes, skin warm and dry. No erythema or edema of the injection site. MSK: FROM, MS 5/5 NEURO: Alert and oriented x 4, CN 2-12 grossly intact, no ataxia, gait steady Clinical Impression/Field Tx: Vital signs stable and physical exam within normal limits, however, patient continued to report odynophagia, pleuritic chest pain, abdominal pain, lightheadedness, and blurry vision, even after giving patient snack/drink and reclining her with lower extremities above the level of heart and head. EMS called to the scene for further evaluation. Instructed patient and parent to consult their PCP regarding the post-vaccination reaction. Patient and parent instructed to go to emergency department should she develop chest pain, difficulty breathing, swelling of the face/lips/mouth/tongue/throat, or cramping abdominal pain with nausea/vomiting. Patient and parent demonstrated understanding of post-vaccination instructions. Medications administered: None Disposition: EMS contacted due to patient not improving. Care transferred to EMS . No workup was performed by EMS and they instructed the parent of the patient to take the patient to ER via private car for further evaluation. Father was amenable to plan and signed form.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1369085	6/2/2021	OH	13	6/1/2021	6/1/2021	Patient became dizzy/started losing his vision fairly quickly after receiving the vaccine. He kept repeating he couldn't see. He stumbled forward then fell down. Patient did hit his head. Store associate got him up and into a chair and started asking him questions. Mom stated he had just received vaccine. They were not told by the pharmacist on duty to stay to be monitored for 15 minutes after. He did say that he had a headache. Gave the patient some water, had him move his arm around, and monitored patient until pharmacy closed.
1369802	6/2/2021	TX	12	6/1/2021	6/1/2021	After half an hour after i had left the pharmacy after the first dose of Covid Pfizer vaccine, Hamza(12 yrs) started clutching his neck saying its on fire, tears were coming from his eyes and he started choking and coughing. He barely managed to say that his throat felt like something burning hot was pouring down. I immediately gave him cold water to drink. He drank and continued to drink in small sips for the next hour and was feeling normal in an hour. He had not eaten or drank anything after his vaccine. He had also had lunch at 3 pm, a full 2 hours before the vaccine.
1368806	6/2/2021	CA	15	5/14/2021	5/29/2021	Unprovoked first-time seizure. Teen was sitting outside a restaurant waiting while watching phone, listening to music 15 days after first Pfizer COVID vaccine (no issues at time of vaccination). Parents witnessed his neck and eyes roll up and left before having a two short generalized tonic-clonic seizures. Taken to nearest ED by paramedics.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1364673	6/1/2021	FL	13	5/16/2021	5/17/2021	Was fine the night before. Woke up and his eyelids were swollen and his lips were swollen. Immediately, my wife called Telehealth and described the situation. They said to get him some Benadryl and we gave him that. He also had a headache - we might have give him a Tylenol. With Benadryl - he took four or five doses according to the protocol on the Benadryl. He did not go to school. The next day, he was swollen but not as bad. My wife bought him Claritin and he didn't do anything because he didn't know which to take (Benadryl or Claritin). His swelling went away quite a bit that day without taking anything and he went back on Wednesday - there was still a little bit of swelling but not much. He wasn't feeling great though that whole week. He was still tired and was a bit headachy until Friday or so. Somewhere on the weekend he felt back to himself. He is due for second vaccine this weekend and we aren't going to have him take it then. We're concerned and have decided to hold - the physician said he shouldn't have had a COVID vaccine two weeks before this Pfizer one (he received the Varicella) on the 29th of April- -Dr said it should have been a month or so of waiting still before he had this vaccine after that.
1365694	6/1/2021	CO	14	5/13/2021	5/29/2021	Woke up with blurred vision in left eye on Saturday, May 30. Went to see eye doctor after Memorial Day Weekend. 20/50 in left eye (was 20/20). So far diagnosed with inflammation of optic nerve. Going to a retinal specialist June 2. Talk of seeing a neurologist as well to figure out why there's inflammation - he's too young. Dr is wondering if it is due to COVID shot 3 weeks ago.
1365431	6/1/2021	CA	16	5/13/2021	5/14/2021	Syncope x 3 in the early morning hours (around 3am) about 14-15 hours after vaccine. She had had headaches that is intermittent, throbbing, phonophobia but no photophobia, from back of head to top of head and behind eyes, taking Advil or Excedrin intermittently with relief for a week prior to covid19 vaccine. Syncope, longest lapse was two minutes, her sister found her. She went to Medical Center ER at 0400, was assessed and scanned, neg CT scan of head, and was discharged home. Has felt some fatigue today due to not sleeping early the night before, has returned to school since concussion, with normal learning, and denies any exertional physical activity due to pre-existing torn ACL, torn medial meniscus L knee. After evaluation by ER, was given IV fluids, determined cause to be dehydration.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1365302	6/1/2021	NH	15	5/26/2021	5/26/2021	1022am- Observed patient abruptly stand up and fall to floor, landing face down. Turned patient over on back with neck support. Patients legs elevated. Patient was unresponsive to voice, performed mild sternal rub and became responsive immediately after stimulation. Pulse strong and regular, respirations WNL - VS BP 126/82, SpO2 99% RA, P122, Temp 98.2 Infrared, AAO to person, place and time. Observed ~1" laceration above right eye, treated with bandage and bleeding controlled. EMS and parent called to scene. EMS arrival at 1033, I gave patient report and they assumed care and assessed patient. VS @1038- BP 120/68, SpO2 99% RA, P101, R17 AAOx4, Patient c/o headache. EMS sat patient up on floor, then to chair. EMS had discussion with parent and it was agreed that parent would take patient to Urgent Care for treatment and parent signed off for no EMS transport. Patient walked out with parent and EMS on own power to vehicle and left approximately 11:00 AM.
1365290	6/1/2021	CA	16	5/25/2021	5/25/2021	My daughter had a mild seizure 5 minutes or less after receiving her first vaccine. She fell out of her chair, her eyes fluttered and rolled in the back of her head, her teeth were clacking and chattering and her body was shaking mildly. She lost consciousness for approximately 2 minutes. At 8:33 pm she felt a second seizure begin, her step father grabbed her before she could fall and again, her eyes fluttered and rolled in back of her head, her teeth were clicking and chattering and her whole body was shaking. The second episode lasted approximately 2 minutes as well, with her losing consciousness again. She was taken to the emergency room and stayed overnight for observation.
1364825	6/1/2021	MD	13	5/15/2021	5/15/2021	fainted right away, pale, sweaty, eyes closed and then rolling back in the head. This never happened before.
1364706	6/1/2021	CA	17	5/29/2021	5/29/2021	Pt experience dizziness & temporary blindness post vaccination. BP 88/56; HR 73; RR 17. Rechecked BP 10 min later 97/68; HR 72; RR 16. Pt was stable & released from vaccination site

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1362094	5/31/2021	NJ	17	5/29/2021	5/29/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Shakiness-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: pt became lethargic , dizzy and visual disturbance. called ems laid pt on the ground and monitored vitals ok gave water and snack pt stayed extra and was ok with parent when left called later pt doing well and resting
1362144	5/31/2021	PA	17	4/17/2021	4/24/2021	One week following the vaccine, there was uncomfortable pain in the left eye, upper and lower area.
1362210	5/31/2021	MI	14	5/28/2021	5/28/2021	while in the observation area the client reported that she had a feeling of her tongue swelling, face tingling , dizzy, lightheadedness , vision changing "felt strange". Able to speak full sentences, lung sounds clear, vital signs within normal limits. Calm and conversant. EMS summoned for evaluation . Evaluated and per the medic team father requested transport to Hospital .
1361878	5/30/2021	TX	14	5/30/2021	5/30/2021	patient was given pfizer vaccine and was sitting in the chair for post vaccination waiting for about 5 minutes. Suddenly I looked up, I noticed her body stiffened and her eyes closed. she tumbled to the floor and hit her head on the ground. Paramedics were dispatched immediately. patient woke up right away, we checked her pulse, forehead for fever, and back of her head for any possible bleeding. She answered all questions that we asked of her correctly (such as her name, her age, etc.) Paramedics arrived, took her blood pressure, oxygen level (both normal), blood sugar (normal). Parents decided to take her to hospital for further evaluation. I called and spoke to Dad 5 hours later, dad stated that she is doing fine.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1361861	5/30/2021	WI	14	5/29/2021	5/29/2021	Pt received her 1st dose of the Pfizer vaccine in the right arm at approximately 2:45 PM on May 29 at pharmacy. Pt was recommended to sit for 15 minutes in the waiting area after vaccination for observation, but she and mom opted to go shopping in the store. At approximately 3:37 PM, pt and mom came back to the pharmacy to tell me (the pharmacist) that she had hives and showed me red bumps on her left arm. I had the pt sit while mom went to go buy Benadryl. After 5 minutes, I checked on the pt. She had taken one dose of Benadryl and stated that she was dizzy and feeling itchy all over. After chatting with mom for 5-10 minutes, the pt stated that she felt like her symptoms were not worsening and were stabilizing. The pt then said she wanted to rest at home. I recommended she sit for a little longer, but mom stated she would keep a close eye on the pt and had an epipen at home. They then left the pharmacy. I followed up with mom on May 30th at approximately 4:00 PM to see how the pt was doing, and she stated that they were at the ER because the symptoms were not getting any better, and the pt "felt like she was having an asthma attack." Pt's mom states that the pt is doing much better after receiving IV meds.
1361538	5/30/2021	NY	15	5/30/2021	5/30/2021	Immediately following vaccine, client reported visual disturbance, couldn't see, pale, clammy, dilated pupils. Resolved after one minute.
1361530	5/30/2021	VT	13	5/26/2021	5/26/2021	Present at clinic w/ dad. Dad reports prone to light headedness. Was very nervous before shot. Reported dizziness, and briefly some 'flashing lights' in vision that quickly resolved. Transitioned from lying on floor to seated to standing. Vitals stable through transitions. Gave juice box. 30 min observation post vaccine. Walked out of clinic.
1361461	5/30/2021	CA	12	5/29/2021	5/29/2021	Systemic: Fainting / Unresponsive-Severe, Additional Details: PATIENT WAS GIVEN A PFIZER COVID 19 VACCINE INTRAMUSCULARLY. IMMEDIATELY AFTER BAND AID WAS PLACED, PATIENT APPEARED TO BE FROZEN FOR SEVERAL SECONDS AND WOULD NOT RESPOND TO MY QUESTION. MOM ASKED QUESTION AND HELD PATIENT, AT WHICH TIME THE PATIENT COLLAPSED AND HER EYES ROLLED BACK. SO SHE PUT IN A SUPINE POSITION AS I RAN AND CALLED 911. PARAMEDICS ARRIVED TO THE SCENE AND MONITORED HER VITALS FOR NEARLY 30 MINUTES. THEY OFFERED TO TAKE HER TO THE HOSPITAL BUT PATIENT'S MOM DECLINED.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361380	5/29/2021	MD	16	5/28/2021	5/29/2021	Developed right upper eyelid swelling at 10am the following a=day with some eye discomfort but no itching or redness. Mom gave a small dose of Benadryl that perhaps improved it a little but then the other upper eyelid started swelling. Again no redness or itching or facial pain or change in vision.
1360965	5/29/2021	IL	13	5/29/2021	5/29/2021	Patient had significant anxiety prior to administration. After administration, initially patient felt fine. A few minutes after patient felt faint , hands and forehead were clammy. Mom was present. Blood pressure was checked, diastolic was slightly high at 90mmHg. Patient's eyes closed for a second but patient was never unconscious. Patient did not fall. Patient did not hit head on anything. Patient was given water and sat there for about 7 minutes. Then patient was walked outside next to Mom and Pharmacy Grad Intern. Patient was not feeling well initially outside but did feel better after a while. Mom refused an ambulance. Mom and patient left at 10:50am and patient was feeling much better
1361029	5/29/2021	MS	17	5/21/2021	5/27/2021	6 days post vaccine patient presents to clinic with Left side facial paralysis, left blurred vision, and left ear pain. Bells Palsy.
1360973	5/29/2021	OH	15	5/29/2021	5/29/2021	SWEATING. BLURRY VISION. TUNNEL SOUNDS. DIZZY. HOT.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1358047	5/28/2021	CA	12	5/27/2021	5/28/2021	Client received her first dose of the Pfizer Covid-19 Vaccine (lot # EWO185 exp. 08/2021) at 11:28 AM. The client was brought to the EMT station by lead RN stating that the client was feeling "dizzy?" at 11:46 AM. The client was a 12-year-old female alert and tracking with her eyes and appeared anxious. The client had a chief complaint of lightheadedness. The client stated that she "began to feel lightheaded?" after her initial 15-minute observation had completed. This was the client's first dose of the Pfizer Vaccine and she stated reluctance to receive her first dose. The client denied any allergies and her parents stated that the client had a history of unspecified behavioral disturbances that require her to see a therapist. The assessment revealed no hives, swelling, discoloration, shortness of breath, or other signs and symptoms of anaphylaxis. The client denied a headache or wanting to throw up. The client refused to have her vitals taken by EMT but agreed at 1150 to remain lying down until she felt better. The client was encouraged to drink water while she waited. After 15 minutes and drinking a bottle of water, the client stated "I feel all better" but "I think I'm overthinking this" and stated that she was now experiencing a "headache?". RN asked the client's parents' permission to speak to the client. RN came over to reassess the client and that client finally agreed to have her vitals taken at 1208: 148/84 blood pressure, Pulse 94, 100% O2 on room air, Respirations 16, alert and oriented to person, place, date, and event. The client revealed to RN that she was experiencing anxiety from her vaccination but became much calmer after discussing her concerns further. Client also revealed that she engages in acts of self-harm but has no intent to end her life. The client's last set of vitals at 1216 were 128/76 BP, HR 96, O2 100%, Resp. 16. The client then stated that she was "ready to go?" after her last set of vitals. Lead RN asked to speak to client's mother in private. Lead RN provided mother with crisis hotline. Mother informed lead RN that client was in therapy and already seeking help. The client's parents were instructed to seek emergency care if a significant allergic reaction occurred later in the evening and were provided with all relevant vaccine-related information by RN. The client departed at 1220 in a positive disposition with her parents.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1359000	5/28/2021	WA	13	5/17/2021	5/17/2021	PATIENT DID EXPERIENCE A REACTION WITIN 5MINS AFTER VACCINATION WITH PFZIER 1ST SHOT. SHE EXPERIENCED BLURRY VISION, LOSS OF HEARING AND DIZZINESS FOR 15MINS WITH HOT FLASHES. GAVE HER APPLE JUICE AND HAD HER PUT HER FEET UP ON CHAIR. AFTER 20 MINS SHE WAS FEELING FINE AGAIN AND LEFT WITH DAD.
1357825	5/28/2021	VA	16	5/27/2021	5/27/2021	Shortly after receiving vaccination client became pale and diaphoretic, c/o blurry vision and fell from chair. She received a minor injury to her right knee which was treated on the scene by EMS. BP 91/50, O2 99%, HR 46
1357857	5/28/2021	NY	16	5/12/2021	5/26/2021	Patient was seen by me via telehealth for follow up after ED visit to Hospital on 5/26/21. On 5/26/21 patient was riding his bike, felt like his legs were heavy and lost consciousness. He said that prior to losing consciousness his vision was blurry and sounds sounded distant. Mother witnessed event and stated he had shaking of his upper extremities for a few seconds woke up and then had repeat shaking and loss of consciousness with eyes rolling up. He was taken by EMS to Hospital where evaluation per report was normal (labs, CT head, EKG)
1357676	5/28/2021	PA	15	5/27/2021	5/27/2021	Systemic: Chills-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: PATIENT RECIEVED VACCINE AT 2P. Sat in waiting area for about 10 minutes. Our observer noticed that the patient was sliding in his seat and looked dizzy. Patient starting to flutter his eyes and lost consciousness for about 5 secs. He complained about blurry vision, feeling hot, sweating, but with chills. Patient was given water. After he drank the bottle of water patient felt fine. The ambulance was called and arrived, patient reported he felt fine. Patient did not eat/nor drink water today.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1357942	5/28/2021	VA	14	5/26/2021	5/27/2021	On Thursday 5/27/21 her right eye swelled spontaneously while in the classroom. Both the upper lid and lower lid. No ocular involvement, or visual changes. Resolved with time and ice. Assumed that it was contact dermatitis. No other symptoms or complaints. The next morning 5/28/21 she woke up covered in hives on trunk/legs, minimal facial swelling. Lips/tongue/mucus membranes not involved. No SOB, dyspnea, cough or wheezing. No chest pain/pressure, no GI complaints or other complaints. I gave famotidine and levocetirizine. No worsening of symptoms noted and she attended school with close monitoring.
1357615	5/28/2021	KY	14	5/27/2021	5/27/2021	Large rash under both armpits and swelling and itching of eyes.
1358328	5/28/2021	MA	12	5/14/2021	5/14/2021	Within 3-5 minutes, she was asking for water and feeling hot. Her back was sweaty. Her eyes looked like they were glazed-not responding; didn't look bright. She got some water and an ice pack on her back and removed her shoes and put her feet up. After drinking the water and keeping the ice pack on for the rest of those 15 minutes. Nurses were there watching her. And she was able to walk out of the clinic on her own power. It had looked like she maybe would have passed out without the intervention of water, ice pack and getting her feet up. She had muscle pain in her arm (of injection site) that day and into the next day. The muscle pain in her arm lasted for about 24 hours.
1358679	5/28/2021	TX	16	5/28/2021	5/28/2021	Patient began experiencing "tunnel vision" five minutes after receiving his first dose of Pfizer COVID vaccine. Patient lost consciousness and began seizing for a few seconds. Patient regained consciousness after a couple minutes. Paramedics were called and patient was checked out. Vitals were good and parents decided to just monitor him and not send him to the hospital.
1359541	5/28/2021	TX	16	5/28/2021	5/28/2021	About 10 mins after shot, fainted with eyes rolling back in head, convulsions for a few seconds. Patient helped to lay on floor. Showed confusion for a few seconds and then came to. EMTs checked vitals and blood sugar levels and said things were normal. Visited urgent care facility a few hours later where physician said episode was likely vasovagal syncope.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1359543	5/28/2021	GA	13	5/28/2021	5/28/2021	Patient was given the Pfizer vaccine intramuscularly in her left arm. As soon as the needle was withdrawn her eyes rolled over and she slumped in her chair. We (myself, her mother and her father) where in the process of placing her on the floor when she indicated that she wanted to get up. We placed her back into her seat and her mother proceeded to rub her back. I asked her if she needed anything but she declined. I kept her for observation for 30 minutes monitoring for any signs of shortness of breath, wheezing or swelling of the tongue or throat. No symptoms were observed. I advised her mother to notify patient's pediatrician of the incident and then released the patient.
1358646	5/28/2021	IL	14	5/28/2021	5/28/2021	Approximately five minutes after the vaccination, patient became very light-headed and nauseated with loss of vision. She was offered water and hard candy while waiting for the paramedics to arrive. She took a small amount of each, but declined anything else from the store. She seemed to be in significant distress and had difficulty moving to the immunization room where she would be out of view from others in the store. Parmedics arrived and checked her vitals and said those looked ok, so they didn't seem concerned. Patient still seemed very unsteady when leaving, but did say that her vision had improved. Patients were advised to keep a very close eye on her.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1356343	5/27/2021	CA	15	5/27/2021	5/27/2021	<p>Client received the 1st dose of Pfizer COVID vaccine lot #EW0185 and expiration date 6/24/21 at 5:52PM. Per vaccinator, reports that client was saying, "Wow that was aniclimactic" after getting vaccine. Per vaccinator, she notices within 1-2 minutes client got quiet and then reported "I am not feeling well." Client received vaccine in left deltoid. RN requested PHN 1 to get gravity chair. PHN grabbed gravity chair and asked RN to get BP cuff and pulse ox. PHN arrive to assess client and found client alert and oriented x 4 in chair at 5:53PM. Client was already drinking water given by vaccinator when PHN arrived. Client reports he was experiencing "dizziness and slight shortness of breath." PHN ask client if he thought he was steady enough to switch to gravity chair. Client stood up slowly and sat in the gravity chair. RN 1 asked client if his throat felt tight-client responds-"No" and coached client to take deep, slow breaths. At 5:55PM vitals are: blood pressure: 130/90, pulse: 55 and oxygen: 98%. At 5:57pm client reports no longer feeling shortness of breath. Client is speaking in full sentences and able to answer all PHN questions about chest pain and headache and client reports having neither. At 6pm vitals: blood pressure:125/90, pulse:75, and oxygen:100%. PHN instruct RN to get Lead PHN or Co-Lead. Client reports he has slight dizziness and feels lightheaded and reports that earlier he had blurred vision but now is seeing clearly. At 6:03PM vitals are: blood pressure:160/100, client appears pale and heart rate:140, and oxygen: 100%. Lead PHN arrives to take over assessment and PHN starts calling 9-1-1 at 6:04PM as blood pressure is repeated by co-lead :180/90, oxygen100% and pulse 129 and upon auscultation hears clear lungs and heart palpitations. Client is then reports shortness of breath and dizziness, no headache and no blurred vision. Parent reports that client has a history of asthma but rarely needs inhaler so she does not have it on her and that client recently had been on antibiotics for Gastrointestinal history and a bad cough (not COVID)-all symptoms had been resolved before receiving vaccine. At 6:07pm Vitals: blood pressure: 170/90, pulse:100%; no change in symptoms. At 6:08pm vitals: blood pressure:170/90, pulse: 94, and oxygen: 100%, client reports experiencing tightness in chest and unable to complete breath. Client reports no chest pain. Vitals taken again by RN due to new symptom, blood pressure: 122/70, pulse:93 and oxygen: 100%. RN auscultate again and hears palpitations have slowed and lungs clear. At 6:10PM, vitals are blood pressure:124/74 and pulse: 96. Client reports feeling "shaky, tightness on chest" and could not take full breaths.</p>
---------	-----------	----	----	-----------	-----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

VAERS_ID RECVD STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

						Paramedics assumed care at 6:12pm. Client and parent left on stretcher with paramedics to be transported to Hospital. Tell security that mother is leaving blue pathfinder in parking lot. Security assures he will not tow vehicle.
1355151	5/27/2021	VT	15	5/26/2021	5/26/2021	Temporary blindness (lasted about 30 secs to a min), pale skin, sweating, feeling cold, dizziness. Gave water, apple juice and Gatorade to patient and called 911. EMT came in to take he's BP, blood glucose level and both were normal. Stayed at pharmacy for about 45 minutes and patient got better but was still feeling cold. They've decided not to go to hospital but followed up with dad around at 6:30 - 7 pm ish, and confirmed he is doing okay.
1354095	5/27/2021	PA	17	5/26/2021	5/26/2021	Less than 1 minute after received the shot, patient became clammy and pale while sitting in chair. Her eyes rolled back in her head and her body went slack. Myself (parent) and the nurse who had given the shot braced her on either side while she appeared to fade in and out of consciousness for several minutes (she seemed to occasionally interact with us, mumbling responses to 'yes' or 'no' questions). The nurse did not want to lower her to the floor, but wanted to keep her propped on the chair. Her head kept rolling to the side. At one point, she began to jerk rhythmically. Just as I was about to bring this to the attention of the nurse, the patient returned to consciousness. Patient was moved to a rolling recliner chair and taken to a recovery area where I (parent) did not see her for another 30 minutes as I was receiving my own shot. The chair she had sat in was wet, but it was assumed this was due to sweat (patient had sweated profusely). On the way out of the clinic, noticing a wet stain on the back side of patient's pants, I asked if she had wet her pants (quietly) two separate times. Patient denied it both times. However, upon returning home, patient confirmed that she had wet her pants. Patient was monitored during the evening for similar adverse events ; none noted. Patient ate lunch approximately 1 hour before receiving shot and was given crackers while at clinic. Patient is a well-hydrated individual, and also drank water while on-site. No fever either before or after shot. A slightly elevated BP the next day (135/83). However, patient complained of headache, fatigue, and pain at injection location; elevated BP may be related to headache and/or ordeal from day of the shot.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1354207	5/27/2021	MO	12	5/27/2021	5/27/2021	PT was sitting with guardian and started to have seizure like activity for him which consists of audible and visual auras and Right arm twitching. This lasted about 1 min. Once we got him into a dark room he started having slurred speech and Left sided weakness that lasted about a min. He was A&OX1. Pt had a right sided slant in his eyes. His pupils were dilated to a 9 and were equal and non reactive. he became sluggish and kept starring off to the right side. This lasted about 2 mins and 45 sec. His pupils returned to 6 and were equal and reactive and he became less lethargic. He started to complain of a head ache. At 1302 he stated that he stated tapping his face and trying to speak. He began to have a right sided glance again and his pupils dilated to an 9 again and we equal and non reactive. he did not respond to his name. This lasted for almost 2 mins. He then stated he was foggy and his pupils returned back to a 6 and were equal and reactive. He was struggling to find sounds in the room. His Vital signs were initial B/p 138/98 resp 22 HR-78. at 1320 his B/P was 128/68 Resp 20 HR 80. Pt was transported by EMS for medical evaluation by his neurologist.
1354297	5/27/2021	CA	12	5/26/2021	5/26/2021	Systemic: Dizziness / Lightheadness-Medium, Additional Details: Extreme lightheadedness, patient said vision went black
1354694	5/27/2021	CA	12	5/27/2021	5/27/2021	ringing in ears, blurry vision, difficulty breathing, tingling in left foot. Denies headache, chest pain/tightness. VSS. RR 16. O2sat 98%. HR 79. Symptoms improved with rest. Discharged with parent in stable condition.
1354950	5/27/2021	OR	15	5/27/2021	5/27/2021	PATIENT EXPERIENCED BLURRY VISION, SWEATING, NAUSEA, AND HEADACHE. PATIENT WAS GIVEN WATER AND GUM. PATIENT WAS REQUESTED TO STAY FOR LONGER MONITORING. WAS DISMISSED ONCE THE BLURRY VISION, SWEATING, AND NAUSEA SUBSIDED.
1355344	5/27/2021	VA	17	5/26/2021	5/26/2021	Patient began to sweat, complained of blurred vision, and turned very pale in the face. We called 911 and I stayed with the patient monitoring heart rate and symptoms. Patient was slightly tachycardic upon initial assessment. Once EMS arrived, patient had had resolution of blurred vision and the sweating. Her vitals were normal. Her mom refused further treatment to the hospital. I recommended to follow up with pediatrician.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1355531	5/27/2021	CA	12	5/26/2021	5/26/2021	The patient received the first dose of pfizer, then waited in the pharmacy waiting room for 15 minutes. Once the patient left and went home the patient caregiver said his eyes, face and lips swelled. Though his breathing was okay. The patients caregiver thinks the patient may be allergic to PEG.
1355556	5/27/2021		16	5/27/2021	5/27/2021	PATIENT'S FATHER REPORTED AFTER PATIENT SAT DOWN IN OBSERVATION AREA, SHE REQUESTED A WATER. PATIENT AND MOTHER WALKED TO RETRIEVE WATER AND AS SHE ENTERED THE TENT PATIENT REPORTED DIZZINESS AND VISION DISTURBANCE. PATIENT STATED SHE BEGAN TO SEE BLACK AS SHE WAS SEATED. NURSE WAS CALLED OVER. DAD STATED PATIENT'S BODY SLUMPED OVER AND HE SUPPORTED HER IN THE CHAIR. THE NURSE WITNESSED FULL BODY UNCONTROLLABLE SHAKING FOR LESS THAN 20 SECS. LOC ASSESSED AND PATIENT WAS AOx4 IMMEDIATELY FOLLOWING THE SHAKING. NURSE ALSO OBSERVED PALE LIPS. FLUIDS OFFERED AND CONSUMED. MD & EMS PAGED. DAD REPORTED TO MD, PATIENT HX OF FAINTING. PATIENT BECAME PALER. MD ADVISED AGAINST PLACING PATIENT ON GROUND. GURNEY PROVIDED. PATIENT FEET ELEVATED. VS OBTAINED #1 BP: 76/48; #2 83/52, p: 60, RR: 16; O2: 98%; #3 BP: 85/53, P: 81 at 1540. PATIENT OBSERVED WITH FEET ELEVATED FOR LESS THAN 10 MINS. MD RECOMMENDED PATIENT REMAIN IN OBSERVATION FOR 15 MINS PRIOR TO LEAVING. PATIENT MOVED TO CHAIR SEATED UPRIGHT POSITION WITHOUT ASSISTANCE FOR 15 MINS. 15 MINS ELAPSED, MD MADE AWARE AND DECLINED TO REEVALUATE PATIENT AT 1555. PATIENT EXITED OBSERVATION AREA ACCOMPANIED BY PARENTS AND BROTHER WITH FLUID IN HAND IN STABLE CONDITION.
1356329	5/27/2021	CA	15	5/27/2021	5/27/2021	ABOUT 30 SECONDS AFTER GETTING THE COVID VACCINE, PATIENT BEGAN FEELING DIZZY AND GETTING BLURRED VISION. I HAD HER SIT DOWN AND TAKE A DEEP BREATH AND GAVE SOME WATER, THEN SHE BEGAN FEELING A LITTLE BETTER AND ABOUT 30 MINUTES LATER SHE RECOVERED AND LEFT THE PHARMACY WITH HER FATHER. I CALLED THEM ABOUT 2 HOURS LATER AND CHECKED IN AND HER FATHER TOLD ME SHE IS FEELING BETTER NOW.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355159	5/27/2021	IL	12	5/27/2021	5/27/2021	Patient stated was having blurred vision and couldn't see. Skin appeared pale, denied trouble breathing, no sign of swelling, rash, shortness of breath, cough. Patient layed down on the floor, with feet elevated. EMTs arrived, evaluated patient, patient began to feel better and was walking around okay.
1356487	5/27/2021	VA	16	5/27/2021	5/27/2021	PATIENT EXPERIENCED DIZZINESS, BLURRY VISION, HEARING LOSS AND BECAME SHAKY AND PALE ABOUT 2 MINUTES AFTER GETTING THE VACCINE. SHE WAS STILL SEATED IN THE IMMUNIZATION ROOM AT THE TIME THE ADVERSE EVENT OCCURED. SHE REMAINED SEATED IN THE ROOM FOR ABOUT 20 MINUTES BEFORE FEELING WELL ENOUGH TO LEAVE. SHE WAS GIVEN WATER AND AN ICE PACK.
1352150	5/26/2021	WA	14	5/26/2021	5/26/2021	5/25/21 @ Approximately 12:03 pm, 14 year old Patient fainted while waiting in vaccination waiting area after his first COVID-19 vaccination (Pfizer). Patient stated that he started to have ringing in the ears and some blurred vision. Patient's father instructed patient to lay down on the three chairs in vaccination waiting area. At this time store employee came out to assist patient and patient's father. I (employee) came out to assist moments later when I saw what was happening (I had just finished a consultation with another patient). We elevated patient's legs, put and ice pack under his neck, and called 911. Patient was awake but not very talkative. Patient was very alert and talkative in Clinical Service room at the time of immunization, which was a big change from how he was immediately after fainting. Patient appeared sweaty and pale in color. Patient's blood pressure was taken at 12:09 pm and was 88/51 pulse 53 (patient was still laying down at this time). Respiration rate was 20 breaths per minute. At 12:12 pm blood pressure was taken again as patient appeared more responsive and talking more. His BP was 101/63 and pulse 63. Immediately after second blood pressure reading, EMS arrived and they took over. Patient was responsive and drink water and sitting up at this point. EMS checked patient out and was cleared shortly after. EMS stated that this will not defer patient from getting his second COVID vaccination. Before patient left he was continuing to drink water and was eating some crackers.
1350327	5/26/2021		15	5/22/2021	5/22/2021	dizzy, headache, blurred vision, vomited after vaccination. (at 03:52 pm) outcome: recovered after drinking water and eating crackers and discharged to home.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1350943	5/26/2021	MD	14	5/26/2021	5/26/2021	Mom reported that she has had syncopal events with shots before and the student and mom thought that she had grown out of it. Student was holding her breath while given the shot. Eyes started to roll back. RN giving the shot told her to cough and RN was tapping her her back to try to get her to cough. Ice, juice, water were given to the student. Student vomited x 1, Student rested on the cot until she felt better in about 10 minutes.
1351236	5/26/2021	NH	17	5/26/2021	5/26/2021	Pt diaphoretic, pale, nauseas, blurred vision, difficulty hearing, lightheaded, SOB, 10 minutes after receiving pfizer. Given water, vital signs obtained. HR low into the 50s, O2 sat 93-94%. Placed on a stretcher. After vitals obtained pt color returned and she stated she started feeling better. HR improved to 70s, O2 sat 97% on RA. BP stable throughout.
1351300	5/26/2021	WI	13	5/21/2021	5/21/2021	Initial complaint: Feeling faint (holding head), both eyes starting to go black 1046 BP 110/70 HR 60 Said "feeling better" did not eat breakfast. Drank water and ae granola bar, vision improved. 1057 BP 115/72 HR 84 She stated she was feeling better after granola bar and water.
1351654	5/26/2021	TX	15	5/23/2021	5/24/2021	Vaccine was given 5/23, on 5/24 she felt a heaviness in her chest, this persisted to 5/25 when she felt like she could not eat. When she told her mother that's when mom noted the facial droop and took her to ER for evaluation. There she was given steroids and a prescription for eye drops and oral steroids. She has not taken the oral steroids at this time but nearly all of her symptoms have resolved.
1351694	5/26/2021	PA	15	5/26/2021	5/26/2021	After 15 minute observation period patient experienced weakness in arms and legs, sweating, loss of vision, and pupil dilation. Patient was brought back to the pharmacy around 6:15pm, after a few minutes of sitting the patients pupils returned to normal and the patient regained vision. After 15 minutes the patient was able to stand without issue. An ambulance was called, paramedics monitored the patient and took the patient to a near by hospital.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1351900	5/26/2021	OR	15	5/26/2021	5/26/2021	Patient received c19 vaccine Pfizer - lot EW0178 at 1437 on 5/26/021 At 1443, patient was given 0.15mg Epi in left thigh due to reaction. BP 104/68 P: 63 O2: 97% RA (laying) BP 101/70 P: 88 O2: 98% RA (laying) Patient was seen with her head back in her chair, then sliding down the chair with her eyes rolled and unable to breath. RN assisted Patient mother at side Lab Mgr present Patient was kept on the floor until 911 arrived for EMS transport to Hospital.
1352355	5/26/2021	CA	15	5/26/2021	5/26/2021	Nurse was giving pt the vaccine and pt was replying to questions well before the injection. After injection, pt rolled his eyes back and head went back. Dad came in and stated that this was normal and that it occurs sometimes from injections. Nurse rubbed pt's back and propped his legs up on a chair. Pt drank water and rested and slowly felt better. After about 20 minutes, pt felt fine and was able to walk out.
1352398	5/26/2021	MN	15	5/26/2021	5/26/2021	About 5 minutes after receiving her vaccine, patient described feeling light headed, had hearing and visual disturbances, felt like she might pass out. after several minutes of sitting with head between her leg, those symptoms went away but she said she had developed a headache. At time she left pharmacy she said she felt ok other than her headache.
1352720	5/26/2021	CA	14	5/26/2021	5/26/2021	My son started sweating profusely few seconds after the vaccine injection was administered. He felt intense heat all over his body and his vision blurred. The symptoms lasted for about 20 minutes.
1351889	5/26/2021	NJ	12	5/26/2021	5/26/2021	26 minutes after receiving the vaccine patient complained of headache, weakness of limbs and visual disturbances. Had not eaten or drank fluids since 12noon today. Given water and a belvita cracker which he consumed without issue. Continued to monitor VS were stable (BP 118/76 and pulse 106) and pulse ox 98%. When symptoms continued past 1 hour with no significant improvement EMS were called and patient was transported to the Emergency Room.
1346974	5/25/2021	WI	14	5/21/2021	5/25/2021	PATIENT VISION BECAME BLURY, AND PATIENT EXPERIENCED COLD/HOT FLASHES

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1346485	5/25/2021	VA	17	4/29/2021	4/29/2021	Patient received the Pfizer vaccine in the morning, then woke at about midnight. He went to get a drink of water, and was holding a glass of water in his hand. He started to feel as if the room was spinning, became very sweaty, had ringing in both ears, and lost consciousness, striking his head on the counter. The event was unwitnessed. He reports waking approximately 1 hour later with a bad headache. He had a headache and felt disoriented. He denies urinary/bowel incontinence or tongue biting. He was able to walk back to his room without difficulty, took ibuprofen, and went back to sleep. He woke the next morning with nausea and vomited, but this did not impact his headache. He has not had any notable neurologic symptoms since that time, but continues to have a minor headache. He has not had any further vomiting. Headache has not subsequently woken him from sleep and does not worsen with recumbent positioning. He denies visual changes, memory changes, difficulty swallowing, shortness of breath, ringing in his ears, or dizziness. He says his headache is located mostly around his forehead and at the top of his head that is now mild and feels like pressure ?like a tension type headache.? His mother is a nurse, and evaluated him the next day. The family did not feel that he needed to be seen in the emergency department, or prior to this visit. He has not had any previous episodes that were similar. Patient was evaluated in my clinic. Complete neurologic exam was within normal limits. He has been referred to neurology for further assessment.
1346389	5/25/2021	CA	15	5/24/2021	5/24/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Hyperventilation-Mild, Systemic: Hypotension-Mild, Systemic: Nausea-Mild, Systemic: Visual Changes/Disturbances-Medium, Systemic: Vomiting-Mild, Additional Details: Patient felt dizzy and blackout/ fainted for less than 10 seconds. Vommiting and blood pressure on the low 96/64

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1346733	5/25/2021	FL	14	5/18/2021	5/22/2021	Patients mom stated her son got the vaccine on Tuesday 5/18/21 and about 4 days later he ate seafood and then started to get an allergic reaction about 2 hours later. Patient started to feel that his lips swelled up along with a rash all around chin, neck and around mouth, on forehead between eyes. He took Benadryl which helped symptoms subside. He also complained of a little chest pain that lasted less than an hour but no shortness of breath. As of Monday 5/24/21 he feels fine no other symptoms. No c/o fever, fatigue, nor headache, body aches. Pain at injection site from vaccine was also reported but that subsided.
1347449	5/25/2021	MO	13	5/18/2021	5/21/2021	the day following vaccination she described worsening of chronic fatigue, headache, chest/rib cage discomfort, swelling of left arm and left face, hives under eyes and left face
1347663	5/25/2021	MD	12	5/16/2021	5/25/2021	Mother reports of twitches in eye and head
1348071	5/25/2021	OH	13	5/25/2021	5/25/2021	Almost 15 min after pt received her first dose of Pfizer vaccine, she felt light-headed. Mom who was at side held pt up and called for provider. Provider came over and pt said she had blurred vision and muffled hearing, pupils were dilated. A few seconds later, pt felt better and was able to drink water. Had pt and mother stay a few extra minutes past 15 min for observation time and patient able to slowly stand up and walk out clinic with mom. She did report not drinking water since this morning.
1347190	5/25/2021	MT	12	5/25/2021	5/25/2021	Patient received the vaccination at 1148. A few minutes after receiving the vaccine the patient became faint. The patient was placed in Trendelenburg, drank juice and remained laying for 20 minutes. VSS at 1103 when patient sat up. Patient did experience dizziness or blurred vision upon sitting upright. After sitting for several minutes his blood pressure was 100/59.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343520	5/24/2021	CA	13	5/17/2021	5/17/2021	Patient received her first dose of the Covid vaccine without a problem. She was reading a magazine in a chair while waiting for me (her mother) to have the second dose in the same room. About 5 to 10 minutes has passed since patient had received her injection. I looked over at patient, her eyes had rolled back and she had slumped in her chair. I ran over to her - her face was very red and she did not appear to be breathing. Her eyes were open but were not focused. I sat her up as straight as I could while the technician who administered the vaccine ran for the pharmacist. This took a few minutes. By the time the pharmacist arrived patient was gaining consciousness but began throwing up (although mainly dry retching). Her face had gone pale. The pharmacist was very helpful - she gave patient some Coke to drink and took her blood pressure, which was low. After 30 minutes of observation we were allowed to leave. The event was very frightening. Patient was very pale for the rest of the day. She had a severe pain in her left arm (and leg) which gradually improved over the next three days. We are very worried about her taking the second dose of the vaccine.
1342386	5/24/2021	IL	14	5/23/2021	5/23/2021	Hives, itching, eyelid swelling, lip swelling
1342933	5/24/2021	MI	15	5/21/2021	5/21/2021	Systemic: Confusion-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Numbness (specify: facial area, extremities)-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: TINGLING IN FEET

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1342964	5/24/2021	KY	15	5/15/2021	5/23/2021	At approximately 6 PM on 05/23/2021, family was sitting down for dinner when all of a sudden she noticed that he was turning his head to the left and appeared to be falling out of his chair. Mom states that eyes were darting back and forth at this time. He was not responding to her shouting his name and his left arm was curled in towards his body with the rest of his body remaining stiff. This lasted approximately 1 minute, followed by a time of confusion and drowsiness. Approximately 1 minute later mom states that patient's eyes rolled back to his head and he had full body movement consistent with tonic-clonic seizures. Family were able to lay him onto the ground during this time. Mom denies any color change, apnea, or loss of bowel or bladder. States he did have one episode of emesis following the event, and 2 episodes of emesis in the ambulance on the way to ED. Patient has no previous history of seizures or seizure-like activity. No new ingestions. Has not been sick recently and denies any new sick contacts. There has been no head trauma. Per Mom, patient's dad has a history of "partial seizures" but never required any medication for them. At arrival to the ED he continued to be drowsy and not at his normal baseline. Continue to hold his left wrist up toward his body in a contracted manner and tended to have repetitive speech. Briefly, ER course significant for a CT head and evaluation by pediatric neurology. CT head was unremarkable for acute intracranial process. A CBC, CMP, and coags were also obtained due to patient's continued contracture positioning and the possibility of a stroke. CMP was unremarkable with a sodium of 139, potassium of 3.7, chloride of 107, bicarb 25, BUN of 12 and creatinine of 0.64. CBC was also unremarkable with WBC of 10.72, hemoglobin of 14.8, hematocrit of 44.4 and platelets of 370. There was 81.77% neutrophils after evaluation by neurology it was felt that the patient remained postictal and recommended that he be admitted on continuous EEG and possible MRI in the a.m.
1342967	5/24/2021	MI	16	5/5/2021	5/12/2021	Dizziness, Migraine, no visual disturbance. First Migraine accrued on 05/12/2021 lasting 24 hours, Second migraine on 05/19/2021, lasting 24 hours
1343011	5/24/2021	MN	15	5/22/2021	5/22/2021	Systemic: Hypotension-Medium, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Stated she could not see clearly or hear well-

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1343013	5/24/2021	CA	15	5/23/2021	5/23/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Shakiness-Mild, Additional Details: pt immediately said she felt dizzy& eyes began to roll. Mom stated she has a fainting condition. Her Mom & I eased her to the ground. she briefly passed out, but immediately came to and asked what was happening. Her right leg was bent back but we lifted her to straighten leg. I elevated her feet & got her some water. I also got her some gatorade & a cool wet paper towel for forehead. She leaned against her Mom for a little while, then she sat. Mom said not to call 911
1343222	5/24/2021	NC	13	5/24/2021	5/24/2021	Approximately 5 minutes after receiving first dose of Pfizer, patient became disoriented, eyes began rolling back in the head, loss of skin color, hands tingling, and altered hearing. We administered 25 mg of benadryl and patient began to feel better within 5 minutes. Patient stayed an additional 30 minutes and continued to improve to normal per parents.
1343229	5/24/2021	SC	13	5/21/2021	5/21/2021	Friday, 5/21 around 11:55 she received her first dose. 20 minutes later she complained that it felt like someone punched her in the face, and her left cheek was swelling. She looked woozy, with her eyes closing, and the nurses laid her down on the floor on a mat. Her tongue and throat began swelling, and she was having extreme difficulty breathing. She then could not feel anything from her neck down, like she was paralyzed. The nurse administered an EpiPen and EMS showed up minutes later. In the ambulance, EMS administered another EpiPen, gave her a steroid and Benadryl and rushed her to the hospital. Once at the ER, she was still having a hard time breathing, and could not feel anything from the waist down and could not move her legs. She also complained about her spine being in extreme pain around the mid to lower back. When her symptoms did not resolve, she was admitted to the hospital for observation and treatment. She had extreme pain in her joints - spine, hips, knees, ankles and toes, if someone tried to move them, she could not move on her own. She also had tingling and numbness that would travel up and down her body - weakness in her arms and legs. The medical staff continued with Bendryl - switched to Adderax, and Motrin and steroids (Prednisone?). She was discharged from the hospital Sunday, 5/23/21 in the afternoon. This morning (Monday 5/24/21) she is still experiencing back and leg pain, weakness and cannot walk with out assistance and it is extremely painful.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1345264	5/24/2021		14	5/24/2021	5/24/2021	7 minutes after vaccination, attendee developed dizziness and a purple circle in her vision. She was assisted to a cot, lied down and her feet were elevated. HR 90 BP: 104/58 RR: 18 O2Sat: 100% Temp 98.3. Nine minutes later she was asymptomatic. HR: 90 BP: 110/50 RR: 20 O2 Sat: 100 Temp: 98.2. 10 minutes later still asymptomatic. Assisted to sitting position then vitals taken HR: 84 BP: 112/62 RR: 20 O2 Sat: 98 Temp: 98.2. She remained asymptomatic. Assisted to a standing position, Asymptomatic. Discharged to home with her mother. Able to independently walk out of the clinic.
1343467	5/24/2021	NJ	13	5/22/2021	5/23/2021	At first patient was fine just sore arm. Approx 2pm the next day we were at Aunt's house & he became very sleepy and fell asleep outside. I nudged him to see if he was okay and he couldn't lift his head up all he said was "I hate you" (he didn't want the shot and I had a feel well) I kept nudging him to go inside and he didn't react. Finally after 25 min I had my brother in law carry him upstairs. He didn't wake up for it (the kid is 13 that never happens). Every hour I checked on him and he wouldn't wake up. I am a nurse do figured the shot made him tired but I did start to get anxious I even sternal rubbed him and he reacted to pain but would not wake up. Finally around 445 I told my husband we need to make him drink something and I stood him up he would not wake up. I was trying everything but we got him up enough to gulp down some gatorade. We put on his sneakers and he basically sleptwalked down the stairs went right to car and fell asleep again. It was like he was too tired to stay awake. We got him home and around 515 kept him sitting up in kitchen. Took him about 20 min to fully open eyes and wake up. When he was fully awake he said it was like the shot moved from his arm to his whole body when it happened and that was it. He was sore and achy after that and even today to generalized body. But he was fine as far as not lethargic after.
1343559	5/24/2021	KY	14	5/20/2021	5/20/2021	Approximately 2 hours after receiving her first covid vaccine, my 14 year old fainted. She was standing in our kitchen at home and became dizzy and started falling backwards. She said her vision was black, she was hot, her head hurt, I could see sweat on her face and chest, and she said she was having tightness in her chest/not able to get full breaths. She didn't totally lose consciousness, but she was disoriented. These symptoms lasted a few minutes, then she felt fine.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1343575	5/24/2021	IA	17	5/18/2021	5/18/2021	Patient reported they couldnt stand the sight of blood and had fainted during draws before. Father was present in the vaccine office as well. Immediately fooling the administration of the vaccine patients eyes glazed over and he fainted. A few seconds later he began to have a spastic seizure that was short in nature, followed by a voiding of his bladder before he regained consciousness. Patient was given water, glucose tablets, and instructed to lay on the floor of the room with his feet elevated while a member of the staff stayed with him to treat and watch him. Followed up with patient and doctor soon after to learn this was the only time it has happened, patient fully recovered.
1343792	5/24/2021	TX	14	5/17/2021	5/17/2021	Patient (14 years old) fainted in the observation area receiving the first dose of the Pfizer vaccine. Patient fell from chair and had some scratches to right temporal region. Patient was accompanied by his mother. Patient was assisted to chair and appeared very pale and disoriented to time and place. EMS was called at 1138. Patient also stated his vision was blurred, reported nausea (emesis x1), and reported feeling very weak and ?really weird?. Patient also reported he was very sleepy and wanted to go to sleep. Patient was kept awake. Mother stated patient had history of ADHD and anxiety but no other past medical history. Paramedics arrived at 1145 and assessed patient. Blood glucose and VS were normal. Patient continued to report feeling unwell and wanted to go to the hospital but also wanted to ?stop for food?. Patient?s mother reported that patient was starting to sound like his normal self and that his color was returning. Patient?s mother agreed for the paramedics to transfer patient to ED for further evaluation. Patient left in ambulance at 1157.
1343961	5/24/2021	WI	17	5/21/2021	5/21/2021	Patient fainted (loss consciousness) a couple of minutes after receiving injection. Mom caught him and called for help and reported his eyeballs rolled up and he started down when she caught him. by time Pharmacist and store staff got there (less than a minute) he had regained consciousness but very lightheaded. No breathing difficulty. So got a chair and had him sit with head down and store staff observing. After another 10min he still reported lightheaded and nausea, so ambulance was called. When they arrived and checked him out everything checked out normal and he was feeling better so they released him to his parents care. Called on 5/24/21 at 10:10am and spoke to mom who reported he was doing fine and no apparent after effects.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1344127	5/24/2021	PA	17	5/24/2021	5/24/2021	patient was dizzy, pale,sweaty, blurred vision, and bp was low
1344278	5/24/2021	KS	15	5/13/2021	5/13/2021	blurred vision, felt hot, pupils enlarged, loss of bladder function, no loss of consciousness, HIVES
1344362	5/24/2021	IL	15	5/24/2021	5/24/2021	Pt reported to briefly lose consciousness and stated that his vision changed. Pt did not fall completely from chair. Pt was gently lowered to the ground. Pt was alert and oriented x 3 and vision restored while lying on the ground. Patient was given water but then when he sat up, he soon became unconscious again and again was gently lowered to the floor. Regurgitated/ spit out the water. After initial confusion, was alert and oriented again.
1344851	5/24/2021	OR	15	5/16/2021	5/16/2021	Person complained of light headiness, dizziness and blurred vision after receiving the first dose of the Pfizer vaccine. EMS was called and treated the individual on scene and was released on their own.
1343375	5/24/2021	DC	15	5/14/2021	5/15/2021	Suddenly my vision got super bright and I could hardly see, and then I couldn't hold myself up and I slowly collapsed onto the ground. It only lasted a few minutes, and then I was perfectly fine. It came on very suddenly and didn't last long, but it was extreme during those few minutes. It was also very hot that day. And I had a mild migraine headache in the morning, but that wasn't very bad, and I get migraines fairly regularly.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1342002	5/23/2021	CA	17	5/23/2021	5/23/2021	On 05.23.21 client received her second dose of the Pfizer Covid-19 Vaccine (LOT # EW0185 EXP. 08/2021). Client approached EMT and stated that they felt "nausea." Lead nurse and Co-Lead nurse also responded. Client was a 17-year-old non-binary individual alert and tracking with their eyes. Client had a chief complaint of nausea. Client stated that they noticed their nausea a few minutes after beginning their observation. This was the clients second dose of the Pfizer vaccine. Client denied any medical history and stated they only take melatonin at bedtime. Assessment revealed no swelling, hives, discoloration, shortness of breath or other signs of anaphylaxis. Client was complaining of nausea that came on abruptly after their vaccination. Client stated they had breakfast this morning but not very much water. Client also stated they felt nervous after their vaccination. Airway, breathing and circulation are intact. Client's initial vitals at 0915 were: 92/64 blood pressure, 68 heartrate, respirations 14, O2 100% on room air, alert and oriented to person, place, date and event. Temperature 97.8*f. Client consented to an additional 30-minute observation and was asked to lie down for at least 15 minutes. Client was provided with water and was reassessed every five minutes until their complaint was resolved. After lying down for 15 minutes, the client stated that their nausea had resolved. Client sat up in an observation chair for the last 15 minutes and stated that their nausea was all gone at the completion of their observation. Clients remaining vitals were 0920 - 110/74, 84, 100%, resp. 14. 0925 - 110/74, 84, 100%, resp 14, 0925- 110/74, 84, 100%, 0930 - 110/74, 88, 100% resp. 14, 0940- 120/78, 88, 100%, resp. 16, 0945 - 118/78, 80, 100% resp 14. Client was provided with relevant vaccine information and instructed to seek emergency care if a severe reaction happened later. RN and EMT worked together to educate client about possible symptoms they could experience. Client acknowledged what they were told and departed facility at 0947 with their mother in positive disposition with steady gait.
1341935	5/23/2021	IL	14	5/23/2021	5/23/2021	pt fainted/had seizure 50 to 10 minutes after covid vaccine. pt did not fall, dad held her.head and eyes rolled back, shaking and stiff for 2 seconds per dad. pt alert, breathing, and movement looked normal when I saw pt . pt mom called 911 and pt was taken to hospital . no history of fainting or seizures per dad

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1341585	5/23/2021	CT	12	5/22/2021	5/22/2021	Systemic: Fainting / Unresponsive-Severe, Additional Details: upon exiting vaccination room pt fell forward. it is unknown if she fainted or tripped, mom was standing behind her and was unsure as well. pt bumped head and had a welt on her upper right eyebrow, also her nose began to bleed. ice pack was given/applied to head/eye, paper towel given to stop nose bleed. also water/starburst given. 911 was called. dispatchers came and questioned if she felt dizzy when she left room to which pt responded no, ambulance took pt.
1341640	5/23/2021	VA	15	5/21/2021	5/21/2021	Site: Redness at Injection Site-Mild, Systemic: Allergic: Anaphylaxis-Medium, Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Allergic: Itch (specify: facial area, extremities)-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Severe, Additional Details: pt's tongue felt funny, then her throat felt tingly, progressed to throat beginning to close. given 50mg benedryl and 20mg pepcid at pharmacy and she went by ambulance to ER. she will undergo further testing this week at allergist to see if she is allergic to polysorbate and peg.
1341863	5/23/2021	OH	13	5/21/2021	5/23/2021	My son woke up the day following his vaccine and had mild complaints of headache and ?feels like I have a touch of the flu?. He hydrated with water that day very well and I gave him 500 mg of Tylenol. On Sunday (2 days after vaccine) we were at church celebrating outdoor Mass. about 20 minutes into church my son said he didn?t feel well and needed water. He was standing at the time he said this. He had been standing under and umbrella the entire time to shade him from the sun. About 1 minute later he fainted. He visually looked very pale at the time. We treated him with by having sit down, moved him to air conditioning. It took about an hour before he felt back to baseline.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1341926	5/23/2021	NY	15	5/23/2021	5/23/2021	Pt walking and c/o unable to see, pale, diaphoretic and lightheaded. W/C to med eval station for further evaluation. Vision returned after 2 minutes, Gatorade and water offered. EMS evaluated with VS 90/60, HR 70, Sat's 98%. Lying on cot with parents at side. No further visual impairment. Able to see without any blurring or peripheral impairment. EMS continue to monitor, taking fluids, no s/s neuro deficit present with assessment. Able to stand with no c/o's dizziness. BP 110/70 HR 88 Sat 98 RA. Continued recover, parents decline any hospital transportation. Ambulatory discharge with parents and contact pediatrician for any further symptoms. Reviewed with parents well hydrated today and s/s anaphylactic reaction. Pt to be vaccinated 2nd dose in med eval area when he returns for 2nd dose, parents verbalized understanding.
1342017	5/23/2021	OR	15	5/16/2021	5/16/2021	Received her first dose of the Pfizer COVID-19 vaccine on Sunday May 16,2021 at around 2:50 pm. At around 7:20 pm on May 16,2021 she stood up to walk to the bathroom. She began feeling nauseous when she stood up. While she was washing her hands, after going to the bathroom, she began to have difficulty with her vision. She describes white and blue dots obstructing her vision in both eyes. She also began to experience loud tinnitus. She described hearing multiple frequencies. The problem with her vision and the tinnitus continued as she walked through our house to a couch where she laid down. The vision problem and tinnitus continued while she laid on the couch. Her breathing was rapid but she thinks this may have been due to the stress caused by her other symptoms. This episode lasted for several minutes and then the vision problem resolved. The tinnitus continued for several minutes after the vision problem resolved. The intensity of the tinnitus slowly decreased until it finally stopped. The following evening, she experienced tinnitus for a few minutes but it was less intense than it was the previous evening. She very rarely has experienced tinnitus in the past. She has very infrequently experienced brief episodes of orthostatic hypotension when she was dehydrated. When this event occurred, she felt like she was well hydrated. This event lasted much longer and she has never experienced this problem with her vision in the past.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1342025	5/23/2021	VA	15	5/23/2021	5/23/2021	one minute after injection, pt started to fall forward in the chair. father caught him and I was immediately called into the immunization room. pt was laid onto the floor and his legs were elevated onto a chair. father stated pt had never had a reaction to a vaccine before. no health conditions. 911 was called..... but then parent decided he didn't want them. pt states his vision started to go black before he briefly passed out... probable vasovagal syncope. we waited for 911 to come since they were already alerted. pt sat in chair but then started to get lightheaded again, so he returned to a position where his feet were elevated in the chair. EMS arrived and monitored him. father and EMS made decision to return pt to home.
1341893	5/23/2021	TX	12	5/19/2021	5/19/2021	The patient is a healthy 12 year old female with no medical history or problems, she received the COVID Pfizer vaccine #1 on Wednesday, May 19th at 4pm and was asymptomatic at that time. Within about 5 hours, she began to experience extreme lethargy. By the following day, May 20th, she experienced profound lethargy that lasted 36hrs. During this time, she was asleep but arousable with effort, she described general myalgias, moderate left arm pain at injection site, mild headache, no other symptoms. Her profound lethargy lasted through midday on May 21st, upon which time she was able to keep her eyes open and began to regain her strength. By the evening of May 21st, she was fully recovered.
1342040	5/23/2021	WA	12	5/16/2021	5/19/2021	My 12 year old daughter has reported having twitching of the head and right eye. She reports it started last week and continues to this day. The twitching of the head happens as often as every hour or more. The twitching of the right eye is rare. Depending on how fast the twitch happens with her head pain is associated with it.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1342071	5/23/2021	CA	14	5/23/2021	5/23/2021	Client was feeling "cold." Client was a 14-year-old female sitting upright in her observation chair, alert and tracking with her eyes. Client had a chief complaint of dizziness and feeling cold. Client stated that she began to feel cold and dizzy a few minutes after her observation had begun. This was the client's first dose of the Pfizer vaccine. Client denied any medical history or known allergies. Assessment revealed no swelling, hives, discoloration, shortness of breath or other signs and symptoms of anaphylaxis. Client stated that she felt "cold" and "dizzy." Client stated that her only meal was the snacks provided at the vaccination site. Airway, breathing and circulation were intact. Client's initial set of vitals at 1006 was 116/78 blood pressure, 80 heart rate, respirations 16, alert and oriented to person, place, date and event. Temperature 97.8*f. EMTs present were unable to obtain an O2 sat due to client's nail but client was negative for signs of shortness of breath. Client was asked to lie down until her complaint was resolved. Client was provided with food and was able to eat without difficulty. Client was reassessed every 15 minutes due to her stability. Vitals were as follows: 1011 - 108/78, 84, resp. 14 1021 108/78, 88, resp 14 1029 - 108/78, 80, resp 16. After approximately 10 minutes, the client denied any symptoms and was asked to sit up in an observation chair for the remainder of her observation. Client and her mother were instructed to seek emergency care if signs or symptoms of an allergic reaction occur later this evening.
1342270	5/23/2021	NY	13	5/16/2021	5/17/2021	Fever, eye redness, body pain starting 1 day after vaccine cough, nausea, abdominal pain 3 days after vaccine 1 episode of emesis 5 days after vaccine - Admitted to hospital with suspicion of MIS-C - As per ID and Hem/Onc, Started on IVIG and aspirin (5/23/21) - currently still admitted for management of MIS-C

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1341185	5/22/2021	CA	14	5/22/2021	5/22/2021	<p>Situation: 14yo male came in for first dose Pfizer vaccine. Within 5 mins after receiving vaccine, patient had a seizure for approximately 1 minute. During seizure, patient was incontinent of urine. RN was able to get to patient's side before he fell. Background: Patient did not alert vaccinator or RNs that he had a history of seizure. Mom informed staff after the event that he had a febrile seizure when he was a young child. She did not disclose what age he was at the time of the previous seizure. Assessment: RN observed patient in an active seizure for 1 minute in which his body contracted out and his eyes rolled back. She was at his side to prevent him from falling. He was placed on a gurney and moved to room 6 for closer observation for 30 mins. Pfizer vaccine administered on 5/22/21 at 12:52PM 1255 vitals ? 121/64(83), 97.3F 1257 vitals ? 122/75(90) 1311 vitals ? 116/76, HR 68, 100% O2 1318 vitals ? 112/75, HR 68, 100% O2 1325 vitals ? 111/61, HR 68, 99% O2 Recommendation: MD on call, was called and notified of the event. Her recommendation was for the patient to go to the ED for evaluation and labs. RN called the ED to notify them of the patients intended arrival. The mom agreed to take the patient to ED for further evaluation. The patient was taken out via wheelchair.</p>
1340718	5/22/2021	DC	13	5/22/2021	5/22/2021	<p>Within minutes of getting his vaccine, he felt his throat tighten with mild itching of his throat. He was assessed with normal vital signs, no wheeze, no emesis, no rash. He felt better quickly without intervention. He was observed for 45 minutes and we practiced some calming visualization strategies.</p>
1340754	5/22/2021	NY	14	5/21/2021	5/21/2021	<p>moderna clinic - Patient sat for a bit after vaccine - fainted when got up to leave. I heard the commotion from the pharmacy while i was giving a vaccine. Patient had signed up online for the vaccine with the date of birth 6-20-2001 (showing 19 years of age). Patient came to quickly after fainting - felt dizzy, nauseated, warm and blurred vision (seeing spots). Patient did not hit her head during fall. EMS came to check her out. Took blood pressure and pulse - within normal limits for patients age. Being that she's 14 and received Moderna instead of Pfizer that could have been the reason. Patient faulted age during online sign up stating she was 19. I checked with the mom the day after the incident - patient feels fine - no flu like symptoms or feeling dizzy, nauseated or blurred vision.</p>

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1340912	5/22/2021	NC	14	5/14/2021	5/17/2021	Pt received first shot of Pfizer vaccine on 5/14 - 12:30 PM EST. On 05/17 around 7:45 AM, Pt passed out/fainted. He woke up few minutes prior to the event and this event started after he passed urine. As soon as he finished Urination, he felt nauseated, dizzy and then lost consciousness thereafter. He fell backwards as a result and hurt his back as well as back side of the head. During his unconsciousness his body was completely stiff and his eyes were rolled back. For few seconds then he became completely still (it felt he was not breathing). I gave him physical stimulus (slight slaps on the face) post which he started reviving. During this time we called 911. I gave him few sips of water forcibly and he started reviving thereafter. on 5/15 and 5/16 (post vaccination on 5/14) he was feeling tired and seemed bit dull. This was unusual as Pt is a competitive soccer player and highly active.
1341137	5/22/2021	KY	17	5/22/2021	5/22/2021	Shortly after receiving vaccination patient experienced blurred vision, lightheaded ness, loss of balance, headache and tiredness, profusely sweating Called 911, provided water and a safe sitting position
1341189	5/22/2021	WA	13	5/18/2021	5/19/2021	Patient developed SVT (supraventricular tachycardia) approximately 29 hours after receiving the COVID vaccine. Patient has no prior history of SVT or any other cardiac related events. Patient was engaged in a basketball game when the SVT occurred. Patient has been involved in multiple competitive sports since the age of four without any prior incident related to exercise. He felt like he could not breathe, his heart was racing, he became dizzy, began to lose his vision and I took him to the local fire station for evaluation.
1341243	5/22/2021	FL	17	5/22/2021	5/22/2021	Less than a minute after administration patient started to feel not well. Patient displayed symptoms of possible syncope. Eyes were unfocused and unable to sit up straight. Epipen was administered immediately. EMS was called. Patient's blood pressure was taken multiple times and was low at each reading. Patient's blood pressure would also drop upon standing up. After about half an hour of not resolving EMS took patient to hospital for further evaluation.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1341078	5/22/2021	NY	15	5/22/2021	5/22/2021	Client vaccinated, said it was good then slumped in chair, eyes rolled back. Responded to verbal commands, opened eyes ,pupils dilated, diaphoretic, took a minute for her eyes to come into focus. Paramedic to cubicle, client transported to treatment area. Observed by paramedic for 45 minutes, departed for home with Mom and brother.
1337759	5/21/2021	CA	14	5/1/2021	5/21/2021	Pt. c/o tingling in right arm approx. 15 minutes after receiving vaccine. Denies shortness of breath or lightheadedness. BP 106/66, 97%O2 P-60, repeat 98%O2, P-62. Pt. advised slow deep breaths, drink H2O2, massage hand and arm. Pt. reports normal sensation after 20 minutes. Pt advised home, rest, ice on vaccination site PRN, tylenol or ibuprofen prn, call 911 if shortness of breath, swollen lips & tongue & eyes, or tightening in throat develop. Pt & her father verbalize understanding.
1338339	5/21/2021	VA	14	5/18/2021	5/18/2021	I administered the vaccine, got one side of the band-aid on and that is when her head fell back. Her eyes rolled into the back of her head; she then leaned over the right arm of the chair. Her body stiffened next. I held her head and body with the help of a colleague. This happened for about 10 seconds, then she woke up and snatched her mask off with a confused look on her face. We asked her questions to see if she was aware. She was, then she went back out falling over to the side. I called 911. When she awakened the second time after about 7-10 seconds her face turned pale. We then moved her to the floor and propped her feet up. Patient said she was nervous and felt like she had to use the restroom. Her skin was clammy; patient said clammy skin is nothing new for her. The fire truck and ambulance arrived on scene. The workers began to assess patient. Vitals were good. She did not go in the ambulance, but stated her vision were blurry. She went home with grandparents.

VAERS_ID RECVDDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVD</u> <u>DATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1336933	5/21/2021	MA	12	5/16/2021	5/16/2021	12 yo male presenting with bilateral lower extremity paresthesias and confusion. Admitted to the hospital. Pending discharge to rehab facility. ED Note 5/19/21 Patient is a 12-year-old male with hypogammaglobulinemia, asthma, IBS who presents with weakness in his lower extremities. 6 days ago, patient had seafood and later that night vomited once, nonbloody, nonbilious. 4 days ago, he received the first dose of the Pfizer SARS-CoV2 vaccination. That day, he also felt some burning over the anterior parts of his bilateral ankles. Over the past 3 days, he has been sleeping a lot and had a headache. He has not had a fever or other muscle aches, no subsequent N/V, abdominal pain. Last night, he reported ankle pain to his mom. Today at school, he was playing kickball when he had the sensation that his ankles were not working/gave out and he fell to the ground. He had difficulty getting up and required a wheelchair. He did not lose consciousness, denied CP, palpitations, SOB, headache, vision change during or before that episode. He was not incontinent of urine/stool and had no abnormal movements noted at the time. Since then he has noted twitching in his thighs, calves and toes. He reports weakness throughout both lower extremities and has difficulty with intentional movements at the toes/ankles/knees, weakness in hips. He reports a burning sensation over the anterior ankles/dorsum of foot b/l. Denies fevers, chills, cough, SOB, CP, palpitations, abdominal pain, N/V/C. He endorses diarrhea 3x daily which is his baseline. He has panic attacks 3x daily w palpitations/SOB that self resolve. He has been on keflex for an ingrown toe nail for the last week. MRI performed with normal brain and spine. However, on repeat exam patient has diminished sensation in the bilateral feet and diminished ability to dorsiflex or plantarflex both ankles with very limited toe range of motion. Still with preserved reflexes in the patella and Achilles. Discussed at length with neurology and the family. Differential diagnosis at this point of functional neurological disorder versus Guillaine Barré syndrome. Neurology note 5/21/21 Patient is a 12yo M with hypogammaglobinemia, IBS, and poorly controlled anxiety, presenting with 4 days of lower extremity paresthesias and 1 day of hyperacute onset of lower extremity weakness and perhaps some mild confusion. History notable for covid vaccine three days prior to presentation and anixety surrounding covid and return to school. His general examination is notable for anxious affect with difficult to localize neurologic exam. Exam shows possible bilateral lower extremity weakness of TA and hamstring>quad/IP that is very

VAERS_ID RECVD STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
						challenging to grade due to poor effort and giveaway, and decreased sensation in a bilateral stocking/glove distribution to all sensory modalities. MRI w/w/o contrast brain and spinal cord normal on admission. LP performed in ED also normal. Given negative workup and history of anxiety with recent psychosocial stressors, most likely sudden onset weakness is secondary to a functional neurologic disorder. Plan for discharge to rehab pending PT evaluation.
1336969	5/21/2021	WA	15	5/20/2021	5/20/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Pt was flushed, stated she had ringing in her ears, and was seeing stars. She moved from her chair to sit on the floor and drank water and CapriSun. After a few minutes, she said she was feeling better. Mom states that she had a similar reaction to getting nose pierced not too long ago.
1337123	5/21/2021	CA	13	5/21/2021	5/21/2021	Code assist called- Pt complaining of dizziness- blurry vision- Took pt's BP and it was 168/120-2nd BP 65/28- RN's and MD's assisted the code and 911 was called.
1337323	5/21/2021	VA	13	5/21/2021	5/21/2021	five minutes after 13 year old patient's first dose of Pfizer COVID shot, I was alerted that pt reported that her vision was "going black." when I arrived at our designated waiting area, she was sitting down with her father. parent stated that pt has never had any type of reaction to a vaccine previously, but stated that she had severe anxiety about this vaccine. pt was moved to the floor and raised her legs onto the chair. parent declined my offer to call 911 or rescue squad. her pulse was normal. parent and patient waited a total of 30 minutes before leaving the store. pt felt back to normal before leaving the store.
1338133	5/21/2021	VA	16	5/21/2021	5/21/2021	Patient states she exhibited dizziness and blurred vision. Patient was given orange juice and symptoms were resolved.
1336714	5/21/2021	MA	16	5/14/2021	5/18/2021	4 days after vaccination (on 5/18/21) she presented with right facial droopiness (unable to close right eye, unable to smile on right side etc) consistent with Bell's Palsy. Symptoms are (unsurprisingly) persistent now 3 days later

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1338575	5/21/2021	IN	15	5/21/2021	5/21/2021	2 minutes after administration, the patient was speaking to his father, dozed off to one side and had tremors. Patient immediately was able to open eyes and was shaking. Pharmacist advised patient to take deep breaths and relax until paramedics arrived. Patient had a few sips of water while waiting. Patient was fine after 15 minutes.
1338588	5/21/2021	CA	14	5/21/2021	5/21/2021	Patient appeared to be fainting, shook back and forth in a repeated manner after sitting down for observation following the COVID vaccination. Did not have any blurred vision, was responsive. To be safe, an ambulance was called. This occurred minutes after being vaccinated, the ambulance arrived about 30 minutes afterwards and picked the patient up.
1337872	5/21/2021		16	5/5/2021	5/5/2021	Eyes fixated, didn't respond, dizzy.
1338099	5/21/2021	WA	13	5/21/2021	5/21/2021	Patient was administered vaccine at 3:20pm, symptoms started in approximately 10 minutes. (911 called and stayed on phone until paramedics arrived). difficulty breathing, shortness of breath, became less responsive, eyes closed, stopped speaking. Patient lying down with legs elevated. epinephrine 1.25mg injected into left thigh via auto-injector at about 3:25 continued to monitor patient with the help of parents. Patient started arousing in a couple minutes. paramedics arrived. paramedics transported.
1333303	5/20/2021	NY	17	5/17/2021	5/18/2021	customer states she took her second shot of the vaccine and she has been having eye inches and running noise and not feeling well. Called her and she is ok.
1333965	5/20/2021	NC	12	5/14/2021	5/19/2021	child became unresponsive, clenched teeth, unable to stand alone, vomited, eyes dilated, unable to speak, headache, called 911 was transported to the hospital emergency room
1333904	5/20/2021		17	5/20/2021	5/20/2021	Blurry vision, near syncope after receiving vaccine. Onset of symptoms was 3-4mins after vaccine administration. Did not eat breakfast this morning Given juice and crackers Exam was normal Discharged to home

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1333757	5/20/2021	WA	15	5/20/2021	5/20/2021	Patient got shot on 05/20/21, waited in the pharmacy for 15 mins and felt fine. Patients mom called after about an hour and said patient fainted but recovered soon. He was not hurt, mom was advised to keep an eye on patient and call 911/ or urgent care visit. Per mom will wait. Called patient after some hrs per patient he is fine and has no adverse symptoms anymore.
1333676	5/20/2021	IL	14	5/19/2021	5/19/2021	Systemic: Hyperventilation-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Medium
1333636	5/20/2021	MD	16	5/19/2021	5/19/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Itch (specify: facial area, extremities)-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Chills-Mild
1333490	5/20/2021	CA	14	5/19/2021	5/19/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: Flushed / Sweating-Severe, Additional Details: patient developed sweating, pale lips, fatigue/lethargy, eyes closing and hard to remain concious. pharmacist called 911 and paramedics came, evaluated patient and blood pressure / heart rate normalized. patient able to sit down. after 30min post vaccination. patient and patient's father agreed to go home and refused ER service from paramedic.
1333213	5/20/2021	CA	14	5/19/2021	5/19/2021	Pfizer vaccine given 5/20/2021 Per mom/ pt the shot was given at 11:02 around 11:07 he leaned forward and became unresponsive. He was slightly drooling from the mouth. Mom says that his body was tight and that he was shaking a little. His eyes were closed and did not appear to be rolling back in his head. This episode lasted for less than 1 minute. He did not remember what happened and thought he wet himself after; which he did not. About 1-2 min after that episode mom states that he appeared to " passed out" for less than a minute. The ambulance was called and he was taken to hospital. He was evaluated and appeared well at that time. No fever. EKG was done and per pt it was normal. No EEG was done. He was discharged without admit That evening he has multiple episodes of vomiting > 10 times. No diarrhea or fever. Seen today at medical office for follow up. Vaccine not given at our clinic

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1334104	5/20/2021	PA	14	5/20/2021	5/20/2021	Patient immediately became sweaty, dizzy, and experiencing hearing loss after receiving her first dose. Patient was seated on floor with elevated legs before she was wheeled back for observation. Patient was visually pale and sweaty. Patient denied any anxiousness before receiving her vaccine. Patient had vitals assessed and was given snacks and juice. Patient was reassessed after 15 minutes and reported feeling better and was sent home with parent. Patient and parent were advised to reach out to family doctor if any late onset of symptoms.
1333569	5/20/2021	CA	16	5/18/2021	5/19/2021	Site: Redness at Injection Site-Medium, Site: Swelling at Injection Site-Medium, Systemic: Allergic: Rash (specify: facial area, extremities)-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Headache-Medium, Additional Details: Pt is a 16 yo male who came in for second dose pfizer vaccine on 05/18/21. His mother reported that the pt experienced redness and swelling of the left eye at 2am on 05/19/21. At 3am, the patient mother gave her son benadryl and ibuprofen. I called the patient at 11am on 05/19/21 to check up and he is currently sleeping with some swelling and redness present. He has made a doctor appointment later today.
1336006	5/20/2021	WA	13	5/20/2021	5/20/2021	PATIENT FELT LIGHT HEADED AND DIZZY AFTER VACCINATION DURING 15 MINUTE WAIT PERIOD. MOTHER SAID HER EYES ROLLED BACK AND SHE FELL AND MAY HAVE HIT HER HEAD BECAUSE HER HEAD WAS HURTING WHEN SHE CAME TO MOMENTS LATER. SHE FELT FINE EXCEPT FOR A LITTLE HOT AFTER THE EVENT. THEY WAITED FOR ANOTHER 20 MINUTES BEFORE MAKING SURE SHE WAS OKAY AND LEFT WITH NO TREATMENT
1334139	5/20/2021	VA	13	5/20/2021	5/20/2021	Syncope immediately following vaccine administration. No loss of consciousness, oriented, alert, responding appropriately to questions. Described "seeing spots in front of eyes, cold feeling". Pt denied nausea.
1334225	5/20/2021	CA	14	5/19/2021	5/19/2021	Pt experienced headache, blurry vision, "muffled sounds," flushing/sweating & experienced dizziness. Juice was given, mom stated this happens for all shots, crackers given, pt lay down & rested. Provider cleared pt, pt stable & released from vaccination site

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334350	5/20/2021	MA	16	5/19/2021	5/19/2021	PATIENT WAS EXTREMELY NERVOUS, STATED DOES NOT LIKE NEEDLES. WITHIN 2 MINUTES FELT CHEST TIGHTNESS, LIGHTHEADEDNESS, STARTED SHAKING AND EYES ROLLED UP BEFORE PASSING OUT. COME TO WITHIN A FEW SECONDS BUT WAS NOT COHERENT. COULDN'T ANSWER BASIC QUESTIONS AND LOOKED AS IF WAS GOING TO PASS OUT AGAIN. COULD NOT STAND, TALK ETC. HE WAS LIKE THIS FOR 10 MINUTES OR SO. CALLED 911 THEY STATED TO LAY PATIENT CAREFULLY ON THE FLOOR TO RECOVER BLOOD FLOW UNTIL THEY COULD GET THERE. PATIENT STARTED COMING BACK AROUND WITHIN THE NEXT 5 MINUTES. MOTHER REFUSED LEAVING IN AMBULANCE BELIEVED SON WOULD BE FINE.
1334467	5/20/2021	CA	14	5/20/2021	5/20/2021	Patient received Pfizer vaccine at 09:14, Mom noticed mild Left eyelid swelling at 09:25, notified staff. No other symptoms. Walked patient and mom to the ED (next building). Upon arrival, bilateral eyelid swelling noted by this writer. No other symptoms,.
1334512	5/20/2021	CO	13	5/19/2021	5/19/2021	Body aches, loopiness, visual hallucination. The hallucination occurred around 10 hrs after the vaccination was administered while patient sat in a dark room. Patient (age 13) has a history of audio hallucinations, but no visual ones
1334594	5/20/2021	IL	15	5/19/2021	5/19/2021	After receiving vaccine, we were told to sit and wait 10 minutes before leaving. About 7 minutes into waiting, my son said he was thirsty and not feeling that good. we started to walk to get a water and he totally blacked out and exhibited mild like seizure activity. After he "came too", he complained of blurry vision and still didn't feel good as we waited for ambulance. Once ambulance came he was feeling a little better. Vitals all checked out good and were declined going to hospital. He doesn't remember anything that happened in Pharmacy, except that he thought he was going to die.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1334688	5/20/2021	WA	16	5/20/2021	5/20/2021	Immediately after injection Patient began to faint and clench his arms. His head tilted back and eyes were glazed over. Lips became pale and face was pale. He was clammy to the touch on the back of his neck. His blood sugar at the time of injection was 113. He had not eaten breakfast yet. This lasted about a minute or so. He was finally able to say that he felt ok, but asked what happened. This happened a second time about 4minutes after the first time. But didn't seem to last as long. I gave him some juice and saw that his blood sugar was dropping to 85. Then a few minutes later his blood sugar was at 62. He continued to drink the juice and had 3 4carb glucose tablets. He started to feel better about 15 minutes later. He states that he felt numbness in his hands and feet initially. All feelings returned and color to his face and lips. His blood sugar began to rise again and he was feeling better. No hives or rash was noted on his body and the injection site was normal.
1334106	5/20/2021	WA	16	5/19/2021	5/19/2021	After receiving the first dose of Pfizer vaccine, the patient walked over to the observation area and fell from standing to the floor and hit back of head on floor. When medical personnel approached, the patient's eyes were open and he tried to get up from the floor. Answering questions appropriately. A neuro assessment was performed (PERL), oriented x3, equal grasps, 911 was called. Transported to local ED with mother.
1334872	5/20/2021	LA	15	5/20/2021	5/20/2021	Fainted, blurred vision, ringing in the ear, 911 was contacted, EMT came and shortly ambulance, patient was taken away shortly
1330996	5/19/2021	TX	13	5/15/2021	5/19/2021	Patient developed changes in her vision that she reported as black dots on the left side of her vision that lasted roughly 2 minutes. She said she could not see out to the left side of her eye. This went away after 2 minutes and within 20-30 minutes she developed a severe headache and was in tears from the pain. She has no history of headaches and this has never happened before. She did not report light or sound sensitivity. She did not have any vomiting, but did not want to eat. We consulted her Optometrist and Pediatrician. I gave her Naproxen and caffeine and within 3 hours her headache resolved.
1329867	5/19/2021	PA	13	5/18/2021	5/18/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Visual Changes/Disturbances-Mild

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1330954	5/19/2021	NY	14	5/19/2021	5/19/2021	Brief syncopal episode, fell from chair, struck head on floor, suffered small laceration and abrasion to left eyebrow.
1330036	5/19/2021	NY	15	5/18/2021	5/18/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Severe, Systemic: Hypotension-Severe, Systemic: Shakiness-Mild, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Patient became very pale after receiving the vaccine as well
1330808	5/19/2021	NY	13	5/19/2021	5/19/2021	Patient had a syncopal reaction: skin became hot and clammy, patient was dizzy, upon asking him to repeat a command or do a simple action (like wiggling fingers, lifting arm) he was not responding and his eyes were rolling to the back of his head and would not vocalize (when asked if ok, or what his symptoms were, or if he was having trouble breathing) at which time we called 911 since he was not responding verbally or physically. Had him sit, take off his mask, gave him water to sip, took BP (102/60), within 5 minutes he started to come back around, was able to follow command (wiggle fingers) vocalize that he could breathe fine, and felt that there was water behind his ears. His temperature to touch seemed to start to go back down, and once paramedics arrived they evaluated him and released him as "ok" within 10 minutes.
1330716	5/19/2021	PA	14	5/18/2021	5/18/2021	Time to onset: 6 hours. Patient developed full body hives, severe congestion, lip, tongue, throat, and eye swelling. Wheezing. Difficulty swallowing. Treated with Claritin 20 mg po, Benadryl 25 mg po, albuterol inhaler 2 puffs, prednisone 50 mg po, and Asmanex 2 puffs. Within 1 hour hives and lip swelling began to resolve. 1 hr after taking prednisone, tongue and eye swelling resolving. As of 740 am on 5/19/21, hives resolved. Only continuing sx was mild throat swelling sensation.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1330102	5/19/2021	MN	12	5/18/2021	5/18/2021	<p>Patient at the clinic for their first COVID-19 Pfizer vaccine today. Patient, sister and their mother were scheduling their second dose appointment when the writer heard a "thump" on the ground. The writer turned around to see the patient laying on the ground underneath a chair on her stomach with her eyes closed and not responding to voice command at approximately 1520. The writer and another nurse immediately rolled the patient to her side, a nurse moved the patient's hair from her face and the patient began to open her eyes. Patient began to become alert after less than 30 seconds of the episode. Patient remained laying down for approximately 2 minutes and stated she was embarrassed. Patient began responding to verbal commands and questions. Patient then began to go from a sitting and then to a standing position. Patient and her family escorted to the recovery room and assessed, refusing wheelchair transport. Patient's mother stated no history of this adverse event previously. Vitals taken x2 (See flow sheet). Nurses performed a head-to-toe focused assessment. Patient A & O to person, place, and time. Pupils equal and reactive to light. Patient asked "what day is it" and responded "The 18th." Patient asked "where do you go to school" and responded appropriately with school location. Patient asked "what is your mom's name" and responded. Patient asked "what is your name" and patient responded with her name. Patient asked "how old are you" and responded "12." Nurse assessed the back and both sides of the patient's head and witnessed no bumps, bleeding, or swelling. Nurse noted redness and slight swelling on the right eyebrow approximately an inch in length. No laceration or bleeding noted. The patient's mother touched the site and the patient stated that it hurt. Nurse advised the patient to place an ice pack on the site and the patient declined. Patient denies any neck pain, headache, nausea, dizziness, lightheadedness, or trouble breathing. Patient skin warm and pink. Nurse offered ice, animal crackers, and juice and patient declined. Nurse offered EMS evaluation to patient mother and the patient's mother declined. Patient's mother and the patient educated on the s/s of a head injury and allergic reaction and instructed to call 911 or go to the nearest ER. Patient and mother also instructed to follow up with a PCP and inform them of today's episode at their next visit. The patient and the patient's mother also instructed to ask to be given the vaccine in the recovery room for the second dose at the next appointment. Patient and family remained at the clinic for 30+ minutes. Patient stated that she felt ok and the patient's mother stated she felt</p>

VAERS_ID RECVDDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVD</u> <u>DATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1331046	5/19/2021	CA	13	5/19/2021	5/19/2021	ok to take the patient home. Patient left in the company of her mother and sister in stable condition without transport assistance out of the clinic. Patient's mother informed that a VAERS report will be filed and that they may contact her for further follow-up.
1330974	5/19/2021		14	5/19/2021	5/19/2021	On 5/19/2021 client received her first dose of the Pfizer Covid-19 Vaccine (lot #EW0185, expiration 08/2022) at 12:42. Client was found sitting upright in her chair with her mother and appeared melancholy. Client was a 13-year-old female, alert and tracking with her eyes. Client had a chief complaint of headache at 12:48. EMT and RN responded. Client stated that she began to have a headache a few minutes after her observation had begun. This was the client's first dose of the Pfizer vaccine. Client's mother did not report any allergies or medical history. Assessment revealed no hives, rash, discoloration, shortness of breath or other signs of anaphylaxis. Client described a generalized headache with dizziness and stated that she had eaten breakfast this morning. Airway, breathing and circulation were intact. Client denied pain throughout the rest of her body. Vitals at 12:52 were blood pressure 122/74, pulse 84, respirations 18, O2 100% on room air, temperature 97.6*f, lung sounds clear bilaterally, and client was alert and oriented to person, place, date and time. Client's mother consented to allowing the client to lie down for 15 extra minutes but refused to remain for the entire 30-minute additional observation. Client's mother was instructed to seek emergency care or medical attention if condition becomes severe after leaving vaccination site. Client's final vitals were consistent at 13:07: blood pressure 118/78, pulse 84, O2 100% and respirations 18. Client's mother was provided with all vaccine related information and acknowledged that she already knew what signs and symptoms to look for as she was already vaccinated as well. departed facility with her mother at 13:07 with client's mother stating "I have another appointment.~~
						Dizziness, sweaty, blurred vision approx 2 mins after getting vaccine. Brought over to medical. Patient was alert, pale and diaphoretic. Patient was given water, crackers, alert and talkative, feeling much better. Patient sent home Past Medical Hx Had presyncope episodes with vaccine/blood draws in the past No recent illness and ate today

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1331159	5/19/2021	CA	17	5/19/2021	5/19/2021	Client received 1st COVID vaccine of Pfizer (Lot# EW0185 expiration 05/23/2021). At 1347, RN assisted Client to stand up from vaccination chair. Client began to have unsteady gait. Both RN and RN assisted Client back to the gravity chair. At 1348, RN and PHN responded to the event. At 1348, vital signs are blood pressure 116/72, heart rate 64, oxygen saturation 100%. Client reported no blurry vision no headache, appearance is pale. Client is accompanied by mother. Per client's mother, Client has no medical history, allergies to dogs, and a history of syncope and lightheaded with needles/vaccines. At 1352, vital signs are blood pressure 118/82, heart rate 62, oxygen saturation 100%. Client reports lightheaded, feels tired, no shortness of breath, no headache. Supplemental nutrition and fluids provided to Client . Client accepted. At 1357, vital signs are blood pressure 116/76, heart rate 63, oxygen saturation 100%. Client reports no headache, no blurred vision, lightheaded improving, feels "sleepy", and skin tone returning to appropriate ethnicity. PHN educated client and mother ED precautions, common adverse effects of COVID vaccine, and emphasize a follow up with primary care provider. At 1400, vital signs are blood pressure 118/72, heart rate 63, oxygen saturation 100%. At 1402 Client stood up with no complains. At 1403 Client walked out of vaccination facility with a steady gait accompanied by mother.
1331181	5/19/2021	CA	16	5/18/2021	5/19/2021	Around 1:30 am my son complained of his eye feeling swollen and tight. his right eye was completely swollen and closed. I gave him Benadryl and ibuprofen and water and he went back to bed. Woke up 12 hrs later with a less swollen but still swelled eye and blurred vision. Complained the left side of his face felt numb. Was extremely groggy and tired.
1331196	5/19/2021	MI	12	5/18/2021	5/19/2021	Swollen puffy eyes sore arm
1331208	5/19/2021	GA	15	5/15/2021	5/15/2021	In her eyes, patient felt tingling and fluttering; we could not see her eyes moving at all. She also felt tingling in both arms, both hands, her face, and torso; she also had a lot of pain in her back. She felt that her face was hot but to the touch it was not. After about 20 minutes of these sensations her fingers cramped in gnarled positions that she was unable to straighten. Her right hand fingers was more rigid than her left. This lasted about 30 minutes and then she was slowly able to straighten her fingers. By the time she went to bed, around 10 pm, she felt basically back to normal.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1331293	5/19/2021	CA	14	5/19/2021	5/19/2021	Client received 1st COVID vaccine of Pfizer (Lot# EW0185 expiration 05/22/2021). Client has been sitting in vaccination chair for 5 minutes. RN provided supplemental nutrition and fluids. Client accepted fluids, but refused nutrition, states "I'm not hungry". At 1455, RN and PHN observed Client leaning forward with hand on his head. Client appeared to be pale. At 1456, RN and PHN assisted Client to gravity chair. Vital signs at this time are blood pressure 106/60, heart rate 78, oxygen saturation 97%. Client reports dizziness and blurred vision. Client continues to sit in gravity chair drinking fluids. Client is accompanied by his mother. Per Client's mother, there is no past medical history, no known allergies, but history of dizziness with vaccines. At 1459, Client reports no blurred vision. At 1503 vital signs are blood pressure 112/62, heart rate 77, oxygen saturation 98. Client reports no blurred vision, no dizziness, no headache, no nausea, no chest pain. RN educated Client and mother about ED precautions and common adverse effects of COVID vaccine. AT 1503, vital signs are blood pressure 110/62, heart rate 75, oxygen saturation 99%. Client reports no blurred vision, no dizziness, no shortness of breath, no nausea, no chest pain, skin tone returns to appropriate coloration to ethnicity. At 1507, Client is able to stand up without complaints. Client left vaccination facility at 1508 with a steady gait accompanied by mother
1331735	5/19/2021	CA	15	5/19/2021	5/19/2021	Pt received vaccine with mother present at 1419, c/o dizziness, lightheadedness, blurry vision, difficulty hearing, at 1439. Pt states she did not eat lunch. Nursing team intervened by taking vitals, placing wet towel on forehead, lying pt in supine position with legs elevated. Pt VS stable, pulse in 80s, BP(120s/80s), 99% on RA, RR 16-18, no respiratory distress, no s/sx anaphylaxis. Pt states she did not eat lunch. Gatorade offered to pt. Dizziness improves in supine position but returns upon sitting. At 1532 pt states she has facial numbness. EMS called at 1535. EMS arrived at 1557 and assessed pt. Pt?s BG is 93, VS stable. Pt reports feeling dazed, unable to focus, blurry vision and difficulty hearing. At 1602 EMS informed pt that they will take her to Medical Center, pt immediately got agitated and started crying and hyperventilating. 1604 pt stated she had difficulty breathing and a light localized rash began to appear on her chest. 1605 EMS transported pt. Pt?s mother to follow.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1331823	5/19/2021	IL	17	5/19/2021	5/19/2021	Patient was waiting in the waiting area for 6 minutes after getting the pfizer covid vaccine when she started to feel like she was going to faint. Her mom was with her. Her mom had already given her a snack when I was notified. Pt stated her vision was blurry and her hearing was "like she was in a tunnel". She was feeling cold and was feeling scared of that feeling. I asked if I could apply a cold pack and asked her to rest the back of her head against the wall and to close her eyes. I applied the cold pack to her forehead and observed her. She started to sweat and was calmer. She was feeling better and her hearing and vision was back to normal. I had her wait for a total of 30 minutes and had my technician stay with her at that time. She was feeling better and I asked her mom to hang on to her while walking to their car. I followed up with the patient 4 hours later and she was doing well. She said she was feeling well and her arm was not even sore just some fatigue.
1332217	5/19/2021	OK	15	5/18/2021	5/18/2021	First symptom was dizziness and nausea. Then, immediately began sweating profusely . Then began seeing spots that distorted her vision. Immediate pain in the ears, which felt as if the ears were very swollen and inflamed. It was difficult to talk because talking caused pain in the ears. Severe headache. Obviously her anxiety level escalated. We immediately found wet paper towels to place on her forehead and back of the neck to cool her. I found a hair tie and tied her hair up off her neck to keep her as cool as possible. She was sweating so much she soaked her t-shirt and was pouring sweat down her face, neck and body. We also moved patient from the chair, and placed her on the floor of the pharmacy, leaning against the wall with her legs stretched out. As a type 1 diabetic, the obvious concern was blood sugar during this reaction. Patient wears an insulin pump and Dexcom continuous glucose monitor. I was able to read her blood sugar levels during all the reaction time. Her blood sugar level spiked up. It then began to drop after a few minutes. I had an apple juice, and gave her the 15 carb apple juice.
1330936	5/19/2021		13	5/19/2021	5/19/2021	Patient had convulsive seizure, became unresponsive and was cyanotic, sternal rub, patient opened eyes. Heart rate was thready. Patient felt nauseous. Patient was disoriented for 1min and quickly regained orientation. Patient was given water, patient laid on the floor. Discharged to ER Past Medical Hx Hx of seizure at age 4

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1327559	5/18/2021	OH	15	5/18/2021	5/18/2021	Patient received her covid vaccine, while waiting for 15 minutes to be observed the patient fainted. Her mom noticed her eyes rolled back and started calling for help. We called 911 . Patient was placed on the ground carefully as we awaited for EMS to arrive. The patient was breathing, but had low blood pressure when EMS arrived. EMS took the patient to the hospital.
1327148	5/18/2021	IL	13	5/18/2021	5/18/2021	After sitting for five minutes after the Pfizer Covid vaccine, patient reports feeling lightheaded and may have had a brief loss of consciousness episode. Per mom, patient's eyes widened briefly before returning to normal. Patient was gently laid onto the ground. Was initially confused, but soon was alert and oriented x 3. Was talking in full sentences. 911 was called. Patient was doing well when the paramedics came.
1327107	5/18/2021	CA	15	5/18/2021	5/18/2021	15 year old female found in supine position with feet elevated in vaccination area. Pt had a left upper lip injury (non-bleeding) , redness and slight swelling to left lateral eye area. She also had a less than dime sized abrasion to right knee. Pt was recovered from dizziness (syncope) and then placed into a wheelchair and placed onto a cot in the observation area with her feet elevated with a chair. VS 107/73 66 24 and an O2 sat of 99% on RA Pt timid and somewhat afraid of passing out again. Chair was later removed and then pt sat up in bed with apprehension. She ate a bag of doritos and drank a half bottle of water (about 250 ml) She then stood up and denied any dizziness but insisted on sitting and/or lying down. She did sit back down for another 10 minutes and later stood up , denies any symptoms. Pt then ambulated to BR without help, MAEW, NAD, steady gait. She was a + o x 3, VS at 1431 111/69 74 22 with O2 sat of 99% on RA. Pt and mother given directions to change positions slowly allowing 30-60 seconds per position change. They both acknowledged this. Pt discharged home with sister and mother with direction to f/u with pcp as needed and to increase sodium and water intake today and tomorrow. No medical history Denies taking any medications Denies any allergies (name), site supervisor aware of situation. Vaccination Site

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1327048	5/18/2021	OK	14	5/18/2021	5/18/2021	Patient received Pfizer COVID19 vaccine at 03:50 PM to left deltoid by EMT. Patients skin began to become pale. Patient reported nausea. Her eyes closed and her head went limp for approximately 10 seconds or less. Patient remained upright in chair with support from this RN. Patient was moved to cot with assistance from EMT and placed in prone position with feet elevated. Blood pressure, pulse oximetry and pulse obtained by this RN. Initial blood pressure of 90/58, heart rate 71, and oxygen saturation of 98% on room air at 03:52 PM. At 04:00 patient reported she began to feel better. Patient was assisted to sitting position. Patient denied dizziness or nausea upon rising to sitting position. Vital signs at 04:00 PM blood pressure 102/68, heart rate of 81, and oxygen saturation of 98% on room air. Patient stated she was feeling much better. Patient left building with her mother accompanied by this RN.
1327004	5/18/2021	IL	15	5/16/2021	5/16/2021	Patient experienced difficulty breathing and felt throat was closing within 3 minutes after administration of vaccine. Also complained of change in vision (temporary loss of vision) and skin tone changed in tone (face turned pale). Epi-pen was administered and 10 ml of liquid Benadryl.
1326837	5/18/2021	IL	16	5/18/2021	5/18/2021	Patient started feeling dizzy about 5 minutes after injection. Was seated and lost consciousness for a couple seconds and popped back awake. Patient complained of nausea, dizziness and vision disturbance. No SOB or wheezing and no hives. Paramedics were called and patient was starting to feel better upon arrival of paramedics. Patients blood pressure was low 90/50, and vision still not normal. Paramedics recommended taking patient to hospital. Patient mom, consented and patient was taken to the hospital.
1326693	5/18/2021	CA	13	5/17/2021	5/17/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium, Systemic: Visual Changes/Disturbances-Medium
1327697	5/18/2021		13	5/17/2021	5/17/2021	After waiting the 15 minute period, we left the vaccination site. 5-7 minutes later patient began coughing and had watering eyes while describing an itchy throat. Itching sensation continued, along with the coughing, intermittently for about 15 - 20 minutes. We had liquid Benadryl in the car and gave patient one dose of the appropriate amount. Symptoms were already beginning to subside when Benadryl was given and Benadryl was precautionary.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1326483	5/18/2021	TN	17	4/16/2021	4/16/2021	Tingling sensation in tongue and face. Reports swelling to left side of face with most evident swelling being to lips, cheek and eye lid. Denies any difficulty breathing or swallowing. All symptoms resolved within 24 hours, used OTC Benedryl
1326633	5/18/2021	NY	16	5/17/2021	5/17/2021	Systemic: Allergic: Rash Generalized-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild
1326679	5/18/2021	FL	13	5/17/2021	5/17/2021	Systemic: Confusion-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium, Systemic: Visual Changes/Disturbances-Medium
1328261	5/18/2021	TX	14	5/18/2021	5/18/2021	immediately after the injection, pt appeared to have fainted, eyes closed, still breathing, body stiffed and jerked for a brief moment then became slouchy on the chair. we called 911 - as we waited for ems, pt opened eyes, said very sleepy, i kept her awake by taking about greys anatomy - ems arrived - mom wanted pt to be monitored at a facility - ems took pt away on stretcher.
1327793	5/18/2021	PA	16	4/30/2021	4/30/2021	At approximately 1:04pm on 04/30/2021 patient during 10 minute observation had a syncopal episode and fall from standing to floor with loss of consciousness. Trauma assessment found contusion to occipital region of skull. No bleeding, no other trauma findings. Pt moved to wheelchair, and then to cot without incident. Pt AA&Ox4, airway patent, breathing shallow and non-labored. Pulse strong and regular with delayed perfusion. Pt skin pale, cool and dry. Pt eyes PERRL bilaterally. Pt complains of pain 7/10, dull, localized, to the base of skull, and ringing of ears, as well as dizziness without nausea. Pt administered 650ml oral water with improvement to skin and respirations. Vitals and report continued on next page

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1328752 5/18/2021 CA 16 5/18/2021 5/18/2021 Client received 1st COVID vaccine Pfizer (Lot#EW0185 expiration 05/22/21). At 4:28PM Client reports headache, no dizziness, no lightheaded, no blurred vision, no chest pain, no shortness of breath. Client has already completed 20 minutes of observation. EMT obtained vital signs blood pressure 116/71, heart rate 87, oxygen saturation 98%. At 4:33PM, RN responded to the event. Client and father reports history of asthma and no known allergies. Offered supplemental nutrition and fluids. Client accepted. Client reports to RN about no chest pain, lightheaded was improving, headache is going down. At 4:39PM vital signs are blood pressure 130/84, heart rate 96, oxygen saturation 99%. Client reports lightheaded, blurred vision, no shortness of breath. RN educated Client and father in regards to ED precautions and common adverse effects of COVID vaccine. 4:44PM vital signs are blood pressure 121/79, heart rate 92, oxygen saturation 98%. Client reports no chest pain, no shortness of breath, lightheaded is improving, headache is going down, no blurred vision, no dizziness. Client remains sitting in a chair and eating/drinking supplemental nutrition and fluids. At 4:49PM vital signs blood pressure 118/78, heart rate 89, oxygen saturation 99%. Client reports all symptoms has resolved. Client has a steady gate and is waiting for other siblings to complete observation.

1328746 5/18/2021 CA 15 5/18/2021 5/18/2021 Client received the 1st COVID vaccine of Pfizer (Lot#EW0185 expiration 05/22/21) At 4:28PM client reported dizziness, lightheaded, headache, no blurred vision, no chest pain, no shortness of breath. Client has been waiting for 20 minutes in the observation area. at 4:33PM RN responded to event. Vital signs are blood pressure 100/62, hear rate 73, oxygen saturation 99%. Client reports slight headache towards the frontal lobe. Per client and client's father, there is a history of asthma and no known allergies. At 4:38PM EMT obtain vital signs that are blood pressure 110/60, heart rate 74, oxygen saturation 99%. Client reported feeling weak, no dizziness, and no lightheaded. Provided supplemental nutrition and fluids to client. Client accepted. RN educated client and father about ED precautions and common adverse effects of COVID vaccine. At 4:47PM vital signs are blood pressure 100/60, heart rate 82, oxygen saturation 99%. Client reports not feeling symptoms. All symptoms had resolved. Client has steady gate and is waiting for other siblings to complete observation time.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1328059	5/18/2021	TX	12	5/18/2021	5/18/2021	Patient appear to have a mild seizure (faint, stiffness on the arm that got the vaccine injection, eye rolled) about less than 5 seconds. Patient became fully awake as being put to laying down on the floor. Patient was able to answer to all questions was asked. Patient stated that he was nervous and scared of getting the vaccine. Patient's mother stated that he had fainting history of seeing cut or bleeding. The event occur 30 seconds after received that vaccine.
1328024	5/18/2021	NY	15	5/18/2021	5/18/2021	Dizzy, displayed pupil, heart rate, pale with blue around eyes and fingers. No epi pen given as patient wasn't too short of breath and came out of it quickly. 911 was called
1328020	5/18/2021	WA	14	5/14/2021	5/16/2021	Vomiting second day morning followed by rash on face around eyes. Rash subsiding but left eye has blood hemorrhage (blood shot eye). 24 hrs later second eye also blood shot. Tightness of chest also started third day but now improving. No discharge from eye, no discomfort as of now.
1328014	5/18/2021	MD	13	5/18/2021	5/18/2021	Patient began feeling lightheaded, describes fuzzy vision and feeling tired about 2mins after vaccination. He requested to lie down. Appeared pale. Assisted to cot by medical staff. Vital signs checked within normal limits. He began to feel better after 5mins. Accompanied by mother who drove him home after 30mins observation.
1327983	5/18/2021	MO	16	5/18/2021	5/18/2021	Right after receiving Pfizer Covid-19 vaccine, patient began to feel queasy. I asked her whether she had eaten recently and she said she hadn't. Her eyes rolled back and up then her head fell backward. I supported her head and her dad was checking her for awareness. I gave her a bottle of water and she drank some of it. She indicated that her vision was still not accurate. Her dad brought her a candy bar and she ate the majority of it and drank the majority of the contents of the water bottle. We gave her a few more minutes to feel comfortable then I asked whether she was ready to stand up. She was not. We gave her a bag of chips and she ate some and finished the water bottle. After a few more minutes, she stood up and was able to walk without assistance. Her father indicated that she had an incident like this before, but patient did not remember the previous incident.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1327803	5/18/2021	AR	14	5/13/2021	5/14/2021	Patient states she received the COVID vaccine on 5/13/2021 at 4:00pm, on 5/14/2021 around 10:30am or 11:00am patient started to have dilated eyes, hands froze and where purple with white Raynaud's, stuttering, twitching of the left eye. Patient is still having left eye twitching but other symptoms are better.
1328747	5/18/2021	CA	14	5/18/2021	5/18/2021	Client complained of palpitations 20mins after receiving vaccine. First vitals at 1637: pulse 147, blood pressure 124/78, oxygen 99%. Alert and oriented x4. Client denied chest pain, shortness of breath, headache, or blurry vision. Per Father client had asthma that resolved years ago, no current medications or allergies. Pulse at 1638: 127. Vitals at 1640: blood pressure 118/70, pulse 124, oxygen 100%. Per client palpitations improving. Alert and oriented. 1644: client hands shaking, client stated only had breakfast. RN brought client juice and snack. Client began to eat. Father denied client having diabetes. 1648 vitals: blood pressure 122/80, pulse fluctuating from 110-low 120s, oxygen 97%. Symptoms the same with new onset o blurry vision, per client could not focus image. PHN offered Father to call paramedics for further assessment and he declined. PHN advised for client to follow up with provider. Per Father client's sugar lowers when he skips meals. PHN asked Father is he has followed up with provider or checks client's sugar at home, Father denied. Per Father he knows his son and "he needs to eat or sugar goes low". At 1656 client stated he wanted to vomit, emesis bag given. 1658 client pale, PHN asked client how to was feeling. Per client feeling like he "was going to pass out". At 1700 client stated he could not feel legs, RN assessed for sensory and motor. Per client felt like legs "were asleep". PHN assessed for level of consciousness, client unable to answer, client lethargic. 1701 client lost consciousness. PHN and RN lowered client to floor from chair. EMT called 911 at 1703. RN did sternal rub, client unresponsive, breathing normal, pupils reactive. 1704 client woke up with urge to vomit. PHN and RN turned client on side. EMT able to place emesis bag near. Client had 1 small vomit episode. Client's eyes open, blank stare, not answering questions. At 1707 client went unresponsive again. Paramedics arrived at 1709 and assumed care. Client transported to hospital at 1717

<u>VAERS_ID</u>	<u>RCVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1322949	5/17/2021	NC	14	5/15/2021	5/16/2021	Starting at 0300 5/16/21 Pt was awoken with pain in R arm, R arm pit, and along back. Pain kept waking Pt up, she slept fitfully. Pt stayed in bed until around 1300 5/16/21. She had a project for school due- had to video tape making a recipe. She was standing up videotaping the ingredients when she felt very dizzy. Pt then reported that she lost her vision- everything turned black. I had to rush to her to catch her- she had loss of consciousness for about a minute. She was very pale- lips turned blue. She had a pulse the whole time, BP was 117/60- when I checked it about 5 min later. Her temperature on a ear thermometer was 99.7. After she awoke, she was still very dizzy and stayed in bed most of the day. 5/17/21 AM- she woke up for school 0600- and was feeling better. No more dizziness, color was back in her cheeks, was able to eat and left for school.
1323330	5/17/2021	CA	13	5/14/2021	5/14/2021	10 minutes after her first dose she had been sitting in a chair & developed diaphoresis, warm skin, loss of vision,& low blood pressure. Pt was initially not responsive, when transferred to a wheel chair to take her to a gurney, left arm & left leg jerk twice. Took her to lay down and check her blood pressure. En route, in the wheel chair within about 5 to 10 seconds, she became responsive and said she could not see. Her vision returned to normal within a minute. Her initial blood pressure was 97/64 with O2 Sat 100% on room air. Her skin temp was 95.5, and her HR was 95. She continued to be responsive with excellent oxygenation and When the EMTs arrived she had a blood sugar of 90 and improving blood pressure with a regular rate and rhythm. Her diaphoresis resolved, and she continued to improve, tolerating water. Had similar reaction last year to flu shot, no hx of seizures
1323529	5/17/2021	IL	12	5/15/2021	5/15/2021	DIZZY BLURRED VISION

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1323410	5/17/2021	MA	12	5/13/2021	5/13/2021	<p>From ED Note: 12 year old male with PMH of asthma on flovent, food allergies with epi-pen (has not required this) and pre-syncope/syncope who presents with concern for loss of consciousness and possible seizure-like activity following a COVID vaccine. Mom notes that he was in his usual state of health when he presented to COVID clinic to get his first vaccine. He got the Pfizer vaccine, seconds after getting in his left arm, mom noted that he looked very "wide eyed" and distraught. She notes that he slumped forward and had lost consciousness for approximately 5 seconds. She noticed shaking movements in his right arm and bilateral lower legs. She notes that his left arm was against her and therefore cannot comment on it. She notes that his eyes were closed. No tongue biting and no incontinence. No secondary trauma. She notes that when these 5 seconds were over he then had a period for about 30 minutes where he looked pale and was breathing heavy but was alert and answering questions. She notes that he has had presyncopal episodes and episodes of feeling faint when getting flu shots in the past. However, this time she noted that he had shaking which made her nervous for possible seizure activity. Patient denies any chest pain or headache prior to the symptoms. She came via ambulance for further evaluation. On arrival, he reports that he feels 90% back to his baseline. He notes that he does not feel quite ready to run around yet however denies any pains or discomforts, headache, weakness, numbness, or tingling. He had eaten a full breakfast prior to getting the shot. He had a normal night sleep and a normal day yesterday per mom. Medical History: as above Surgical history: none Family History: Reviewed and no pertinent related family hx pertaining to this visit Social History: Lives with family Allergies: food allergies Medications: flovent, epi-pen Immunizations: Up to date Medical Decision Making 12 year old male with PMH of asthma on flovent, food allergies with epi-pen (has not required this) and pre-syncope/syncope who presents with concern for loss of consciousness and possible seizure-like activity following a COVID vaccine. On arrival, he was alert, well-appearing, in no acute distress. His vital signs were normal for age on room air. His physical exam was very reassuring as above with a normal neurologic and cardiac evaluation. Differential includes vasovagal/syncope in the setting of a known stressful trigger vs seizure given report of shaking in his extremities. We feel the latter is significantly less likely given the timeline of the events. Has no known seizure activity nor any triggers per history (fever, trauma, etc.). He also has a</p>

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1323375	5/17/2021	NC	14	5/14/2021	5/14/2021	normal neurologic assessment. At this time we will defer neurology consults given low concern for seizure. It is possible that this represents a side effect of the vaccine however we also feel that this is less likely given the fact that his symptoms have been seconds after receiving the vaccine. Nonetheless we reported the symptoms to the pharmacist who recorded it in the database. We attained an EKG showing a known incomplete right bundle branch block (unchanged from 2013) and a slightly prolonged QTC of 477 (previously 451). I encourage patient to stay well-hydrated, well rested in the setting of his suspected syncopal episode this morning. I also suggested that for further vaccinations, that he lay down on the table and drink/eat well prior. We provided strict return to ED criteria in the setting of worsening symptoms. All questions were answered at the time of discharge. Mom verbalized her understanding and agreement of the plan. He was discharged in a stable condition with mom at side. **After patient was discharged, cardiology called the follow-up team due to the prolonged QTC to ensure that we were aware. I contacted the patient's PCP to do a follow-up EKG in 1 month's time.
1323354	5/17/2021	IL	15	5/14/2021	5/14/2021	59kg 14 yo M with NKDA and PMH of headaches had a syncopal episode after receiving first Covid19 vaccination in left deltoid at 1458 5/14/21 (lot # EW0179) . Patient described feeling light headed and does not recall losing consciousness. Fell face side down and had trauma of right knee and nose and above the left eye. Bruising on his nose. Reportedly hit the metal base of the curtain that separated the vaccination area from the observation area. EMS called for concern of facial fractures. BG 98/48 and HR 75 with O2 sats 99% post event. EKG negative. BG within normal limits. Patient did have sustained loss of consciousness. Followup BP 101/69 with HR 77. Event attributed to vasovagal reaction.
						Pt states had "tunnel vision and feeling of everything fading", ringing of ears and sweating immediately after receiving vaccine. Pt layed down for a few minutes and felt better. No LOC. Refused transport to ER. Father and family who were present took pt home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1323126	5/17/2021	FL	15	5/14/2021	5/14/2021	12:15pm pt. was seen sitting in wheelchair with EMT and dad at his side. EMT stated pt. c/o dizziness, nausea and blurred vision after taking Pfizer COVID-19 vaccine. At 12:13 vital signs taken by EMT staff. HR 74, BP 104/70, O2Sat 99%. 12:20pm pt. denies any pain or discomfort. 12:30pm pt. left vaccine site to go home via wheel chair. EMT and dat at his dice with no signs of acute distress.
1323101	5/17/2021	IN	14	5/15/2021	5/16/2021	Body aches, fever (highest of 101.00), dizziness and blurred vision.
1323091	5/17/2021	NC	14	5/14/2021	5/14/2021	Pt was given COVID vaccine #1. Approximately 10min after vaccine administration pt reported losing his vision, having difficulty breathing and numbness in left arm. Denied chest pain, headache, nausea. Pt pulse 59. SpO2 91-96%. Pt pupils dilated. Pt alert x2. This RN called 911 with mother's permission. EMS arrived @1800. At that time pt alert x3, no longer pale, numbness decreased, difficulty breathing resolved. Pt walked out of the office on his own. He was not taken to ED via Ambulance.
1323687	5/17/2021	CA	15	5/16/2021	5/16/2021	client signaled to EMT for assistance. Client was a 15 year-old male found sitting upright, alert and tracking and stating he was dizzy. Client had a chief complaint of dizziness. Client stated that he began to feel dizzy approximately "2-3 minutes" after his vaccination. Client denied falling and denied any injury. Client denied any allergies or past medical history. Assessment revealed no swelling, discoloration, hives, shortness of breath or other signs of anaphylaxis. Client stated that he felt dizzy but denied any pain throughout his body. Client appeared mildly pale but was alert and oriented to person, place, date and event. Client's airway, breathing and circulation were intact. Vital signs: pulse 78, O2 99%, Respirations 12, Blood pressure 118/82, Eyes equal and reactive to light, lung sounds clear bilaterally. Temperature 97.8. Client and his mother consented to an additional 30 minute observation. Client had a granola bar and juice while waiting and his color pallor subsided. After lying down for five minutes, client stated that he felt better. Remaining vitals were: 0945 - 99% O2, pulse 76, respirations 18, blood pressure 118/78, 1000 - 116/78, Pulse 70, respirations 16 99% O2, 1010 - 118/78, Pulse 76, Respirations 16, 99% O2. Client's mother was provided with all relevant information and instructed to seek medical care or the emergency room if signs of a severe allergic reaction occur later. No medications were administered.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1323081	5/17/2021	OH	15	5/16/2021	5/16/2021	After administration of vaccine the patient stood up quickly and passed out. The patient fell down and came to rather quickly. After she came to we helped her to a chair and sat her down, advised her to put her head between her knees, and got her some water that she requested. After a few minutes she appeared rather pale and went to ask her if she was ok and she asked for a trash can because she felt like she was going to be sick. We gave her a garbage bag and she did get sick in the garbage bag. We kept an eye on her for another 15-20 minutes and she stated that she felt better and that she thought she was ok to leave. We offered her help to her car but she denied it saying she would be ok with she walked slowly. Her father was with her the entire time. While talking with them the father did state that she had incidents like that in the past where she stood up too fast and got light headed and passed out.
1324109	5/17/2021	GA	14	5/13/2021	5/13/2021	Vasovagal Syncope @ 10:05 14 year old female. No breakfast or fluids in am before vaccination. EMT called BP 104/68 oxygen 99% HR 78 . BS 85. 10:14 seizure like behavior eyes roll back in head both arms constrict. BP 100/60 IV fluids started 100ml saline. 10:30 BP 104/70. (Per mother history of syncope four years ago after receiving an allergy shot.) alert and oriented x4 at 10:40. released to mother .
1323089	5/17/2021	PA	14	5/17/2021	5/17/2021	Slight throat tightness and itchy eyes about 15 minutes after vaccination. Slight cheek warmth without rash or hives. Benadryl 50 mg PO administered with mother's consent. Symptoms did not progress and slowly resolved over a 1 hour observation time at CVC. No SOB, wheezes, tongue thickness, or hives at any time. BP, pulse, O2 sats were all normal. Initial BP - 118/78, pulse-84, O2 sat - 99%. No orthostasis at dismissal. Home with mother with precautionary instructions.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1324804	5/17/2021	CA	15	5/17/2021	5/17/2021	client felt lightheaded after receiving 1st Pfizer Covid Vaccine. Client received vaccine at 1717 and RN kept client in chair a few mins as client stated feeling nervous. PHN brought client water. Per client had only ate snack prior to appointment. Client able to transfer by herself to anti gravity chair. 1722 vitals: blood pressure 122/68, oxygen 98%, pulse 81. Per client feeling nausea, RN gave emesis bag. Client appeared diaphoretic and pale. Per Mother only medical history is seasonal allergies and client takes Zyrtec as needed. No history of fainting with vaccines in the past or allergies. Vitals at 1728: blood pressure 118/72, pulse 82, oxygen 97%. Per client symptoms still there, but improving. Vitals at 1733: blood pressure 120/70, pulse 83, oxygen 100%. Client stated lightheaded resolved, nausea still same. Client denied blurry vision, headache, warmth feeling. Vitals at 1738: blood pressure 118/72, pulse 80, oxygen 99%. Per client all symptoms resolved. Last vitals at 1743: blood pressure 114/80, pulse 76, oxygen 99%. Mother driving client home. Advised to follow up with provider and ER precautions given. After completing 30 min observation client left facility with steady gait at 1750.
1323902	5/17/2021	GA	15	5/14/2021	5/14/2021	AFTER COVID19 VACCINATION, PATIENT EXPERIENCED DIZZINESS, WEAKNESS WITH DIFFICULTY MAINTAINING EYE CONTACT. PATIENT STATED SHE FELT SLEEPY WITH DIFFICULTY KEEPING EYES OPEN. AFTER 25 MINUTES, PATIENT WAS AAOX4, VITALS WNL, AMBULATING WITHOUT ASSISTANCE AND LEFT CLINIC WITH FATHER, DENYING ANY DIZZINESS OR WEAKNESS. VITALS: BP HR RR SPO2 12:45 138/80 100 16 99% 12:53 150/90 85 16 99% 12:58 138/90 81 14 99% 13:02 128/80 80 14 99% 13:07 122/86 75 16 99%
1325026	5/17/2021	CO	15	5/17/2021	5/17/2021	Patient began to feel lightheaded, experienced blurred vision, clammy skin, eyes dilated, 10 minutes following IM dose of Pfizer vaccine, about 2pm. Dose was administered at 1:45pm Mother asked pharmacist to call 911 because her daughter was feeling dizzy. Medical first responders arrived at 2:08pm, took her blood pressure, O2, and blood sugar, temperature. All were within normal ranges. O2=100, BP 114/60mmHg . Even though all vitals were normal, first responders recommended patient should follow up with primary care provider. First responders told mother response was likely due to nervousness or anxiety about new vaccine.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1323709	5/17/2021	NC	17	5/5/2021	5/8/2021	<p>Pt was seen at ED on 5/8 for L sided weakness in the setting of a headache. Pt?s mother reports that these symptoms began 2 days after receiving second dose of Pfizer COVID-19 vaccination in R deltoid. She says that on 5/6, pt complained of L arm weakness during cooking class at school, which was followed by a mild L sided headache later in the day. Symptoms resolved without intervention but recurred on 5/8 with associated L sided facial droop, slurred speech, L arm spasms, and L foot drag. Pt was seen at ED for this and had a HA (5/10 in severity) at that time -- workup was unremarkable with a normal head CT, laboratory workup, and resolution of symptoms. Pediatric Neurology evaluated the pt, deemed no further workup necessary, and advised outpatient follow up. Pt presented again to the ED on 5/10 with concern for full tonic/clonic seizure, witnessed by pt?s mother. Mother reports that she heard pt fall and went upstairs to find pt seizing on his bed -- says that pt had shaking of bilateral upper extremities (in flexed position close to chest) and symmetric lower extremity shaking; eyes were closed without clear focality or eye deviation. Also some drooling, though no incontinence or tongue biting. Episode lasted for approximately 2 minutes; pt was confused and did not recall what happened immediately afterwards but improved within the next 8 minutes. He was taken to the ED by EMS. By the time he arrived in the ED, he had left sided weakness again. He was given Kepra 1g, placed on EEG, and was admitted. EEG overnight was read "normal" and additional workup was unremarkable. Pt had MRI brain completed showing cortical abnormalities in the R parietal lobe, suspected to be related to recent seizure. MRA showed patent intracranial cerebral vasculature. MRV showed no evidence of dural venous sinus thrombosis. Weakness resolved by the morning and pt was back to baseline on morning of 5/11/21. However, around 9 AM, L sided weakness (face, arm>leg) with associated headache recurred. Mom says that this event was captured on EEG. He was then transferred to our facility. He was placed on pEEG and had repeat labs, imaging completed. Pt did have L sided facial droop, L arm weakness, and slurred speech on arrival, but this resolved within 24 hours. Pt had one additional episode of "wave" of L sided weakness including L sided facial droop and slurred speech at one other time during the hospitalization, but no additional seizure like activity. He was discharged on 5/14 with a normal neuro exam-- some labs (including labs of Rheum and Id workup were pending at time of discharge.) Primary and consulting teams elected to forgo steroids but reconsider</p>

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

					should symptoms worsen or return. Pt was readmitted on 5/16-- had an episode of expressive aphasia + headache while at a social gathering; states that he became overwhelmed by the noise. No additional seizure like activity.
1324503	5/17/2021	OR	14	5/17/2021	5/17/2021 Patient passed out immediately following administration of the vaccine to the left deltoid. His head fell backwards and limp. The Rph administering the vaccine moved in front of the patient and gently moved his head into an upright position. The patient had mild muscle spasms and twitches while passed out but when he regained consciousness he immediately began talking saying he was ok. Father came into the consultation room at that point and Rph explained what had occurred. Patient looked a little pale and eyes were having a hard time staying open so with the help of his dad Rph helped him down to the ground in the corner of the room so he could have back and head support from the wall. Patient was given a glucose tablet and water, and later orange juice. Patient stayed in the consultation room for about 20 minutes before leaving on his own and saying he was feeling much almost back to normal.
1324494	5/17/2021	WA	17	5/11/2021	5/11/2021 Pfizer-BioNTech COVID-19 Vaccine EUA ; On 5/11/21, Patient experienced tingling in left arm minutes after the vaccine was injected (4:07pm). Patient became nauseous. While in the vehicle to go home, patient's breathing quickened. After this, patient's vision became blurry and he was unable to see. Patient also experienced hearing loss with ringing in ears. The father of the patient pulled the car over in case medical attention was needed. Patient eventually passed out for about 30 seconds (about 4:22). Patient recovered, but complained about foginess (thinking was unclear and unfocused). The next day, on 5/12/21, the patient experienced chills and nausea without a fever. Currently, the patient is doing fine with no further symptoms.
1324234	5/17/2021	CT	14	5/17/2021	5/17/2021 Patient was experiencing chest tightness, vision was fuzzy, felt nauseous.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1324187	5/17/2021	CA	12	5/17/2021	5/17/2021	Patient received in RN triage area, post-COVID vaccination administration. Patient being observed for 15 minutes as recommended per CDC guidelines and facility policy on post-vaccination RN monitoring. Patient sitting in chair and reported feeling dizzy/lightheaded, blurred vision, ringing in the ears, patient noted pale, clammy, and diaphoretic, patient reporting feeling short of breath. Rapid response called. 14:05 Vitals: 75/34, HR: 54, 97% Patient placed on gurney, in the supine position. Patient and mother denies adverse reactions to vaccinations in past. Denies any medical history besides asthma. 14:10 Vitals: Bp: 105/53, Hr 83, 100% on 2L. Patient now denies any dizziness/lightheadedness, blurred vision, ringing in ears, and shortness of breath. 14:15 BP109/65, HR: 72, O2: 100%. COVID vaccination fact sheet and discharge information provided to patient on D/c from clinic, patient advised to review. Verbalized understanding. Appointment for 2nd COVID vaccination provided to patient. All questions and concerns addressed. Advised to follow up as needed. Patient departed with mother at 1435 symptom free.
1324070	5/17/2021	MI	13	5/17/2021	5/17/2021	Patient became very pale eyes rolled behind head and was unable to keep head up. Fainted for a few seconds before waking up again.
1325251	5/17/2021	CA	14	5/17/2021	5/17/2021	Patient was given her first Pfizer Covid shot in her LUA at 3:15. After the shot one of the school nurses notice during observation that she stood up and looked lie she wanted to pass out. The nurse accompanied the patient to a nearby cot where she laid her down. The patient c/o lightheadedness, dry fuzzy throat. Patient's extremities were cold to touch, eyes rolling back, hand posturing (stiff and cold), shaking., 62 pulse. No problems breathing or swollen throat. Blood pressure was 119/67 at 3:25 and pulse was 80. Nurse elevated patient legs for about 10 minutes, patient felt dizzy, shaking, apparent panicking eyes still rolling back. She was able to respond to simple commands. Still fuzzy throat. Administer 50mg IM in RUE at 3:34p.m. Blood pressure 116/71 at 3:35. Patient's face cheeks started to look red and warm. Blood pressure 123/76 at 3:39p.m. We called 911 at 3:46p.m. Blood pressure 117/78 at 3:52, temperature 97.5 degrees. Paramedics arrived 3:54p.m. Blood pressure taken by paramedics:142/86, O2 saturation 70%, started oxygen via nasal canula at 3:56. Gave epinephrine 0.5ml IM in left upper thigh. Started IV line at 4:00p.m. Red tonsils, lungs diminished but clear. 4:02p.m. transported by paramedics to Hospital.

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1323770	5/17/2021	CA	16	5/16/2021	5/16/2021	Within 30 seconds passed out. Woke up and about 5 minutes later passed out again, with eyes open and could hear but couldn't talk. Epi Pen administered by Pharmacist around 8 minutes after shot. Taken by ambulance to ER
1325037	5/17/2021	ID	13	5/17/2021	5/17/2021	Intern administered dose 1 of vaccine in patient's left arm. at 6:45pm. Within 2 minutes patient's eyes started rolling in the back of his head,his face turned pale, started clenching his teeth and making guttural noises. Mother supported patient's head and neck and RPh was called to the immunization room. Patient was placed in supine position. At this time patient had come to but was still looking pale and confused. Offer to call 911 was declined at 6:50pm. Patient's blood pressure was checked-94/58 at 6:50pm. A cold compress was applied to patient and water was offered. Blood pressure was retaken and was 97/68 6:55pm. EpiPen and offer to call 911 was again denied by mother. The color started returning to his face, atient was monitored and blood pressure was taken again-100/68 at 7:08pm. At this time he was able to sit up in a chair. He was then able to walk to our waiting room with assistance and was offered snacks. At 7:20pm blood pressure was rechecked 100/68 and patient and mother were escorted out of our pharmacy.
1322077	5/16/2021	NY	14	5/16/2021	5/16/2021	Approximately 5 minutes after receiving vaccination, patient reportedly became dizzy and stumbled into a floor display in the waiting area. Mother, who was with patient, states there was no loss of consciousness. Patient then sat in chair and after a few minutes stated symptoms began to resolve. Patient stated having a brief period of fuzzy vision. No signs of an allergic reaction were noted. Patient stayed in waiting area for approximately 1/2 and during that time stated symptoms had completed resolved. Patient then left the store.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1322324	5/16/2021	CA	13	5/16/2021	5/16/2021	client had syncope episode after receiving 1st dose Pfizer Covid Vaccine. Client received vaccine at 1336 and was standing next to vaccine station and Father as sibling was receiving vaccine. Within 3 minutes of standing client had syncope episode and hit back of head on floor. RNs responded. PHN called 911 at 1340. Per RN client collapsed and hit back of head, Father tried to hold on but was unsuccessful. As PHN was speaking with paramedics, client regained consciousness. Client stated she remembered feeling dizzy and then woke up on the floor. Client alert and oriented, pale and stated blurry vision. RN elevated legs. Vitals: blood pressure 130/90, pulse 102, oxygen 99%. Father denied any relevant medical history, medications, allergies or history of syncope. Client stated feeling dizzy, denied pain on head or rest of body. Paramedics arrived approximately 1346 and assumed care. After assessment Father signed AMA with paramedics. Client sat in anti gravity chair after paramedics left. EMT stayed with client. Vitals at 1412: blood pressure 120/80, pulse 85, oxygen 96%. Client stated feeling dizzy and head hurts when she moves. Blurry vision resolved. PHN spoke with parents to review ER precautions and advised to make follow up appointment with primary doctor. After sibling was done with observation, client left facility at 1425 with steady gait.
1321590	5/16/2021	CA	17	5/11/2021	5/11/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: patient had second vaccine in series and fainted. fell face forward from chair and hit cheek and left eyebrow area. patient was laid down and told to put feet on chair. blood pressure and heart rate were lower than normal. patient was monitored for blood pressure and heart rate until vitals normalized. patient and careprovider declined emergency services offered.
1321777	5/16/2021	RI	14	5/14/2021	5/14/2021	Within 10 minutes after the vaccination, there were some body tremors and dizziness, then she lost vision, hearing and ability to speak for a few seconds, followed by difficulty breathing and a feeling of her heart ?jumping out of chest.? Eventually, she recovered, but her right hand (not the injection arm) still has involuntary tremors, which has not gone away.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1321904	5/16/2021	IL	14	5/16/2021	5/16/2021	Patient received her first dose of the Pfizer Covid-19 vaccine. While waiting for observation, patient started to faint and seized. She also reported being hot and asked to take off her sweater. Paramedic was called and patient was taking to the nearby hospital. Patient reported black out while sitting on her chair, though by the time paramedic finish with the transportation patient reported vision recovery.
1322004	5/16/2021	TN	12	5/16/2021	5/16/2021	Approx 6-7 min after receiving vaccine in left arm. Patient's mother expressed concern about her daughters reaction. She complained of headache, stomachache, weakness in her legs and her eyes rolled back in her head and her head dropped.
1322199	5/16/2021	IL	14	5/16/2021	5/16/2021	14 year old male reported not being able to see after receiving vaccine. writer noted the boy's skin pale in color. The boy is able to follow command but has unclear speech. Paramedic on site. Per paramedic the boy has body weakness, mild headache, and blurred vision. Per paramedic vital signs are BP 107/63, R 16, PR 66. The boy recovered under the care of the paramedic.
1322249	5/16/2021	CA	14	5/15/2021	5/15/2021	So the patient complained of weird vision and her lower lip felt a bit numb. She said her normal vision came back after a couple minutes and her lips no longer numb after about ~10mins. I asked if she experienced any other symptoms or her symptoms got worsen. She answered no. Right after a few minutes of reporting the symptoms, I asked patient's mom if it's ok for me to call the paramedic. Her symptoms went away before the paramedic came. They checked on her pulse and said she's ok but still took her to monitor for further evaluation.
1322279	5/16/2021	FL	12	5/16/2021	5/16/2021	About two minutes after she received her shot she told us she was seeing black spots. Then she told me she couldn't see and she passed out. She started to regain consciousness and a little bit of blurred vision and then she began dry heaving. She was clammy and sweaty at that point but continued to improve after she drank some water.
1322138	5/16/2021	OR	15	5/16/2021	5/16/2021	Patient had what appeared to be absence seizures (facial twitching, unresponsive but moving eyes, fist clenching) for 30 seconds. This occurred 10 minutes post injection. Patient did not fall out of chair as her grandmother was right next to her. 911 was called, patient recovered immediately after and had no other incidence. patient taken to hospital.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1322457	5/16/2021	OK	14	5/16/2021	5/16/2021	About 5 min after receiving shot, his head went to the side, lost consciousness. His legs, arms, hands went stiff and he started shaking. His eyes rolled back in his head, textbook seizure. Lasted a little less than a minute. When came to he said he couldn't see anything. After about 30 seconds he could start to see. He turned pale, felt like he was going to throw up. But never did. A few minutes later he started to get a little color back in his face. He is tired but was better.
1321132	5/15/2021	CA	14	5/15/2021	5/15/2021	Adverse event: RN called to vehicle by father who was yelling for help. Once RN arrived at vehicle opened passenger door to find patient fluttering eyes after father stated he had just passed out. Patient was clammy, pale, and diaphoretic. RN advised patient to take slow deep breaths. Patient followed instructions, stated his name and said he felt 'funny'. Pulse taken and was HR 58. Then vehicle was moved to the side and vital signs were taken at 1301. BP 82/42, HR 80, RR 13. Patient was alert, oriented and answered questions appropriately. Treatments: RN and Charge RN present and spoke to both Father and patient about potential contributing factors to episode. Patient given water and gatorade. Able to finish bottle of gatorade and stated his symptoms had improved. Second set of vitals taken at 1324. BP 116/72, HR 82, RR 16. Patient also stated he had a banana for breakfast. Advised patient to stay hydrated, eat lunch, and rest. Advised father to reach out to pediatrician if any further events or questions about today event

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1320448	5/15/2021	MN	14	5/14/2021	5/14/2021	<p>Patient is a 14 YO male with no previous medical history that received the Pfizer vaccine administered into his left Deltoid at 1406. He was sent to the observation area where the nurse noted him looking pale at 1410. His mother was present during this whole event. He was taken over to the medical tent for privacy and further evaluation. He was complaining of being light headed. He was given apple juice and crackers as he had stated that he had not eaten or drank anything all day. At 1430 his VS read BP 132/80, HR 145, O2 99%. At this time he was lying down and feet elevated, shaking, pale, and cold. Lung sounds clear. Nausea but not needing to throw up he was covered up to try and keep him warm. At 1440 his blood pressure was 130/82, HR 130, O2 98% At this time he was lying flat with feet elevated, shaking, pale, and cold. His lung sounds clear. Nausea, but not needing to throw up. At 1450 BP 138/74, HR 120-135, O2 98%. Symptoms had not changed at this point except he mentioned his ears felt cold, although they were warm to touch. He was laid on his left side at this point to try and lower his HR, which did come down to 115-125 when on his L side. We did not take a BP at this point as we wanted him to be on his back when taking them. At 1515 he was laid back on his back to see how his HR would do and how his BP was. BP 138/60, HR 135, O2 98%. Again symptoms were the same except he was complaining of colors being more ?dull?, and his teeth being numb. At this point his pupils were noted to be +8, equal and reactive. 1521 VS read 138/50, HR 135, O2 98%. Vision still dull and pupils unchanged from 1515. He was laid on his R side to see if this would lower his HR. It was brought down to 120-130 on his R side. We gave him a cookie to snack on to see if that would help with any of the paleness, shakiness, and light headedness. He was able to take a few small bites. Hands pale and washed, with +1 bilateral radial pulses. 1529 he was sat up slowly to try to get him to hydrate, as it was apparent he needed fluids onboard. His BP read 142/80, HR 124, O2 98%. He was still complaining of lightheadedness. After sitting up and drinking half a bottle of water and some cookie, he stated that colors were becoming more vibrant. He noticed my eyes were very blue, which previously he had stated they were grey. He stated his lightheadedness had improved and that he was feeling better. We had him sit up for a while and his color started to come back, although his L arm was still pale, of note this was the Vaccinated arm. At 1546 his VS read 150/82, HR 117, O2 99% while sitting. His only complaint was feeling like the air he was breathing ?was cold?. At 1607 he was stood up and</p>

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

when doing so his HR went to 140. After standing for about 4 minutes his BP read 120/82, HR 114, O2 98%. His pupils +6, equal, round, and reactive. He was feeling way better and his color in his L hand was back equal to his right. He was slowly walked around a chair just to see how he would do with activity. His HR was anywhere from 94-120 when walking around the chair, he complained of no dizziness, or other symptoms. At this point he had finished 2 apple juices, crackers, a cookie, and a bottle of water for a total of 1.5 L of fluid. He was sat back down in the chair to rest and see how things went for a while. His HR was anywhere from 109-120 when in the chair, although he did appear very anxious through this whole process. When he was given a task it appeared that his HR was a few points lower. His final HR was 109, BP 130/82, O2 98%. Of note he did complain of his feet and fingers feeling tingly a few times during this process. Sometimes his feet would be tingly when elevated and then when the garbage can holding them up was readjusted it resolved. These were intermittent complaints. At this point it is 1630. He has responded to fluids and is stable to go home with his mom. It was recommended for him to increase his fluids tonight, and to eat something. He was sent with a bottle of water. It was also recommended to get a pulse ox machine from a pharmacy so that his HR could be monitored and if it does not come down under 100 by tomorrow to make an appointment with his MD to follow up. If any of these symptoms were to come back or if his mom had any concern at all it was recommended to take him to the ED for observation. It was also recommended to follow up with his primary even though he left stable. Throughout this process, I considered administering Epinephrine. The problem was his BP was not low and we could not get his HR to come down. I did not want to increase his HR any more than it already was unless I was absolutely necessary. Given that he responded to fluids, it was decided not to administer it. Given that it took him 2.5 hours to recover from this vaccine, I strongly recommend that he does not get his second dose. I consider this to be an adverse reaction, and his mom was in agreement.

1320597 5/15/2021 MD

15 5/15/2021

5/15/2021 Patient feel dizzy, light headedness, vision changes, observe peel, muscles relax. Did not loose consciousness during brief event, was alert and oriented there after. Escorted by nurse and family member to observation area. observed for 30mins.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1320776	5/15/2021	OH	14	5/15/2021	5/15/2021	A 14-year-old female received her COVID vaccine. After about 5 minutes of sitting in the chair for her 15 minute observation, her mom said she felt nauseous and like she was going to pass out. She was laid her back in the chair. The patient's mother went to get orange juice. She was pale and her eyes were rolling back in her head. She did pass out for a few seconds, and I checked the patient's pulse and blood pressure. BP 139/58, pulse 53. By that point she was coming back around. After she sat for several minutes and had orange juice and water, she was feeling much better.
1320786	5/15/2021	SC	15	5/15/2021	5/15/2021	Administered Pfizer COVID vaccine #1 to 15 year old patient. During his 15 minute wait time, patient's eyes began to flutter and he slumped over. Pharmacist responded and lowered patient to floor and elevated legs. He regained consciousness and was able to repeat his name and his location. First BP was 108/68. Pt was able to sit in chair and drank an orange juice, but began to shake and tremble and stated his extremities were numb. Repeat BP was 80/48 and EMS was called. Upon EMS arrival, his pulse and BP had returned to normal. EMS evaluated and advised that he was ok to return home.
1320893	5/15/2021	IA	15	5/15/2021	5/15/2021	Patient went to sit 15 minutes for recovery post-vaccine with her mom. All of a sudden she said "My arm feels funny," then laid her head on her mom. Her mom said her eyes rolled back and she passed out and slid down the chair onto the floor. 911 was called, pharmacist ran to scene. Patient remained on floor, started puking. Told her to breath deep, offered water. She slowly started feeling better. Paramedics arrived and examined her. After about 30 minutes, patient left with mom. No ER needed.
1321034	5/15/2021	WA	14	5/15/2021	5/15/2021	This information was reported to this writer. The patient received the vaccination without incident. He went to the post vaccination area and sat for the recommended 15 minutes. When he stood up he complained of blurry vision. No LOC; did not fall. Patient stated that this has happened in the past as well. EMS was notified. Patient drank juice. EMS assessed patient. Patient cleared to go home by EMS. Left facility with his father.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1321119	5/15/2021	CA	14	5/15/2021	5/15/2021	At 0950, client requested assistance from emergency medical technician (EMT). EMT's responded and brought gravity-chair. Client reported feeling dizzy, nauseous, blurry vision, and hard of hearing. Client was assisted into gravity chair. EMT obtained vital signs at 0954: blood pressure 110/78, heart rate 67, oxygen saturation 97%, respiratory rate 18, alert & oriented x4, skin was warm and dry to touch. Registered Nurse (RN) was alerted and assessed client. Client's father accompanied client and reported client had no allergies or chronic conditions. Client is not taking any medications. Client reported eating cereal for breakfast. RN provided vaccination education and was encouraged to follow-up with primary care provider to report the reaction and to complete the survey on VSAFE. Vital signs at 1002: blood pressure 108/78, heart rate 71, oxygen saturation 99%, respiratory rate 20. Client reported symptoms decreased to a ?3/10? from a ?10/10?. Vital signs at 1007: blood pressure 112/68, heart rate 80, oxygen saturation 99%, respiratory rate 16. Client reported symptoms mostly resolved. Vital signs at 1014: blood pressure 108/70, heart rate 81, oxygen saturation 97%, respiratory rate 18. Vital signs at 1024: blood pressure 102/66, heart rate 65, oxygen saturation 99%, respiratory rate 18. At 1030, client stood up from gravity chair unassisted and walked out of vaccine site unassisted with steady gait.
1321358	5/15/2021	TX	15	5/15/2021	5/15/2021	When come in the counseling room for vaccinate, patient was scare and nervous. Dad had to hold her hand to calm her a little. About ten or fifteen minutes after the shot, she complaint that her vision was blurry and that she cannot see. She also complaint of nausea and about to pass out. Patient seem to get anxiety attack in a moment. I stay to monitor patient for about 10 minutes. Dad believed she got anxiety over the shot that's why she experience all this symptoms. Patient sat another 5-10 minutes and was resumed to normal
1321098	5/15/2021	CT	15	5/15/2021	5/15/2021	COMPLAINED OF SPOTS IN EYES
1321388	5/15/2021	VA	12	5/14/2021	5/15/2021	Fever of 102.2 began 27 hours after the shot. Extremely sore arm, hurts to move it. Headache. Dry eyes. Fatigue - extremely tired, took a 3 hour nap. Cold - not chills, just cold in general. Gave motrin, but fever is still at 102.0 nearly 3 hours later.

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1321355	5/15/2021	NE	13	5/15/2021	5/15/2021	Patient was sitting with her mother in front of the pharmacy for the 15 min waiting period after vaccination, and mom alerted us to "something going on here." I (pharmacist) went over to the patient and she appeared to be having a seizure, hands clenched, eyes rolled back in head, and she shook a small amount for a short period of time, though mom believes she just passed out. Mom and I protected head and held her in place, it was over within a few seconds. A Nurse Practitioner was in the clinic next door and we alerted her. Together, we laid her down, asked her questions, took pulse with pulse oximeter and blood pressure. All seemed within normal range. We called 911 due to appearance of seizure. Rescue squad came and evaluated her.
1321336	5/15/2021	FL	14	5/15/2021	5/15/2021	Patient sat down immediately after vaccination in waiting room and starting shaking. Pharmacy staff called 911. Shortly after, the patient stated he was feeling better but then said he was having vision darkness. EMT then came to evaluate patient.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1321254	5/15/2021	CA	17	5/15/2021	5/15/2021	At 1249, 17-year old male client was administered Pfizer COVID-19 vaccine 2nd dose (Lot # EW0182, expiring 08/2021) in the right arm by registered nurse (RN) vaccinator. Client accompanied by mother. RN vaccinator requested emergency medical technician (EMT) assistance due to client report of feeling sweaty, tingling in both hands, and client nearly falling forward. EMT responded and brought gravity chair to vaccinator table and assisted client into gravity chair. Vital signs at 1257: blood pressure 95/60, heart rate 50, oxygen saturation 97%. RN lead assessed client. Client reported feeling tired and tingling in both hands. Client reported not eating breakfast. Client's Mother reported that client closed eyes and put his head down immediately after vaccine administration, then opened his eyes after 3 seconds. Client's mother reported client does not have allergies or chronic conditions and had sore arm after 1st dose of Pfizer. Client denied any other side-effects to first dose. Client's mother reported client has aversion to needles. Client and client's mother were provided vaccine education, were encouraged to follow-up with client's primary care provider, and encouraged to report side-effects on website. Client was advised that he will be observed for at least 30 minutes. At 1300, client stood up from chair unassisted, walked to observation area unassisted with steady gait, and sat down in gravity chair. Client was provided one bottled water and two granola bar snacks. Vital signs at 1307: blood pressure 125/63, heart rate 62, oxygen saturation 96%. Client reported tingling was resolving. Vital signs at 1317: blood pressure 125/72, heart rate 57, oxygen saturation 97%. Client reported side-effects resolved and feeling better. Client reported driving to vaccine site and felt safe to drive. At 1325, client stood up from gravity chair unassisted and walked out of vaccine site unassisted with steady gait accompanied by mother.
1321156	5/15/2021	MA	13	5/15/2021	5/15/2021	Patient became unconscious after about 10 minutes after vaccine was given for about 10 seconds. Once consciousness was regained, patient appeared confused and pale. Patient's eyes rolled back and arms and legs were flailing about during unconscious episode

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1321144	5/15/2021	CA	14	5/14/2021	5/14/2021	<p>Patient received the 1st COVID vaccine (Pfizer lot # EW0182 use by 5/15/2021) at 1455. The client had a history of fainting (x3) with intramuscular injections. The client reported eating lunch prior to arriving for her appointment. The client was vaccinated in the anti-gravity chair at 1455 by EMT. The client became very pale about 1 minute following the vaccination administration and she loss consciousness for 5 seconds, during this time she had 2 myoclonic contractions. RN and EMT immediately placed the patient in Fowler's position in the anti-gravity chair during the syncopal episode. The patient immediately regained consciousness and was alert and oriented to person, place, time, and situation. The patient remained in Fowler's position and vitals were taken at 1456: BP 125/95 (R arm), HR 45, RR 18, and oxygen saturation at 95%. The patient denied experiencing lightheadedness, shortness of breath, dizziness, nausea, headache, or blurry vision. The patient was given a juice box. The patient's color slowly returned. Vitals were retaken at 1505: BP 123/82 (R arm), RR 20, HR 50, oxygen saturation at 98%. The patient stated, " I usually feel really bad after I faint but this time I feel fine." Vitals at 1510 were as follows: BP 130/70, RR 18, HR 67, oxygen saturation at 100%. The patient was speaking in full sentences and laughing with her friend. Vitals taken at 1515: BP 125/ 68, RR 16, HR 68, oxygen saturation at 99%. The patient was positioned from a Fowler's position to sitting upright. The patient's color returned to her face and she denied any nausea, dizziness, blurred vision, double vision, or chest pain. Vitals were taken at 1520: BP 125/70, HR 82, RR 16, oxygen saturation at 99%. At 1524, the patient's blood pressure was 125/68 and HR was 58. The patient continued to deny any shortness of breath, dizziness, nausea, or vision changes. The patient's heart rate was taken at 1531, HR 55 and again at 1536, HR 62. The patient's mother stated her daughter was currently taking an antibiotic for acne (dosage and name unknown) and denied having any drug allergies or chronic medical conditions. RN instructed the patient and her mother about emergency precautions and to follow up with their primary care provider. RN, also educated the patient and her mother about the importance of informing the healthcare provider about her history of fainting with injections when receiving the second COVID Pfizer vaccine. Gave the patient's mother V-safe information and reported the occurrence in VAERS. The patient had a steady and even gait when leaving the site with her mother at 1537.</p>

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1318210	5/14/2021	MA	15	5/14/2021	5/14/2021	Nausea, blurred vision, pale skin, blue-colored lips
1317446	5/14/2021		16	5/13/2021	5/13/2021	It was reported to this writer that the patient was being escorted by his father to the upstairs post-vaccination observation area when he slumped to the wall midway up the first flight of stairs. He appeared pale and diaphoretic; complained of chest heaviness without pain, and blurry vision. Denied nausea. He was helped to sit down. EMS was notified and came to the scene. Assessed by EMS. Vital signs were WNL and without hypotension. Once he had a chance to sit down he accepted water and juice. Continued to be assessed by RN and EMS. Vital signs continued to be WNL. Medically cleared by EMS to leave the facility.
1316530	5/14/2021	CA	14	5/13/2021	5/13/2021	Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Headache-Medium, Systemic: Nausea-Medium, Additional Details: patient's mother told that pt has sickle cell's disease. As rph wasn't unsure the disease's effect on covid 19 vacicne. Rph asked pt to stay in resting area for 30 minutes. Approximately, 25 minutes after the patient got the shot, her mother reported her having allergic reactions. Patient reported as having dizziness, not being able to hear, nausea, and some eye blurness. I gave water, candy, and benadryl. Also 911 called just in case. By the time emergency team arrived, pt was doing fine back
1316730	5/14/2021		13	5/14/2021	5/14/2021	Patient states she did not eat or drink anything in the morning prior to her vaccine. Crackers and water given prior to vaccine. Vaccine administered at 0730. 0748 patient stated she was dizzy, pale, and had blurry vision. She states she felt a whoosh. She was transported to wheelchair and transferred to observation area. BP 81/34 HR 86 100% RA. Patient drank more water and crackers. Remained pale, nauseous. Denies dizziness/blurred vision. 0751 85/40, HR 68 100%RA. 0756 89/53, HR 60, 100% RA. 0801 100/49, 61, 100% RA. 0807 95/64, 57, 100% RA. Patient denies any symptoms. Educated patient and mother on when to call 911. Patient ambulated without difficulty. Discharged home with mom.
1317398	5/14/2021	CA	15	5/13/2021	5/13/2021	Blurry vision. BP 114/60; HR 78; RR 16. Pt stable & released from vaccination site

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1317411	5/14/2021	WI	17	5/14/2021	5/14/2021	<p>Patient was the 4th person to receive today?s vaccine of Pfizer. This was his second dose. He did fine the first dose. Patient sat down in the chair and rolled sleeve up. Chose L deltoid for injection site. He was talking with a friend and writer gave injection. Placed band aid. Patient was quiet and looked like he was going to get up but fell forward out of the chair. He hit his L forehead on side of wall. Writer caught patient and sat him up on the ground. Eye?s were dilated, he was diaphoretic, zoned out and not responding initially to voice, but eyes were open. Eventually got patient up to a wheelchair and taken to office area to lay down and monitor. Father was notified and sat with us after he arrived at the school. Patient drank 1 full 120cc orange juice and approximately 6oz of water. Throughout monitoring patient gradually felt better. Pupils corrected to normal, wasn?t diaphoretic anymore, and vitals improved. He stated this has happened before with lab draws and shots, but not this severe. Writer and colleagues informed him to notify people that are going to give him shots or lab draws about his history. Also informed him to notify his teachers if he feels anything out the ordinary for the rest of the day. Make sure he hydrates. Patient then sat up and walked in the room. He stated he felt fine like before getting the shot. Patient left stable and under his own power.</p>
---------	-----------	----	----	-----------	-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1317414	5/14/2021	ID	17	5/9/2021	5/9/2021	17yo otherwise healthy male presents to clinic for worsening cough, runny nose congestion, and sweats starting 4 days ago. He received the COVID vaccine 5 days ago in the afternoon and initially had what he expected to be normal side effects from the vaccine that evening. Symptoms included body aches, runny nose and general malaise. However, over the last few days he has felt worse and developed more congestion, cough, and sweating. He did improve a little bit 2 days ago but then started to feel worse yesterday and had a worsening cough that is resulting in some chest tightness. Cough is productive sounding. Mom describes it as barking. No appreciable wheezing but he sounds hoarse. He has some SOB after coughing repeatedly. He states it simply feels like it is hard to breathe for 10-20minutes after a coughing attack but then it resolves. He developed sweating yesterday as well. He states he will just start sweating for no reason. No measured fever. No chills. Today he has dried skin and cracked lips from blowing/wiping his nose all the time. No fevers. No vomiting. No diarrhea. No numbness/tingling. No redness/swelling at injection site. No rashes. No HA. EXPOSURE: No one at home is sick, No known exposures prior to vaccine CHRONIC: None, no hx of asthma or allergies, hx of eczema. PCP: None UTD on imm. Vitals: Wt 163.4, HR 60, RR 18, Temp 97.8, O2 sat % 98 Past Results: Examination: GENERAL APPEARANCE: alert, no acute distress, non-toxic, mildly diaphoretic, talking and cooperating throughout exam, sitting comfortably on exam bed, able to talk in complete sentences. HEAD: no visible lesions or abnormalities. EYES: no eye, eyelid, or orbital abnormalities identified. EARS: BILATERAL TMs pearly gray without erythema, effusion, or purulence; EAC with normal amount of cerumen bilaterally, no mastoid erythema or tenderness. NOSE: patent nares, congested, clear rhinorrhea. MOUTH/THROAT: moist mucous membranes, uvula midline, mild pharyngeal erythema without tonsillar exudate, no soft palate lesions, no trismus, no soft palate swelling or erythema, no difficulty swallowing or drooling. NECK: supple, non-tender, FROM. CHEST: normal shape, good expansion, no visible lesions/abnormalities, no tenderness, no retractions, no grunting, no stridor. HEART: no murmur, RRR. LUNGS: clear to auscultation, prior to administration of inhaler, diffuse wheezing and rhonchi throughout, post inhaler, improved air movement with focal rales in RIGHT poserior middle lung field around T5. ABDOMEN: soft, no

VAERS_ID RECVDDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

					<p>tenderness, no masses palpated, normoactive bowel sounds, non-distended. NEURO: alert, non-focal exam. SKIN: warm, dry without rash, petechiae, or purpura. Pneumonia of right middle lobe due to infectious organism Start Albuterol (Eqv-Proventil HFA) aerosol, 90 mcg/inh, 2 puff(s), inhaled, every 6 hours, 30 day(s), 1 Start amoxicillin tablet, 500 mg, 2 tab(s), orally, 3 times a day, 10 day(s), 60 Imaging:XR CHEST 2 VIEWS PA AND LAT Notes: History and exam are consistent with Community Acquired Pneumonia. CXR final read indicates RIGHT middle lobe bronchopneumonia. Suspect that pneumonia is unrelated to COVID vaccine. Pneumonia is an inflammation of the lungs caused by infection. Antibiotics are used to treat bacterial pneumonia. Other medications may help improve breathing and relieve symptoms in bacterial and viral pneumonia. Start and complete entire course of antibiotics. Increase fluids and rest as much as possible. Patient informed to return if not improved or go to ER if worsening symptoms, SOB, or increased chest pain. Should be rechecked in 2-3 days by PCP. Discussed side effects and risks of medications with the patient. Patient expressed understanding and a willingness to participate in the plan. Patient left the UC in a stable condition with all questions answered at this time. Cough Imaging:XR CHEST 2 VIEWS PA AND LAT Notes: Discussed cough in clinic. Will plan to treat with albuterol PRN cough/wheezing every 4-6hrs and Stiolto Respimat 2 inhalations QD after discussion with Dr. First dose of Stiolto given in clinic with improvement in symptoms and improved aeration. Focal findings now appreciable. Discussed close follow-up and when to return to clinic. Will report symptoms to VAERS. All questions and concerns answered and addressed.</p>	
1316519	5/14/2021	MN	15	5/13/2021	5/13/2021	<p>Systemic: Fainting / Unresponsive-Medium, Systemic: Tinnitus-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Fainted immediately after administration & came to within 1 minute. Vision impairment & plugged ears for approx 10 minutes afterwards. She remained in the observation area for 30 minutes and was fully recovered when she left the store.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1317742	5/14/2021	WA	16	5/14/2021	5/14/2021	Adverse event: PT here for first dose of Pfizer COVID vaccine. PT reported feeling anxiety before vaccination, but indicated that she was ready for her vaccination. Immediately post-vaccination, PT experienced an apparent vasovagal response, presenting with palor, slumped posture. PT's eyes were open, but PT was unresponsive and later reported no memory of events. PT became responsive within 2 minutes, but remained "shakey" and pale. RN was in attendance and provided initial assessment/response. RN also responded to PT. Aid was called at 1251 and EMTs arrived at 1253. Aid assessed PT, took vital signs (1256: BP 104/56 laying, HR 70, SPO2 98% on room air, 1303 BP 110/62 laying, HR 87, SPO2 99% RA, 1307: BP 96/58 sitting, SPO2 99%RA, 1311: BP 106/62 sitting, SPO2 99% RA). Treatment: PT was assisted to lay down on cot, water and juice were provided and consumed, cool compress were provided. Psychosocial support provided. Education to PT and mother to monitor for further s/s and to seek out urgent care if more were noted. Outcome: PT's color improved soon after laying down, PT reported "feeling better" after consuming juice and water. PT sat at edge of cot without difficulty, walked down hallway without difficulty. PT medically cleared by EMS at 1223, exited facility with mother in private vehicle.
1317840	5/14/2021	IL	16	5/14/2021	5/14/2021	Right after patient received the vaccine she turned very pale and told the technician she felt light headed. She remained seated in the room and closed her eyes a couple times but never appeared to lose consciousness. Her dad joined us in the room and confirmed she was really nervous before the vaccine. We kept her seated for several minutes and then she said she felt sick and vomited. After that she started to regain her color and was able to move to the waiting room. She sat there for about 5 more minutes and then felt well enough to leave with her dad.

<u>VAERS_ID</u>	<u>RCVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1318245	5/14/2021	ME	14	5/14/2021	5/14/2021	After about a minute or so, Pt. felt pretty warm/hot in the room and started saying that she could not see/vision was blurry and she started turning pale/yellow. The room was stuffy so we moved from the vaccination room to the waiting room but the symptoms (vassalage syncope) seemed to progress so we brought her into the pharmacy where there was enough room for her to lie down. We had a fan run directly on her & within a few minutes the EMTs were present and they checked her out initially & they decided to bring her to the ambulance & checked her vitals. They asked her mom if she wanted to bring her to the hospital as her vitals were all normal. Mom decided to bring her just in case to make sure everything was okay and get her checked again as a safety precaution/parental concern.
1318625	5/14/2021		14	5/14/2021	5/14/2021	BLURRED VISION, HYPOTENSIVE, PALE SKIN. EMS TOOK VITALS , NO HX OF VASOVAG. -CLEARED BY EMS.
1318919	5/14/2021	CA	15	5/14/2021	5/14/2021	PATIENT RECEIVED PFIZER COVID VACCINE AND WENT TO WAITING AREA. PATIENT COMPLAINED THAT HE FELT FAINT. PATIENT DIAPHORETIC AND SHAKING. CLOSED EYES. APPEARED TO LOSE CONSCIOUSNESS FOR ABOUT A MINUTE. GAVE PATIENT COLD WATER. PATIENT REVIVED QUICKLY. MOVED HIM FROM CHAIR TO WAITING AREA TO LAY FLAT. HE WANTED TO RISE TO HIS FEET WITHIN MINUTES. PATIENT'S MOTHER IS PHYSICIAN AND WAS ON PHONE WITH FATHER ACCOMPANYING HIM.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1317648	5/14/2021	WA	16	5/6/2021	5/7/2021	12 hours post vaccine she had severe myalgia, rash on both arms and legs, headache, nausea, stomach pain, and mild swelling in legs. Over the next 48 hours the rash darkened and spread to the entire body causing pain in her skin. The myalgia became nearly unbearable and both Ibuprofen and Acetaminophen didn't put a dent in the pain. One side of her face swelled so that one eye could only partially open. The nausea and stomach pain worsened so that she couldn't eat. Headache became intense. By 48 hours post vaccine she became delirious - her speech was slurred and difficult to comprehend. She would fall asleep for a few minutes and wake up unaware of where she was or what was happening. She never got a fever but did have chills. Around this time I called a relative who is a doctor to seek advice and Diphenhydramine was recommended. Benedryl helped immensely. 30 minutes after taking it she could speak clearly, was more alert, pain became tolerable, and her appetite returned. Symptoms and swelling returned when the Benedryl wore off so she continued taking it every 4 hours for the next two days until it wasn't necessary any more. The myalgia, stomach pain and headache persisted for 7 days. At 8 days post vaccine (today) a mild headache, mild and intermittent stomach pain, and mild fatigue are her only remaining symptoms. Her pediatrician cannot see her until next week but we have an appt for the 22nd.
1317831	5/14/2021	KS	15	5/13/2021	5/13/2021	Pt. sitting with mother and sister in observation area. Mother signed for assistance. Pt reported feeling hot and having blurred vision. Able to state name throughout event. Pupils dilated, skin hot. Pt instructed to remove mask and breath deeply, cool pack applied to back of neck. After several minutes patient reported vision retuning to normal. Patient incontinent during episode. Pt transferred to private room. Water, peanuts, and fruit snacks provided. Sister very tearful and anxious. Water and snacks provided. Family remained 30 minutes. Verbalized feeling okay, reported slight headache. Mother made appointment for patient to see pcp today, family left clinic.
1314563	5/13/2021	CO	15	5/13/2021	5/13/2021	Approximately 20 minutes after the vaccine the patient was the passenger in his mother's car when he started feeling confused, experienced blurred vision and reportedly lost consciousness. Upon regaining consciousness, the patient vomited.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1313853	5/13/2021	IL	12	5/13/2021	5/13/2021	Patient was in observation area and started feeling dizzy with difficulty to see 10 minutes after vaccine administration and decided to go from sitting on chair to sit and then lay down on floor on top of her jacket. Observation room clinic staff noticed and notified RN lead. Patient was attended to and noted that she was alert and oriented c/o dizziness. Patient transferred from floor w/ assist to wheelchair and then to side observation area where her VS were obtained: 0850 BP 79/39. HR 62, O2sat 100%. Mom accompanied patient and stated patient did not eat this morning. Patient given water and crackers. VS 0853 BP 98/56, HR 71 and O2sat 100%. Patient stating that vision is better, continued eating and drinking. VSS 0855 BP 99/64. HR 68, O2sat 100%. Patient stating vision much better and dizzy feeling gone. Patient stood up and did not experience any symptoms, walked to observation room with mom and RN and continued to sit for an additional 10 mins. Patient left with mom at 0915 stating she is back to normal. Encouraged to have patient eat and drink prior to next vaccination appointment.
1314023	5/13/2021	WI	16	5/8/2021	5/8/2021	PATIENT LOST CONSCIOUSNESS, FELL FORWARD OUT OF CHAIR (WAS CAUGHT AND ASSISTED TO THE FLOOR), PATIENT REGAINED CONSCIOUSNESS, EMERGENCY SERVICES WERE CALLED, PULSE, BLOOD SUGAR, OXYGEN, AND VISION WERE FINE, PATIENT VERY LIGHT HEADED, BLOOD PRESSURE EXTREMELY LOW, WASN'T RETURNING TO NORMAL
1314283	5/13/2021	MD	14	5/13/2021	5/13/2021	Pt had spent 10 mins in the observation hall when he w.. as reported to be feeling light-headed and his vision, blurry. Mother reported that he had nothing for breakfast b/4 the vaccination appointment. V/S taken was bp 98/57, rr 14, Hr 80, O2 96% RA, T. 95 degrees. When writer offered some drinks and snack, the Pt accepted the offer. 2 small packs of apple juice and 2small packs of crackers were consumed by the Pt. A recheck of the v/s showed the following readings. bp 98/64 , Hr 69, O2 99% RA .Pt and mother stayed for about 15 extra mins before the Pt verbalized feeling okay and ready to leave. He left in the company Of mom unassisted

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1314306	5/13/2021	MI	16	5/12/2021	5/12/2021	The patient felt tired and describes her eyes going dark, then passed out a few minutes after vaccination. She was vaccinated and then left the immunization room to sit down for a 15 minute waiting period. When she went to sit down, she collapsed on the floor. Her mother assisted her into a chair. She continued to be incoherent and have her eyes rolling back into her head for a few minutes. We used a cool cloth on her forehead and the back of her neck. The parents requested that we call 911. EMS arrived shortly and evaluated her. Heart rate, blood pressure, pulse ox, blood sugar and chest sounds were all within normal range. The patient stated that her arm felt heavy and "funny". She then stated that her tongue felt funny. EMS evaluated her tongue and said it looked normal. To err on the side of caution, she was taken to the hospital to determine whether or not she was having a delayed onset anaphylactic reaction. This patient has no history of seizures.
1314432	5/13/2021	IN	14	5/13/2021	5/13/2021	Dizziness, weakness in legs, claimed loss of vision by patient. Events occurred ~15 minutes after receiving injection. Patient transferred to emergency department for evaluation
1314507	5/13/2021	MD	13	5/13/2021	5/13/2021	he had his vaccination at 2:18, sat down in observation and after one minute, he lost consciousness, caught by father, and began having tremors. Woke up after 30 seconds - 1 minute. Helped to wheelchair. Skin was pale, but pt. was alert and oriented x 3, he reported blurry vision prior to incident. Observed on cot for 30 minutes. Given water, vital signs checked, wnl. Pt. left with father, escorted in wheelchair.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1314822	5/13/2021	WI	13	5/13/2021	5/13/2021	I administered the Pfizer COVID vaccine to the patient at about 2pm. I completed the vaccine, put the used syringe into the sharps container, grabbed the bandage, and turned back toward the patient. As I did this, he started slumping over in the chair, and his eyes rolled back into his head. I immediately put my arms around him so he wouldn't fall out of the chair. The patient's father was in the room as well and knelt down in front of him. The patient's body spasmed for a few seconds, then he came to but was breathing heavily and starting to sweat. I called to technician in the pharmacy and asked him to call 911 at 2:03pm. I brought the patient a cool cloth and asked a technician to bring some water. The patient's breathing started to slow, but he was nauseous and dizzy. He dry-heaved once, and I put the garbage can in front of him. He slumped over the garbage can for a few minutes. Then he asked to lie on the floor. He seemed to do better lying on the floor. When the EMTs arrived, they attempted to have him sit in the chair again, but his dizziness returned, and he complained of being cold. The EMTs moved the patient to the gurney and transported him to the Hospital for further medical attention.
1315154	5/13/2021	IL	16	5/4/2021	5/5/2021	Patient is a 16-year-old male patient admitted with seizure like activity. One day prior to admission patient received his second COVID vaccine, Pfizer brand. On the day of admission Patient woke at 0200 with pain in the left side of the chest, mid-axillary per patient's description it was cramp-like pain and he was able to go back to sleep. At 0500 he got up to use the restroom and went into the kitchen. He told his mom he didn't feel well and fell forward making a gurgling sound, arms rigid, was unresponsive, and this lasted 1.5minutes according to mom. Mom called EMS and when he awoke he stated he was nauseous. After EMS arrived it was 2-3 minutes and he did not feel well again, he stood up and head fell back, eyes open, he was shaking, and making a gurgling noise again, this episode lasted 30 seconds. Upon awaking he was disorientated for a few minutes then back to baseline, he was nauseous again and very tired. He came to the ED where EKG (pending), CBC (normal), PT/PTT/INR (slight elevation), CMP (normal), TSH (normal), Ethanol (None), Troponin (normal), Head CT (normal), and chest xray (normal) were done. He received a NS bolus was given. He was admitted to the pediatric hospitalist for further evaluation and management. This is where he had a 24hour Video EEG with normal EEG he was discharged home.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1314482	5/13/2021	MD	14	5/13/2021	5/13/2021	Pt c/o of dizziness as the only symptom s/p vaccination. She denied any chest pain, shortness of breath, vision loss, or pain. Pt's mother stated that she previously gets dizzy after vaccinations, and seeing needles. Pt stated that she had a "fear" of needles, but wanted the vaccine anyway. The nurse moved the pt to the private area, and helped her onto the stretcher, where she laid down. After the pt was lying down, the nurse assessed her. The nurse then took vital signs every ten minutes, listened to her lung sounds, assessed the radial pulse, assessed her vision, and mentation. After 15 minutes the pt sat upright with her feet dangled. With the nurse and the mother ten minutes later, the pt was walked down the hall. No issues were noted and the pt was stable. All the vitals were within normal limits throughout the entire time. The previous dizziness was gone, and the mother stated that she looked great. Pt stated a total of 40 minutes and then was safely discharged.
1311067	5/12/2021	CO	17	4/21/2021	4/27/2021	At first(4/27/21) it felt like the left side of my face was acting spiritic but it was really the right side of my face not really doing anything so after a week of deducing and not knowing what it was I told my mom. She called the doctors office listed and they said to send me to the ER on 5/5/21. They said I have Bells Palsy and they put me on Prednisone and eye drops. We scheduled an appointment for our primary doctor which we went to on the 5/12/21. The doctor and I + my mom talked and they said we should report this because there was nothing else that could of caused the Bells Palsy.
1310340	5/12/2021	IL	17	5/12/2021	5/12/2021	patient was found to have fainted in the waiting area. Reports hitting his head, but was conscious by the time we examined him. A+Ox3, vision intact, speaking normally, complaining of slight pain where he hit his head

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1310098	5/12/2021	VA	16	5/12/2021	5/12/2021	Approximately 5 minutes post vaccine, mom alerts the pharmacist that patient is experience some visual disturbances. The patient states that he felt dizzy/eyes were "going black" in and out. Heavier breathing than normal. States it feels harder to breath, but no reports of swelling or itching. Also states that ears were ringing. Pharmacist attempted to check blood pressure on patients left arm with an automatic cuff, but the machine errored twice. Then attempted to check BP with a manual cuff. Reading was varied due to patient moving his arm and hard to hear. Seemed to be around 90/50, but not precise. After 10 minutes, patient stated he was starting to feel better, just felt thirsty. Pharmacist rechecked BP on right arm with a different automatic cuff and reading was 104/62, with a pulse of 101. Patient continued to improve, stating that visual disturbances were gone and hearing had returned to normal. Was able to stand and walk around without feeling dizzy. No difficulty breathing reported at that time. Patient and mom waited another 5 minutes to ensure he had no symptoms and then were able to leave approximately 25 minutes post vaccine.
1307702	5/11/2021	KY	17	4/30/2021	5/1/2021	Issues with vision, went to eye doctor, referred to retina specialist. Hemorrhaging in the back of left eye. Appointment with pediatrician and pediatric Cardiologist. blood work and EKG done. Follow up with retina doctor on 5/14/21
1307800	5/11/2021	MA	15	5/11/2021	5/11/2021	pt found by ems crew incomapny of mother in vaccine booth after having recieved vaccine. pt appeared to have suffered a syncapo episode due to a vaso vagal response. pt mother had consented to all ems evaluation and treatment. pt was assessed on scene and pt wa then transfered to hall way for further evaluation. original vitals at vaccine booth was bp63/42 hr 46 rr 18 spo2 99 ra. pt had perspiration on forehead and pale skin and mild visual disturbances. pt improved once in hallw ay. vitals bp 87/59 hr 52 rr 18 spo2 99 RA. pt began to "feel better" PTs mother denied any allergies or pmhx. pt care was released and pt was escorted out of center by staff with mother

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1307603	5/11/2021	IN	17	4/9/2021	4/9/2021	Immediate sever pain at injection site, immediately followed by flushed face, racing heartbeat, tingling and inching of face, watering eyes, itchy throat that felt like it was closing in, lump in throat, difficulty breathing, unable to speak. Was able to speak after a couple minutes and the other symptoms started to gradually improve at that point. Most of the above symptoms subsided within around forty minutes. The lump in the throat remained for weeks eventually coming and going.

VAERS_ID RECVD STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1307924	5/11/2021	WI	16	4/29/2021	5/10/2021	<p>HPI: Patient is a 16-year-old male who was upgraded to our emergency department after blood work showed a significant thrombocytopenia. Please see walk-in clinic provider NP for presenting history and physical exam. Patient reports to me development of sore throat as well as blood from the throat last Thursday. Patient also began to notice development of bruising to his legs without any injury approximately a week ago. Denies any pain. Denies any blood in the urine or stool. No other medical complaints at this time. Chief Complaint Patient presents with ? Sore Throat was seen a few weeks ago for ear infection, also had sore throat at that time that never went away. School nurse wanted him swabbed for strep and covid PCR ? Bleeding/Bruising has large bruising to right leg for about a week, no injury. also states bruise to upper left thigh and right shoulder and scattered small bruises. School nurse wants his platelets checked. Denies pain. States mild bleeding in gums and states notices blood in back of throat ROS: See HPI above. All other 12 review systems negative otherwise specified in HPI above. ROS PMH: Past Medical History Past Medical History: Diagnosis Date ? Asthma ? GI symptoms 10/2018 with pharyngitis ? Headache ? Strep throat ? Tonsillar and adenoid hypertrophy nasal scope Past Surgical History Past Surgical History: Procedure Laterality Date ? COLONOSCOPY 12/07/2018 with biopsies ? ESOPHAGOGASTRODUODENOSCOPY 12/07/2018 with biopsies ? TONSILLECTOMY & ADENOIDECTOMY 2011 Family History Family History Problem Relation Age of Onset ? Hypertension Father ? Diabetes Mellitus Father Social History Tobacco Use ? Smoking status: Never Smoker ? Smokeless tobacco: Never Used ? Tobacco comment: no second hand smoke exposure Substance Use Topics ? Alcohol use: No Allergies: No Known Allergies Meds: No current facility-administered medications on file prior to encounter. Current Outpatient Medications on File Prior to Encounter Medication Sig Dispense Refill ? albuterol HFA 108 (90 Base) MCG/ACT inhaler Inhale 2 puffs every 4 hours as needed. 1 inhaler 1 ? Aspirin-Acetaminophen-Caffeine (EXCEDRIN PO) ? acetaminophen (TYLENOL) 325 MG tablet Take 975 mg by mouth every 6 hours as needed for Pain. ? naproxen (NAPROSYN) 220 MG tablet Take 440 mg by mouth twice daily - with breakfast and supper. Physical Exam: Blood pressure (!) 148/93, pulse 107, temperature 98.6 °F (37 °C), resp. rate 20, height 6' 5" (1.956 m), weight (!) 348 lb 8 oz (158.1 kg), SpO2 96 %. O2 flow: Physical Exam</p>

Constitutional: He is well-developed, well-nourished, and in no distress. No distress. HENT: Head: Normocephalic. Right Ear: External ear normal. Nose: Nose normal. Mouth/Throat: Oropharynx is clear and moist. No oropharyngeal exudate. Mild erythema in the posterior pharynx with some bleeding. No posterior pharynx edema. Eyes: Conjunctivae are normal. Right eye exhibits no discharge. Left eye exhibits no discharge. No scleral icterus. Cardiovascular: Exam reveals no gallop and no friction rub. No murmur heard. Pulmonary/Chest: Effort normal. No stridor. No respiratory distress. He has no wheezes. He has no rales. Abdominal: Soft. Left upper quadrant tenderness. Musculoskeletal: General: No tenderness, deformity or edema. Cervical back: Normal range of motion. Neurological: He is alert. Gait normal. GCS score is 15. Skin: Skin is warm. He is not diaphoretic. Multiple baseball to softball size bruises to the bilateral lower extremities worse on the right than left. Mild petechiae. Psychiatric: Mood, memory, affect and judgment normal. Diagnostics: Results for orders placed or performed during the hospital encounter of 05/10/21 CBC WITH DIFFERENTIAL
Result Value Ref Range White Blood Cells 7.72 4.0 - 13.0 K/uL Red Blood Cells 3.48 (L) 4.15 - 5.30 M/uL Hemoglobin 10.8 (L) 11.8 - 15.4 g/dL Hematocrit 30.5 (L) 35.5 - 46.5 % MCV 87.7 77 - 94 fL MCH 31.0 25.0 - 32.3 pg MCHC 35.4 31.9 - 35.9 g/dL RDW 16.2 (H) 11.5 - 14.8 % Platelet Count 9 (LL) 160 - 424 K/uL MPV 11.4 (H) 6.8 - 10.5 fL Neutrophil % Pending % Lymphocyte % Pending % Monocyte % Pending % Eosinophil % Pending % Basophil % Pending % Absolute Neutrophils Pending 1.6 - 7.5 K/uL Absolute Lymphocytes Pending 1.2 - 4.9 K/uL Absolute Monocytes Pending 0.1 - 0.9 K/uL Absolute Eosinophils Pending 0.0 - 0.6 K/uL Absolute Basophils Pending 0.0 - 0.2 K/uL
COMPREHENSIVE METABOLIC PANEL Result Value Ref Range Sodium 138 133 - 144 mEq/L Potassium 4.4 3.5 - 5.0 mEq/L Chloride 101 95 - 107 mEq/L Carbon Dioxide 22 22 - 32 mEq/L Anion Gap 15 6 - 15 mEq/L BUN 14 8 - 24 mg/dL Creatinine 0.81 0.69 - 1.20 mg/dL Glomerular Filt Rate NOT CALCULATED due to age less than 18 years. mL/min Glucose 110 (H) 70 - 100 mg/dL Albumin 4.9 3.5 - 5.2 g/dL Calcium 10.0 8.6 - 10.4 mg/dL AST 23 11 - 41 IU/L ALT 28 (H) 0 - 19 IU/L Alkaline Phosphatase 142 90 - 366 IU/L Bilirubin, Total 0.4 <1.5 mg/dL Total Protein 7.7 5.9 - 7.8 g/dL Globulin 2.8 1.8 - 3.7 g/dL A:G Ratio 1.8 1.2 - 2.7
PROTHROMBIN TIME Result Value Ref Range Prothrombin Time 18.4 (H) 12.0 - 14.6 sec INR 1.5 (H) 0.9 - 1.1 PTT,

VAERS_ID RECVD STATE

AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

PARTIAL THROMBOPLASTIN Result Value Ref Range PTT 32 23 - 36 sec CRITICAL VALUE HEME Result Value Ref Range Critical Value ED Course: Patient was upgraded to the emergency department after he was noted to have significant thrombocytopenia. Patient is pleasant he has no active complaints other than some throat irritation bleeding in the throat and bruising that was nontraumatic to the legs. My physical examination reveals multiple rather large bruises to the bilateral lower extremities up to softball size worse on the right than left. Patient had some mild left upper quadrant discomfort. Very minimal bleeding in the posterior pharynx. I personally reviewed the labs and CBC revealed an anemia at 10.830.5 hemoglobin hematocrit respectively. Most notably a 9000 thrombocytopenia. CMP essentially unremarkable. INR 1.5 PTT normal. I added on Lyme disease and tick-borne illness as well as a Monospot type and screen. Patient did receive his 1st visor vaccine for COVID-19 on April 29, 2021. IV was established in the emergency department in consultation made to Pediatric Oncology. I spoke with pediatric oncology in regards to patient's history and present illness. He does agree that the patient should in fact be transferred under the pediatric care but recommended under the general hospitalist service. He did not advise to proceed with any active treatment in our emergency department such as gamma globulin, platelets or steroids. Awaited call back from pediatric hospitalist and spoke with Dr. She has agreed to accept the patient in transfer. Patient and family are comfortable disposition plan no further questions at this time. Impression: 1. ITP Disposition: Transfer ED on 5/10/2021 Revision History Detailed Report Note shared with patient Note filed date Mon May 10, 2021 12:24 PM

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1308699	5/11/2021	OK	16	5/11/2021	5/11/2021	Patient was given first dose and was in waiting area for observation. About ten minutes after his shot our vaccine coordinator alerted me that he was having a reaction. When I went out to the patient his eyes were open but he was staring blankly. His father was shaking him and waving his hand in front of his face and asking him if he was okay and the patient was not responding. I also tried to get the patient to respond and he did not. Since the patient was not responsive to any questions we called 911. While waiting on the paramedics to arrive the patient came around and started to answer some simple questions. He was clammy and sweating and he threw up one time. When the paramedics arrived they took over. They checked all the patients vital signs and were with him for about 15 or 20 minutes assessing him. The patient walked out of the store on his own and was not taken by ambulance. I called the patient around 3:10pm to check on him and I spoke with him and he said he was doing fine.
1307177	5/11/2021	VA	17	5/1/2021	5/3/2021	Bell's palsy on left, Patient is a 17 year old male who presents to ED today for left sided facial weakness involving the face and forehead. Patient says he received the Pfizer vaccine for COVID19 this past Saturday. Two days later on Monday, he developed these symptoms. He arrives well appearing in NAD. He has weakness of the left face involving the forehead, difficulty raising eyebrow and closing left eye.
1302962	5/10/2021	KS	17	5/6/2021	5/6/2021	Evening of 5/6 hives started. Father gave no medications, just watched and waited. Pt went to school on 5/7, came home around 1400, hives noted on neck, arms, legs, groin, back, stomach, all over per father. Father gave benedryl Friday around 10 am, then took to emergency room Saturday morning due to eyes being swollen shut, left arm was swollen hand and wrist. ER gave 2 injections - immediate reacting and long acting, along with 2 benedryl, pepcid. Pt was discharged from ER after about 1 hour. Hives persist today, May 10th. Pt is now on 40 mg 5/9 and 5/10. Hives remain persist on feet and hands today.

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1302115	5/10/2021	IL	16	5/7/2021	5/7/2021	Patient complained of feeling dizzy and blurred vision, headache and eyes hurting. Denies any c/o nausea. BP 114/64 HR= 99 O2 Sat= 99% Patient/mom verbalized that she had a half of subway sandwich prior to her vaccination. Placed patient in supine position, took vital signs and instructed to remove her jacket since the observation area was warm. Gave her cold drinks, bar of candy and Tylenol 500 mg 1 tablet for headache. Continued to monitor patient then 30 minutes later RN walked her on the hallway. Still a little wobbly . Instructed to take some deep breaths. Mom did mention that her menstrual period is almost due. 10 minutes later she claims she is doing better but still have mild headache and sleepy. Discharged home with her mom and was instructed RN will follow up on her. Instructed if headache persists and start having dizziness to go to ER.
1301998	5/10/2021	PA	16	5/9/2021	5/9/2021	Systemic: Hypotension-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: Patient felt faint after void vaccine. She had some changes in vision and sat down to relax and drink an orange juice. Vitals were examined. (BP: 90/56 & 90/60; pulse: 62). Parents stated that patient has a history of feeling faint after vaccine administration. Patient was able to walk out under own power. A follow up call was placed and the parents stated that the patient was stable and doing well.
1301041	5/9/2021	MO	17	5/9/2021	5/9/2021	Syncope following vaccination. Patient reported blurry vision, dizziness. Had patient rest with feet elevated and gave patient bottle of water. Observed patient for 30 minutes. After 30 minutes patient reported feeling back to normal.
1300764	5/9/2021	FL	16	5/8/2021	5/8/2021	Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Itch Generalized-Mild, Systemic: itching of eyes, feeling warm-Mild

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1295444	5/7/2021	CO	17	4/27/2021	5/4/2021	HPI Pt is a 17yo female, otherwise healthy, who presents with right side of her face with decreased movement, some pain, and eyebrow twitching x 5 hours. Symptoms started out of the blue. No trauma. No hx of similar symptoms in the past. No fevers, upper respiratory infection symptoms, cough, sore throat, nausea, vomiting, diarrhea, rash, dysuria. Does have a blister on her lip x 2-3 days. No weakness to her muscles. No slurred speech. No headache, dizziness, vision changes. She is having trouble blinking her right eye and closing her right eye. Normal oral intake, urine output and activity level. No sick contacts. No known COVID exposures. Got the Pfizer vaccine #1 on 4/27/21.
1297313	5/7/2021	CO	16	5/7/2021	5/7/2021	After counseling and giving the patient her vaccine, the patient walked to the waiting room and sat down. 2 minutes after receiving the vaccination the patient leaned back, tensed up, became unresponsive and had a vacant look in her eyes. We called 911. Her lips started turning blue. I administered 0.3mg epinephrine auto injector and the color in her lips came back. Paramedics arrived evaluated her and transported her to the hospital.
1296638	5/7/2021	MN	16	4/21/2021	4/21/2021	Developed headache, chills, hot flashes, body aches, burning eyes, nausea, and fatigue 4 hrs after vaccination. Symptoms wax and wane in severity, but have not resolved. She was seen by pediatrics and family practice by telemedicine. Treated with Tylenol and Advil. Then presented to Hospital ER 5/3/21 with worsening fatigue and weakness. ER work-up included normal/ negative CBC, d-dimer, monospot, CMP, ESR, CK, UPT, UA, RP Covid, and Influenza. Only noteworthy finding was mildly elevated CRP at 0.51. Treated with Zofran. Outpatient follow-up work-up included normal ECG, normal repeat CBC, CMP, CK, ESR, A1C. CRP 3. EBV, CMV, Parvovirus, Covid antibody, ANA, and RF pending. She briefly D/C'd Amitriptyline, so advised to resume.
1296509	5/7/2021	ME	17	5/7/2021	5/7/2021	Patient describes his experience as a "loss of vision" shortly followed by "blinking out" and dropping his phone. Patients in the observation area noticed him fainting and called pharmacy staff over to the location. Patient experienced no issues breathing nor experienced any swelling. Patient describes quickly feeling better, though pulse showed 60 BPM once EMS arrived.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1296217	5/7/2021	NC	16	4/28/2021	4/29/2021	Numbness in tongue, right sided facial droop, difficulty closing right eye, headache, jaw pain. dx with Bell's Palsy
1297599	5/7/2021	OR	16	5/7/2021	5/7/2021	16yoF was accompanied with an adult who was present for the vaccination. The COVID-19 Vaccine Pfizer-BioNTech 0.3mL administered IM in right deltoid while patient was sitting. Patient remained sitting for 10 minutes after administered dose. Patient reported feeling well after the injection. Patient stood up while we continued to talk, after 2 more minutes passed out while standing. Suddenly, patient began to go limp and her eyes crossed and rolled back. Patient fell backwards into the privacy curtain and into aisle 13 of the store. Patient's head bounced off the floor. Immunizer knelt next to patient. Patient was unresponsive until immunizer placed cold hand on back of neck and front of chest to check if she was breathing, immunizer calmly guided patient to breath, slow deep breaths into the belly and patient's eyes fluttered open. She said her head hurt really bad. Immunizer offered to the accompanying adult to call EMS because patient should be evaluated after hitting her head so hard. The accompanying adult denied EMS, then stating that patient had previously fainted while walking and said that she would be fine. Immunizer advised patient to remain laying down while immunizer got some ice. Ice was then placed on the back of the head. Patient slowly stood up after laying for 10 minutes and was walked over to a sitting area to put feet up and continue with ice for another 5 minutes before the accomanying adult wanted to leave.
1291856	5/6/2021	NJ	17	5/5/2021	5/5/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Hyperventilation-Medium, Systemic: Visual Changes/Disturbances-Medium
1291859	5/6/2021	NJ	17	5/5/2021	5/5/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Hyperventilation-Medium, Systemic: Visual Changes/Disturbances-Medium.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1292753	5/6/2021	MI	17	4/28/2021	4/28/2021	Patient describes feeling nauseated, lightheaded, and dizzy about 20 minutes after vaccine while in waiting observation area. Mom states she looked over, patient's eyes were rolled back, she was shaking, and not responding to mom. Patient does not remember this part. She states the next thing she remembers is looking up at nurses looking down on her. Mom thinks she was out for a few minutes. Of note, patient had not had anything to eat or drink on day of vaccination. She also has a history of syncopal episode after a toradol injection, and with illness.
1293171	5/6/2021	CA	16	5/6/2021	5/6/2021	After 10 minutes receiving the 1st dose of Pfizer Covid-19 vaccine, patient experienced sweating, pale looking, eyes rolling back. He was still aware, and stated that he wants to lie down. We took his BP, all the numbers are within normal range. He rested for 15 more minutes, and said that he wants to go home and rest. We called to followed up later and talked to Mom. She said he is ok after eating and resting.
1293397	5/6/2021	PA	16	4/30/2021	4/30/2021	At approximately 1:04pm on 04/30/2021 patient during 10 minute observation had a syncopal episode and fall from standing to floor with loss of consciousness. Trauma assessment found contusion to occipital region of skull. No bleeding, no other trauma findings. Pt moved to wheelchair, and then to cot without incident. Pt AA&Ox4, airway patent, breathing shallow and non-labored. Pulse strong and regular with delayed perfusion. Pt skin pale, cool and dry. Pt eyes PERRL bilaterally. Pt complains of pain 7/10, dull, localized, to the base of skull, and ringing of ears, as well as dizziness without nausea. Pt administered 650ml oral water with improvement to skin and respirations. Vitals and report continued on next page Pt however post oral hydration still stated no change to headache, and new onset tinnitus to left ear. Pt parent was consulted for transport to emergency department for assessment for potential injury post fall, and consented. EMS was contacted, who transported patient to hospital. Vital signs as follows 1312 108/68 93p 14r 98%RA 1323 106/62 82p 17r 98%RA 1335 104/60 74p 16r 97%RA
1293377	5/6/2021	OH	17	5/6/2021	5/6/2021	Pt reported blurry vision and lightheaded. @1115 BP 110/54, HR 63, Oxsat 92%. At 1125 BP 108/70, Oxsat 98, HR 64. At11:39 BP 106/62, HR 74.

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1290464	5/5/2021	MA	16	4/24/2021	5/1/2021	One week post vaccine, little blisters lower eyelid, itchy and swollen. Prescribed Erythromycin and Cephalexin. Next day, red eye, blisters worse, swollen and itchy. Second opinion, prescribed valtrex and doxycycline. Following day starting to improve. Day 4 just blisters now.
1289841	5/5/2021	IA	16	5/5/2021		Immediately after second dose, patient reported feeling tingly, light headed and "off". She had had this same reaction in the past with her 1st dose and was prepared that it may happen again. Her mom and dad were both with her. She laid down for awhile and was monitored directly in immunization room for 30 minutes. She reported feeling better, back to normal before leaving with direction supervision of her parents. They report that she often has these reactions to shots or medical procedures. This is the same reaction she had to the first shot.
1289818	5/5/2021	CA	16	5/4/2021	5/4/2021	Within 3 minutes of receiving the vaccine, Subject experienced syncope, had ringing in the ears, loss of vision, was pale, diaphoretic, and hyperventilation. BP 102/49 and 96/58. Staff responded, provided supportive care. Subject regained consciousness. Reported on 5/5/2021 made a full recovery. It is noted he reports he worked out that morning, had not eaten or had water that day. Did not seek medical attention.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1284487	5/4/2021	CA	16	5/1/2021	5/1/2021	Patient reported feeling lightheaded status post first dose Pfizer COVID vaccine (Lot: EW0167, expiration date: 08/31/2021) to medic. Medic noted that the client was CAOx4, her skin was pale, warm and slightly moist, pupils were equal, round, reactive to light and accommodating (PEARRL), respiration rate (RR) was 20. The client's sister stated the client had a history of anxiety and that "she gets this way whenever she gets a shot". Medic walked patient to the zero gravity chair. The client was given water to sip on. At 1213 baseline vitals were taken with client sitting: Blood pressure (BP): 110/82, heartrate (HR): 98, RR: 20, PEARRL. Medic reports she coached the client on her breathing to help alleviate her complaint of feeling lightheaded, mild nausea and anxiety. Client reported she felt anxious prior to her vaccination and that her last oral intake was 15 minutes prior to vaccine. Client denied headache, blurry vision and chest pain. At 1220 a second set of vitals were taken while standing: BP 108/80, HR 86, RR 16, CAOx4. Client stated her symptoms were diminishing. Client's RR slowed down to normal rate and rhythm, vital signs were trending to normal and client was negative for orthostatic pressures. Client was advised to stay for additional 30 minute observation. Client's symptoms resolved completely and she was able to ambulate away from observation site without assistance and with a steady gait.
1286712	5/4/2021	FL	17	5/4/2021	5/4/2021	Patient became light headed and her head started to nod in post waiting area. Brought ice and gatorade and sat with her and mom for 20 minutes. She continued to nod and close her eyes but responded to verbal stimuli when prompted. She eventually became fully awake and mom and her decided she was well enough to go home.
1286161	5/4/2021	CA	17	4/27/2021	5/3/2021	03May21-daughter C/O obstruction in throat. upon view, left tonsil is enlarged, red, 'puffy', striated with white patches. Uncomfortable to swallow. slight runny nose, congested voice, puffy eyelids (slight). Went to urgent care, was tested for Mononucleosis and results positive.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1285764	5/4/2021	PA	17	5/4/2021	5/4/2021	Pt c/o car sickness PTA, per his report. Pt reports he only drank gatorade and had one slice of bread PTA. Reports dizziness, blurred vision, diaphoresis prior to arrival to med obs #1. Denies LOC. Provided juice and saltine crackers. Mother and brother brought to bedside. Pt improves improvement of symptoms after eating/drinking. No s/s of distress noted. VSS. VS are as follows: 1137: BP 87/55, recheck 109/89, HR 77, RR 17, O2 sat 97% on RA 1142: BP 115/77, HR 66, RR 16, O2 sat 98% on RA
1281594	5/3/2021	MD	17	5/3/2021	5/3/2021	Visually observed patient looked faint for approximately 5 seconds Patient was reclined on cot, given juice & crackers, BP checked 1st 110/70 BP was weak Patient was observed for 30 minutes, patient verbally reported he was feel much better Left the facility with his father & told to go get food & water
1281353	5/3/2021	MI	16	4/29/2021	4/29/2021	Pt in for covid vaccine. Immediately after pts dose pt stated he began to feel like his arm was on fire. Pt stated his ears were ringing and he became diaphoretic. Pt aslo states he feels like he loss vision for about 30 seconds. Pt had small amount of emesis as well. Vitals 110/67 hr 70 rr 20 temp 97.8 oxygen 98%. After about 5 minutes pt stated he felt so much better. Pt monitored for 30 minutes by nurse vitals q5 min. Last vitals 120/72 hr 72 respiratory rate 18 oxygen 98% t 97.8. Pt left facility accompanied by family. Educated to follow up with PCP.
1281894	5/3/2021	MT	16	4/29/2021	4/29/2021	At 1045 patient started experiencing eyes swelling and mild hives. 5/1/21 in morning had severe hives head-to-toe and swollen eyes worse. Took Benadryl 2 tabs, which totally resolved symptoms. This morning, 5/3/21, reoccurrence of hives and eye swelling. Taking Benadryl currently to manage symptoms.
1283472	5/3/2021	OH	17	5/2/2021	5/3/2021	on day after second shot noted swelling to eyes, lips and cheeks
1282126	5/3/2021	PA	17	5/3/2021	5/3/2021	Sudden sweatiness, nausea and tunnel vision. Very brief LOC. Immediately better when placed supine. More scarred than anything else. No fall or injury. BP/pulse/O2 saturation all Normal Initial 126/89, 69, 100%. No orthostasis. Classic vasovagal reaction. Resolved.
1282999	5/3/2021	CT	17	5/3/2021	5/3/2021	LIGHT HEADED, BLURRY VISION STARTED RIGHT AFTER ADMINISTRATION, PERSISTS AFTER 4 DAYS

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1280794	5/2/2021	VA	16	5/2/2021	5/2/2021	Patient came into the immunization room for his shot along with his mom. He did state he hated needles, but was in good spirits. He got the shot, I filled out his card, and directed him and his mom to sit in the waiting area for 15 mins in case of dizziness or a reaction. They were walking out of the room to the waiting area and he almost immediately fainted. He fell and possibly hit his head on the chair/ floor when he went down. (This was maybe 2 mins post-injection). He almost looked like he was going to have a seizure (arms were tensed up, his eyes were not focused, was starting to shake) but then he suddenly came-to. He seemed to be pretty coherent after he woke back up but 911 was called since he was bleeding
1280492	5/2/2021	NY	16	5/2/2021	5/2/2021	16 y/o female with NO PMH and no h/o similar prior experiences/syncope c/o "feeling tired" ~3 min after receiving the 1st dose of pfizer vaccine. Pt LOC, "gently" falling onto the floor, landing on her face ~5 min after receiving the vaccine. Pt reported feeling tired before LOC, not associated with any other symptoms (dizziness, changes in vision/hearing). LOC lasted ~10 seconds, pt immediately returned to baseline. She was sat up with the help of her mother and nurse and the clinical lead was notified. Pt was laid down on a cot, VS were taken, ice was applied to her pressure points. Pt reported complete resolution of symptoms within ~5 min. Pt was progressively moved from lying down to sitting to standing. Pt denies eating or drinking anything today and was given fluids and snacks. Pt was monitored for a total duration of 45 min. Pt was driven home by parents. Pt was advised to eat and hydrate today and for the next dose. Pt and parents were advised to call PCP / 911 if symptoms return/persist/worsen or if pt develops concussive symptoms. Pt was instructed to inform the nurse that she fainted ater 1st dose and to prophylactically lay down prior to receiving prior to second dose vaccination.
1280177	5/2/2021	NC	17	5/2/2021	5/2/2021	Patient said she was feeling dizzy, vision was blurry, sweating. Was able to breath, asked for water which was given to her. She had some rash on the face, provided diphenhydramine liquid 50mg. She was feeling feverish, took tylenol.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1278338	5/1/2021	NY	17	5/1/2021	5/1/2021	Patient given first dose of COVID vaccine today. After being vaccinated patient walked over where his brother was sitting. Soon after sitting he felt weak and fell to the floor, patient appeared to be shaking for 2 seconds, generalized, witnesses unsure if he hit his head. No eye rolling, no foaming of the mouth, no incontinence noted. Patient was monitored and assisted off the floor to a wheelchair. While being assessed at a nearby cot, while sitting, the patient's eyes rolled back, upper limb shaking for 2 seconds. Patient does not remember either episode. Vitals: 120/70, HR 88, RR14, Oxygen 100%, Glucose 113, exam: patient alert and oriented x3, PERRLA, heart RRR, normal S1 and S2, no murmur, lungs cleared. Due to second episode occurring, 911 was called. Mother was on site and full report given to her. Patient was getting up and heart rate noted to drop to 56, he felt dizzy at this point and sat down, then laid down. The patient was evaluated by EMT and was taken to hospital for further evaluation.
1277726	5/1/2021	MA	16	5/1/2021	5/1/2021	SYNCOPE WHILE UNDER SUPERVISION
1277610	5/1/2021	IL	17	4/28/2021	4/28/2021	After a few minutes of receiving vaccine, patient reported dizziness, light headedness, and blurry/dots in vision. She then became more upset leading to hyperventilation and crying. She then said she had tingling in her fingers, which progressed to difficulty moving her fingers/stiff fingers, and coldness and redness in tips of fingers. She then reported she was losing sensations in her feet and legs. 911 was called. We tried to have the patient take slow deep breaths. We offered an ice pack and water up front and a heat pack for her fingers. Paramedics arrived. Her blood pressure, heart rate, oxygen saturation, glucose were within normal limits. She was given oxygen and the paramedic was able to help her slow her breathing. Her fingers went back to normal and she felt fine before leaving. She did not feel the need to go with the paramedics.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1274799	4/30/2021	CA	16	4/30/2021	4/30/2021	Patient fainted post-vaccination. Observed patient beginning to lean forward and RN was able to prevent her from falling. Patient's eyes observed to roll upward while patient became unresponsive to stimuli and diaphoretic. No incontinence. EMS called while patient assisted simultaneously to gurney by multiple staff. Upon lying down, patient awoke and become alert and oriented to person, place, time, and situation, though stayed pale and diaphoretic for several minutes. VS @ 12:55: BP 120/80, P 59, SAO2 99%, resp unlabored. VS @ 13:00: BP 138/83, P 62, R 20, SAO2 99% VS @ 13:04: BP 123/73, P 54, SAO2 99% VS @ 13:10: BP 100/69, P 78, SAO2 98% Sitting at edge of bed without symptoms at 13:05, alert and conversing with staff and mother. EMS arrived at 13:07 - their monitor showed NSR, random blood sugar = 93. Ate a snack and drank juice, symptoms completely resolved. Mother declined transport to ED. Discharged home with mother with post-vaccination instructions, will receive 2nd dose while lying down.
1272946	4/30/2021	NY	17	4/29/2021	4/29/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Patient has a history of Syncope during shots and in medical setting. She was put in a prone position to recover which she did within 15 minutes
1270531	4/29/2021	NH	16	4/10/2021	4/12/2021	From 2 days post vaccine, fever, fatigue, sore throat and headaches, lasting about a week. Persistent symptoms of headaches, dizziness, and blurring of vision still present at 19 day post vaccine.
1266557	4/28/2021	MA	16	4/27/2021	4/27/2021	Numbness, dizziness, blurred vision
1267690	4/28/2021	MI	17	4/27/2021	4/27/2021	patient became very diaphoretic in the observation area, her head went back, eyes closed, extremities became very rigid and patient appeared to have lost consciousness for a brief moment. RN was present at side of patient, patient was hypotensive, vitals checked BP 71/48 and pulse 54. Patient states she felt like she went to sleep, started to feel better several minutes later. EMS was contacted to evaluate and transport patient to ED.
1267880	4/28/2021	OH	16	4/27/2021	4/27/2021	Swollen face and eyes, tired, muscles sore

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1268977	4/28/2021	IL	16	4/1/2021	4/1/2021	Patient fainted while seated minutes after vaccine was given. Mother was next to her to prevent her from falling to floor. She complained of nausea and blurred vision. She was given water and Gatorade and began feeling better 5-10 minutes after fainting.
1268231	4/28/2021	MN	16	4/23/2021	4/23/2021	had his injection at 12:15pm without incident and went to monitoring area and sat at table. lost consciousness and fell to the floor, staff alerted RN who came over to . regained consciousness right away. stated that he remembered leaning forward over the table looking at his phone and texting his sister and then he was on the floor. A wheel chair was brought over and was laid down on the cot where he stated he already felt better. PHN assessed for injuries. He denies pain, no injuries noted except for right eyebrow that is red and starting to swell. At 12:20pm BP 108/64, P-63, Os Sats 96% and R-18.
1264148	4/27/2021	TX	16	4/23/2021	4/25/2021	Extensive hives, joint swelling; swelling over left eye. I saw him on 4/26/21. He had some minor hives. I prescribed an epiPen, prednisone (40 mg daily), and benadryl (25 mg tid prn rash, hives). He came back on 4/27/21. He had more hives, swollen left upper eyelid, joint pain, difficulty walking because of hives on soles of feet. He had no respiratory distress. His chest was clear. I admitted him on 4/27/21 to the Hospital.
1263965	4/27/2021	TN	16	3/22/2021	3/22/2021	Nurse was giving injection and small amount splashed into patient's eye. PT C/O BURNING. Mom flushed eye with bottle of water from car. Eye was flushed with saline by medical personnel. Eye was not red swollen or drainage was noted.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1263480	4/27/2021	MT	17	4/21/2021	4/22/2021	At 2am 4/22 patient started to feel sick and sent a text that I didn't read until 630 as I was asleep. She had severe muscle aches, hurt to move, hurt to breathe and felt like she was having a heart attack. She felt like she might pass out and had some blurred vision. At 630am, I saw her texts and immediately brought her 2 tylenol and a large glass of water. She went back to bed. She woke up around 10:45 and was feeling decent except for a headache but no fever or anything so we went to try on some Prom dresses. At the dress shop, she collapsed and had a seizure lasting around a minute. She lost her bladder and was completely confused and incoherent. She's never had a seizure before. I scooped her up, brought her to the ER where they ran every test and scan imagineable. Full blood work up and cultures, a chest xray, a CT scan of her brain and lungs. Her temp was high 103-104 and she had full body chills and a pounding headache. Her BP kept dropping and got as low as 81/36. They threw 2 bags of IV fluids into her and admitted her to the hospital. She had also developed a heart murmur. Over the course of the night, her BP stabilized but her temp continued to spike and come back down with Tylenol/Ibuprofen. She also had IV Tordahl for the headache. Her inflammatory markers were high at 15.3 which we were told should be less than 1. They reran labs in the morning but everything can back really low which they felt was a dilution effect from all the fluids so wanted us to follow up with her primary care on Monday. On Saturday night, he lymph nodes were swollen to the size of ping pong balls but have since slowly reduced in size although still there. Her labs were better from discharge and her white blood cell count was within range and her inflammatory marker was down to 1.7. Her blood sugar was a little low. She did pass out and have seizure like response to giving blood in the doctors office, lost bladder control again, shot pupils, etc. She is still stuttering over words, has some short term memory retention and has some motor function issues which they think is a result of the initial seizure and should resolve itself over time. Her liver function tests were totally normal in the hospital but are a high now so they will be checking her out again next week.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1262935	4/27/2021		17	4/23/2021	4/23/2021	c/o of blurry vision and light headache which was resolved before medical responders arrived. pt. skipped breakfast this morning. pt. was given bottle of water which he drank with no issues. Denies SOB, itchy with no swelling noted. V/S were stable. BP f130/54, R 17, O2 Sat 98%, HR 71. advised mom to have pt. f/u with PCP if symptoms reoccurred. pt. taken home by mom
1262384	4/27/2021	CA	16	4/27/2021	4/27/2021	Covid vaccine site: Per chart pt received covid vaccine at 1413 accompanied by his Grandma. About a minute later, pt had a syncopal episode while walking to observation area. Per grandma, pt hit L-side of face on plastic chair. Medical staff responded to incident, RN and Dr, pt supine on ground - awake and alert. Dr examined pt. VSS taken: BP: 130/60 HR: 74 O2sat: 99% RA. 1420: With permission from Dr, pt stood up to sit on the wheelchair. Pt wheeled to observation/triage area. Intervention: Ice and gauze dressing. Pt is awake and alert, mild swelling to L side of-face, under eye - small break in skin noted, bleeding controlled. Pt had some juice, water and crackers, no difficulty swallowing. Pain 2/10, tolerable. Cold compression on and helping. Grandma remains with pt - per grandma, pt has history of passing out with blood draws. 1440: Pt remains awake and alert, NAD, no new or worsening complaints. Grandma remains at bedside. 1505: Orthostatic BP done per Dr. Results given to MD. No new orders. 1510: Dr OK'd pt to go home with grandma. Grandma and pt stated they are comfortable to go home. Instructed pt and grandma to monitor for symptoms and to call PCP or 24 hour advice line for new or worsening symptoms. Call 911 or go to emergency if has emergent symptoms. Grandma and pt verbalized understanding and agreed. Pt and grandma exited triage area, ambulatory with steady gait and in no apparent distress. Grandma will drive pt home.
1262099	4/27/2021	PA	16	4/27/2021	4/27/2021	NEAR SYNCOPAL EVENT APPROX 2-3 MINS AFTER INJECTION. PT REPORTED MUFFLED HEARING AND BLURRED VISION DENIED CP, SOB, ITCHINESS. INITIAL VITALS UPON ENTERING OBSERVATION UNIT: BP-79/43 HR-46 RR-18 SPO2-100%--AOOX4 REPORTED A HEADACHE APPROXIMATELY 10 MINS INTO OBSERVATION PT DISCHARGED WITH CAREGIVER ASYMPTOMATIC WITH NEGATIVE ORTHOSTATICS. LAST SET OF VITALS: BP 109/76 HR 70 SPO2 99% RR18

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1259559	4/26/2021	VA	17	4/23/2021	4/26/2021	After only an hour outside in low 60s weather, I had felt symptoms similar to heat exhaustion. My vision got extremely spotty, and couldn't see much. There was a loud ringing in my ears and everything else sounded muffled. I felt dizzy and my skin felt like tissue paper. It faded after I went inside and got water. However, I still have a headache, 6 hours later.
1258113	4/26/2021	TX	16	4/24/2021	4/24/2021	Received first dose of Pfizer , within 1 minute father noted she "passed out". Called staff to car and observed pt with clonic/tonic movement of hands, eyes closed, respirations slowed but even pulse approx 58/min. Responded to verbal Stimuli. Said she felt faint, lips pale, skin clammy. 911 called had additional same incident 9 minutes later. Transferred pt to medical facility by EMS after 2nd episode .
1258002	4/26/2021		16	4/19/2021	4/19/2021	Syncopal episode after receiving covid vaccine. He became acutely lightheaded, describes tunneling of his vision, then his head rolled back and his eyes fluttered. Event was witnessed by his mother. Did not fall to ground. No injury. Taken to ER no further care required and symptoms resolved. Has happened before with blood draws and other vaccinations.
1259470	4/26/2021	FL	17	4/26/2021	4/26/2021	After I administered the vaccine, patient said to his mother "that was it", he also told his friend on the mobile that he just got the injection, then he said "I feel dizzy", I said "are you serious?" He said "Yes" and he just went out of consciousness in his mother's arm. I shout "call 911" and held his head which tilt backwards with eyes rolling back. together with his mother we lowered him to the floor and I supported his head at all times; as he was flat on the floor, he raised his own head and regained consciousness. Both mother and I tried to talk to him and keep him awake when he closed his eyes, he was laying on the floor flat and talking until EMT arrived at 16:42. EMT pulled him off the floor and took him to the ambulance.
1259688	4/26/2021	OR	17	4/20/2021	4/20/2021	bp 128/76 pt w syncope 5 mins into monitoring. hit head on front left. monitored for s/sx of concussion. denies blurred vision head ache. monitored for 15mins post fall 09:07 am pt c/o blurring in right eye peripheral vision pt to check with pcp if symptoms continue or worsen.

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1259719	4/26/2021	IN	16	4/26/2021	4/26/2021	After RN administered vaccine she spoke to my daughter for some time afterwards 5-6 minutes and my daughter was fine answering her questions and just visiting with her. She directed us to the table to schedule her second vaccine which was directly in front of us. We went to this table and spoke with two other ladies choosing a date and time and she was also fine talking with them and answering questions of eat time offered and then suddenly she went straight back with warning passed completely out and struck the back of her head on the concrete floor. EMS and RN?s who were there went to her aid immediately and she was unconscious for a little over a minute. They initially couldn?t get her to respond and finally she came to and had no idea what happened and no recollection of falling. She had blurred vision and bleeding a bit from the back of her head and they wanted her to have CT of her head after hitting it that hard. They took her by ambulance to hospital and they assessed her and ordered a CT. The CT thankfully came back clear and she has follow up appointment with concussion doctor first thing in the morning. On discharge she was describing her pain from hitting head a 7/10 It was very scary and everyone around us was visibly upset as well. She has never fainted or had a reaction to any other shot, vaccine or needle before today so that was a very unusual reaction.
1259758	4/26/2021	TX	16	4/23/2021	4/23/2021	Friday : soreness at injection site,3 hours later severe migraines; fatigue Saturday - severe migraines, fatigue Sunday,- Vomiting, severe migraines, joint aches Monday - awoke with swollen face - centered around eyes and cheeks area, achy headaches, fatigue - went to ER and received Steroid shot.
1258770	4/26/2021		16	4/22/2021	4/22/2021	Intense headache for 2 days 102 degree fever for 2 days light sensitivity for 2 days fatigue, nausea, and body aches for 2 days treatment: 500 mg acetaminophen every 6 hours while headache lasted, cold washcloth on forehead and eyes, lots of sleep and water

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1259619	4/26/2021	MD	16	4/26/2021	4/26/2021	Within 10 secs after injection patient said his body started having some adverse reaction. He said he didn't say anything until his eyes were black and couldn't see then he said he didn't feel so good. The color drained from his body and he went limp. Luckily a nearby paramedic caught him and he was wheeled to a recovery room to be monitored. Patient felt better after 15 Mins but it was so scary. We didn't expect any reactions as hes gotten all of his immunizations and never had any reactions. I was really traumatized by this whole event. The staff there were very nice and helpful and helped us ease thru his recovery. I wanted to report this incident so that way you have a log of adverse side affects from getting the vaccine. I hope the 2nd shot will be ok.... I'm very scared at this point. TBD
1256955	4/25/2021	IL	16	4/25/2021	4/25/2021	Patient received the vaccine and sat down for 15 minutes. After the 15 minute wait patient got up to schedule their second dose appointment. While waiting in line, patient fainted and fell to the floor. Patient stated had blurred vision, was not showing signs of difficulty breathing, denied a soar itchy throat. Had patient lay down, feet were elevated. ambulance removed patient from pharmacy area via stretcher.
1256207	4/25/2021	CA	16	4/24/2021	4/24/2021	After shot felt light headed, dizzy, Requested water. Sat down put head back started snoring loudly. Stating seizing, eyes rolled back in head. Nurse had to wake up with smelling salts. Low blood pressure 60/40 All happened within 10 minutes.
1255872	4/25/2021	MA	17	4/24/2021	4/24/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Patient received shot and vision went black after about 5 mins. Vision began to return blurry within 15 mins with paramedics.
1255860	4/25/2021	VA	17	4/24/2021	4/24/2021	Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Shakiness-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: Family History: Both parents had seziures after being immunized in the past and this was their son's first immunization. Otherwise, the patient was calm and healthy.
1255856	4/25/2021	CA	17	4/24/2021	4/24/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1251742	4/24/2021	PA	17	4/24/2021	4/24/2021	Blurred Vision, Dizziness, given juice, evaluated by paramedic on site, mom reported he didn't eat breakfast and mowed the lawn, color returned, went home with mom
1251133	4/24/2021		16	4/24/2021	4/24/2021	Light headedness, headache and visual changes. Hypotension. Pt placed supine and provided with water. Observation for 30min, symptoms resolved and pt sent home.
1251584	4/24/2021	IL	17	4/24/2021	4/24/2021	3 min after receiving the vaccine pt verbalized feeling faint. Staff offered pt a cool pack for his neck. Patient accepted. Pt reported not having had breakfast and leaned back into the chair and became pale. PTA eyes were noted to be rolled into his head. Pts body became rigid. Staff assisted pt to the floor to a supine position. Staff obtained baseline vitals (127/75, HR 66) while simultaneously dialing EMS. Pt a color returned within approx 2 min and pt was talkative. Dad reports pt with fear of needles with hx of syncope in past. Pt reported feeling fine upon EMS arrival. Pt declined EMS transport. Tolerated water and muffin without difficulty. Pt without injury. Self ambulated out of clinic after additional 15 min observation period.
1252414	4/24/2021	MD	17	4/23/2021	4/23/2021	About 3 minutes after administration of vaccine reported ?seeing black? , loss of vision, began to perspire and looked pale. Lasted about 2 minutes.
1251556	4/24/2021	TX	16	4/23/2021	4/24/2021	Systemic: Body Aches Generalized-Medium, Systemic: Chills-Medium, Systemic: Lymph Node Swelling-Severe, Systemic: Vomiting-Medium, Additional Details: Patient experiencing muscle twitching in neck, head, face, and upper torso, pain behind both ears, and blurry vision

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1252704	4/24/2021	CA	16	4/24/2021	4/24/2021	Patient started to feel dizzy for about one minute. His father states that patient was sitting up on a chair and he started to fall backward, so his father caught him and lowered him to the ground. He did not hit his head. He was not responsive for approximately 10 seconds, per the father. Clinical monitors arrived and patient was alert and oriented to name, place, date/time. He was slightly pale and clammy but he denied any dizziness, chest pain, palpitations, shortness of breath, headache, changes in his vision/hearing, or nausea. He was laying on his back on the ground with his legs elevated on a chair and he started to feel better, and his blood pressure and oxygen saturation were stable with mild bradycardia per the vital signs obtained by one RN. He said he was feeling better and he was smiling and joking with staff. He slowly started to sit up and sipped bottled water. Stated that he had not eaten since 11am, and he agreed to a snack. I left to get him a snack, and RN said that he started to "zone out" and he lost consciousness again for approximately 20 seconds. When I came back, he was sitting up, conscious, and had spit up saliva and water onto his shirt. His breathing was steady. He again stated that he was feeling better very quickly, again in good spirits, but his father and I agreed that it would be best to call 911 to transport him to the ER just to be safe. He did not hit his head. He denied dizziness, chest pain, palpitations, shortness of breath, nausea, changes in vision, and headache. He was alert and oriented to name, place, and time. EMS was requested and they arrived, took his vitals, and he was transported to the Emergency Dept for further care. He and his father were confident that he would recover quickly as he had a history of syncopal episodes related to vaccines in the past.
1247190	4/23/2021		16	4/21/2021	4/21/2021	Nausea, feeling hot, decreased vision. BPs 99/44 (pulse 63), 109/69 (pulse 66).
1246437	4/23/2021	TX	16	4/20/2021	4/21/2021	eyes began itching in the middle of the night and patient woke up with swollen face and eyes

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1247847	4/23/2021	NV	16	4/22/2021	4/23/2021	Pt. received her second Pfizer dose at 3pm. By 11:30pm she had significant swelling on both of her eyes, mouth, and the start of red splotchy skin on arms and legs. We took her to ER. They gave her 50mg of hydroxyzine and sent us home. 5min after leaving the ER at 12:30am on 4/23 she felt a golf ball sized lump in her throat and was having difficulty breathing. We brought her back to the ER. At this time they gave her an ekg, and at around 1:30am gave her an epi pin and an oral steroid. Within 5min of the oral steroid and epi pin she no longer had difficulty in breathing and the lump in her throat was gone as was the res splotches. By 5am the swelling in her face had reduced drastically to 90% normal in her left eye and 70% normal in her right eye and 70% normal in her lip. She was released from the ER at 5:45am and went home to sleep. At 11:30am on 4/23 her swelling in her face remains the same and she is complaining of a headache. She was given 50mg more of hydroxyzine.
1248068	4/23/2021	CA	17	4/5/2021	4/6/2021	The day after the vaccine I felt very weak and fatigued on April 7th. A couple days later on April 9th I developed a fever. A few days after that my muscles started twitching and haven't stopped. I feel like something is crawling under my skin and the vaccine is extremely affecting my nervous system. I did not have this problem before I had the vaccine. It has not gone away and it is now April 23rd I still feel weak, not the same as I used to feel before having the vaccine, and my muscles are twitching all over my body. My face is twitching and my eye and there is nothing I can do to make it stop. I am so young and I thought the vaccine was safe but I am suffering from it. Especially in my feet I feel like they are tingling and vibrating and my calves are convulsing too. Meanwhile, my heart is fluttering and I feel like it is very hard for me to focus and I feel things crawling under my skin in my brain. The muscle convulsions are happening everywhere.

<u>VAERS_ID</u>	<u>RCVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1248775	4/23/2021	CA	16	4/23/2021	4/23/2021	16 y.o. female who received the Pfizer-BioNtech COVID-19 Vaccine, mRNA, BNT162b2 (PF) 30 mcg/0.3 mL IM Susp, Lot EW0158 on 4/23/2021. The patient experienced the following reaction(s) during the immediate of observation: Tinglings, blurry vision, diaphoretic. Patient was treated/managed as follows: Pt brought to treatment area to lay down on mat with legs elevated. VS: 4:15 pm BP: 100/80 R: 18 HR: 58 O2: 98% Pt reports feeling much better after laying down. 4:30 VS: BP: 105/78 HR:60 O2: 99% Patient given educational material regarding vaccine and advised to continue to self-monitor per the CDC guidance. Pt escorted to car with mom by nurse.
1244287	4/22/2021	CA	17	4/15/2021	4/15/2021	Flushing/sweating, dizziness, nausea, vision problems. BPs 122/64 (pulse 61), 88/47 (pulse 65), 106/62. O2 sat 100%.
1243872	4/22/2021		16	4/22/2021	4/22/2021	16 y/o VR present with father received vaccine and approximately 1 minute later became unresponsive, falling forward and hitting his face on the carpeted floor. VR became rigid with posturing that lasted one minute. VR regained consciousness. VR had a 2.5cm laceration to the left eyebrow and abrasions to the left face. Hemostasis is achieved with pressure. NIHHS is 0 at the time VR regained consciousness. CN exam intact as tested. Cerebellar exam is intact – gait is deferred. VR had been fasting. BP 90 /50, HR 50, 99% on RA, RR 16. Sitting causes lightheaded/dizziness. Ambulance was called and VR transported to Emergency Department. Father present throughout the likely multifactorial syncopal event.
1243856	4/22/2021	OH	17	4/20/2021	4/22/2021	Left arm sore. Severe migraine headache with blurry vision in left eye(vision corrected later in the day) Onset of menstrual cycle with severe abdominal cramping , nausea, heavy bleeding and headache.

<u>VAERS_ID</u>	<u>RCVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1243633	4/22/2021	IL	16	4/21/2021	4/21/2021	Patient was on observation having a conversation with her father when suddenly she started passing out and exhibiting twitching like having Petit mal convulsions and not able to arouse, and later in 2 minutes she recovered eyes open appears pale in face and lips, not aware that she had passed out, and became responsive. Father claims that HR is always running on low side because she is an athlete. On around 4:40pm she was released under the care of her parent and recommended to get an appointment with her PCP for further evaluation Patient status was checked the following day 4/22 and Pediatrician said that it must be a vasovagal Syncope per Neurologist he consulted no further appointment will be needed at this time
1241599	4/22/2021	CA	17	4/21/2021	4/21/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Chest Tightness / Heaviness / Pain-Mild, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Severe, Systemic: Headache-Mild, Systemic: Hyperventilation-Medium, Systemic: Nausea-Severe, Systemic: Shakiness-Medium, Systemic: Tachycardia-Mild, Systemic: Visual Changes/Disturbances-Severe, Systemic: Weakness-Mild
1245002	4/22/2021		17	4/21/2021	4/21/2021	Dizzy, decreased vision, BP 85/42 (pulse 94). Given crackers and water. F/u BP 102/62 (pulse 97). Blood glucose 110.
1239238	4/21/2021	WA	16	4/21/2021	4/21/2021	Patient received Covid-19 vaccine (first dose) at our store today at 9:40 am. Patient was advised to stay in the area for 15 minutes for observation. Patient was sitting in the waiting area. At around 10:00 am, patient's mom knock on the door saying that her son might have an adverse effect. Patient stated he was feeling dizzy and was about to lose consciousness. He also stated he lost his vision. Patient was alert and was able to answer questions. Medics arrived and took his blood pressure. He was transported to the hospital
1238604	4/21/2021	CA	16	4/21/2021	4/21/2021	Patient appeared pale, light headacheness, near fainting, tunnel vision, skin cold and clammy within 10 minutes of 2nd Pfizer injection. Patient rested on gurney and felt better. 1st BP taken at 10:45 BP 85/47, HR 56. 2nd BP taken at 10:55 BP 95/57, HR 61. Patient left the facility 30 minutes after his vaccination with stable condition.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1239422	4/21/2021	CO	16	4/21/2021	4/21/2021	5 MINUTES AFTER VACCINE ADMINISTRATION HE FELT LIGHT HEADED THEN COULDN'T SEE (BUT HAD EYES OPEN), BLACKED OUT, WAS DREAMING AND THEN WOKE UP. DURING THE TIME HE WAS DREAMING PHYSICALLY HIS EYES WERE OPEN AND HE WAS MOANING, HIS BODY STIFFENED UP AND FACE WENT WHITE. HEART RATE WENT UP TO 125BPM BUT THEN DECREASED TO 65 BPM AS SOON AS HE CAME BACK. HE WAS MONITORED FOR 35 MINUTES LAYING FLAT ON FLOOR, ATE CHOCOLATE BAR AND HAD SODA. FELT MUCH BETTER BEFORE LEAVING AND REGAINED COLOR.
1238209	4/21/2021	CO	16	4/21/2021	4/21/2021	patient saw black stars in his eyes and fainted. Fainted for about 5 seconds and came back very pale white. Has history of vasovagal reactions post injections. After laying down on flat surface for about 20 minutes with water and chocolate bar he started feeling better and his face got more color.
1234444	4/20/2021	NY	16	4/16/2021	4/16/2021	The patient passed out completely while sitting after having her 1st covid vaccine. She was alert shortly thereafter but had blurry vision and low blood pressure. She said she was very hot and was sweating somewhat. We gave her some water and gradually she started feeling better. In the meantime, we had call 911 and when they evaluated her, they felt it was somewhat of a panic attack since she did have anxiety before getting the vaccine.
1232804	4/20/2021	WA	17	4/20/2021	4/20/2021	1021: Patient's mother alerted roving medic that son was experiencing respiratory distress. Medic immediately radioed their another medic. Two other EMT arrived at car at 1022. 1022: Patient stated he felt like his throat was being to close up and appeared to be gasping for air. Pt also stated he was beginning to lose sensation in his extremities; extremities tense and contracting; denied changes in vision. Mother stated no food or medication allergies but pt had previous anxious reaction to Hep B two years prior. Initial vitals on arrival: BP: 80/52 SpO2: 89% Resp: 26 1025: 0.3 mg Epinephrine administer into left vastus lateralis by emt overseen by another emt 1026: repeat vitals BP: 111/57 Sp

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1232801	4/20/2021	WA	17	4/20/2021	4/20/2021	1021: Patients mother alerted medic that son was experiencing respiratory distress. Medic immediately radioed Personnel Personnel notified another Person and both arrived at car at 1022. 1022: Patient stated he felt like his throat was being to close up and appeared to be gasping for air. Pt also stated he was beginning to lose sensation in his extremities; extremities tense and contracting; denied changes in vision. Mother stated no food or medication allergies but pt had previous anxious reaction to Hep B two years prior. Initial vitals on arrival: BP: 80/52 SpO2: 89% Resp: 26 1025: 0.3 mg Epinephrine administer into left vastus lateralis by 2 personnel 1026: repeat vitals BP: 111/57 Sp
1232800	4/20/2021	MD	17	4/20/2021	4/20/2021	after shot administered pt reported worst dizziness they have ever experienced, ringing in ears, and blurred vision, had pt lay in supine position with feet elevated, all sx resolved within 15-20 minutes, advised pt to follow up w/ PCP
1232143	4/20/2021	CA	17	4/19/2021	4/19/2021	Systemic: Tingling (specify: facial area, extemities)-Mild, Additional Details: light headed, sweaty, notable to respond verbally, closing eyes, unable to sit up by himself, pressure in ears. Paramedic team came. Patient recovered. Patient does not need to go to the hospital.
1232120	4/20/2021	MD	16	4/19/2021	4/19/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Headache-Mild, Systemic: Nausea-Mild, Systemic: Shakiness-Mild, Systemic: Tingling (specify: facial area, extemities)-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: Tingling in face and legs

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1230802	4/19/2021	CA	16	4/19/2021	4/19/2021	Patient went to observation area and was sitting with his mother after receiving vaccine at 03:41 PM on RA. Patient told nurses at 03:45 PM he felt lightheaded, was seeing blurry vision, and his stomach hurt. Patient was pale, diaphoretic, and had unstable vitals. First set of vitals was taken on the RA at 03:46 PM with BP 80/40 mmHg, HR 90 bpm, RR 18 bpm, and oxygen at 98%. Patient was told to take slow deep breaths, was given an ice pack for the neck, water to drink, and some pretzels. At 03:48 a second set of vitals was taken on the LA with BP 120/60 mmHg, HR 56 bpm, RR 18 bpm, and oxygen at 100%. Patient claimed vision was no longer blurry, he was no longer lightheaded, and stomach no longer hurt. Patient was no longer diaphoretic and was no longer pale. Last set of vitals was taken on the LA at 03:50 with BP 122/78 mmHg, HR 56 bpm, RR 17 bpm, and oxygen 100%. Patient stayed for an additional 15 minutes and left at 04:16pm with his mother. He claimed to feel back to normal. Both patient and his mother, father, and sister were educated on what to do if he starts to feel these symptoms again.
1229213	4/19/2021	IL	16	4/16/2021	4/16/2021	Within 2 minutes of receiving the vaccine, he started sweating, he then vomited, lost vision and hearing. Had trouble breathing. Ambulance called
1229200	4/19/2021	VA	17	4/19/2021	4/19/2021	Pt received vaccine. Patient moved to waiting area. After a few minutes, pt reported dizziness, vision changes, and feeling faint. VS were taken: BP46/31. EMS called at 12:25. Patient moved to cot and laid supine with legs raised on chair. VS taken two more times: 96/60 and 110/90. EMS Arrived at 12:35. Patient reported improvement in symptoms. Patient refused EMS Transport and chose not to go to ED.
1225877	4/18/2021	PA	17	4/18/2021	4/18/2021	AFTER VACCINE, PATIENT HAD TUNNEL VISION, FELT LIKE SHE WAS GOING TO PASS OUT (BUT DID NOT), MOM WITH PATIENT AND STAFF ASSISTED TO FLOOR, LEGS ON CHAIR UNTIL ASSISTED TO W.C. AND TAKEN TO OBS. TRENDELENBERG ON STRETCHER, STATES RELIEF. SAT UP FOR SNACK/WATER. S/S RESOLVED AND ESCORTED TO EXIT WITH NO ISSUES AT 1210. 1145 INITIAL BP 117/72 HR 73 RR 18 SATS 98% ON RA 12P STANDING BP 118/75 HR 79 RR 18 SATS 98% ON RA

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1223217	4/17/2021	MO	16	4/17/2021	4/17/2021	She had received COVID testing several times in the past. Each time, she feels tunnel vision, spinning, lightheadedness, and then she loses consciousness. This has happened in the past with each COVID test. When she received her vaccine today, she again had this same episode. She quickly regained consciousness after about 10 seconds. She continued to have lightheadedness afterwards.
1222175	4/17/2021	NJ	17	4/16/2021	4/16/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Vomiting-Mild, Additional Details: pt stated visual disturbance. having trouble seeing. lightheadedness, vomited once. called ems monitored pt and mom refused to go to the hospital. pt stated feeling better when she left. called at end of shift no answer laeft message
1222795	4/17/2021		16	4/16/2021	4/16/2021	Patient fainted in chair and regained consciousness and transferred to med bay. Patient states vision and hearing went fuzzy, nausea, lightheadedness. Pt given juice, decreased _____, A&Ox4. Mild HypoTN and Brady at baseline. BP 103/58, HR 50, RR 16 -- > 114/66,52, 16 Pt able to stand and walk. Released from vaccination site.
1222840	4/17/2021	CO	17	4/13/2021	4/14/2021	Eyes dilated and not responding to light. Very blurry vision.
1223939	4/17/2021	CA	16	4/17/2021	4/17/2021	Recipient experienced brief loss of consciousness (few seconds per report) / vasovagal syncope from a standing position. He fell and hit his right frontal bone of skull upon fainting. Patient awoke after a few moments per report and was AAOx4 within moments of this reporting clinician's arrival to scene. Vital signs stable. Patient's frontal bone with minor red abrasion / erythema and scant swelling. He did not complain of changes in vision/ nausea / emesis. Neurological and Musculoskeletal exam intact without issues.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1223005	4/17/2021	FL	17	4/17/2021	4/17/2021	17 Y/O FEMALE UNRESPONSIVE POST VACCINATION. PT APPEARED COOK, PALE, PUPILS DILATED, NON REACTIVE PT ASSESSED BY EMS PLACED ON STRETCHER IN TRENDELENBURG POSITION. PT C/O VISION LOSS AND UNABLE TO HEAR. O2 SAT UNDETECTED THEN 98%. PT PLACED ON OXYGEN. BOTH PARENTS PRESENT AT TIME OF INCIDENT. PARENTS ALSO STATED PT HAD MENINGITIS VACCINE APPROX 2 WEEKS AGO. NO OTHER HX. PT REGAINED CONCIIOUSNESS, HEARING AND VISION. TRANSPORTATION T(JFRD) ARRIVED. PATIENT DECLINED TRANSPORTATION TO ER. CLEARED BY EMS APPROX 9:50 A.M.
1217916	4/16/2021	PA	17	4/16/2021	4/16/2021	pt states queezy after one min after receiving vaccine, vision went dark while sitting and pt felt ringing in ears and muffled sounds. mother with pt due to being minor, mother helped lower pt to floor pt states never lost consciousness placed feet on chair with knees bent OBS team arrival pt feeling better while laying on ground,, with little assistance stood and pt back to laying on stretcher in trendelenburg position taken to OBS 1, VS as noted pt feeling better while in OBS, given water tolerating well. after a few minutes out of trendelenburg, then high fowlers position, to dangle to standing position change over 20 minutes first time standing pt felt dizzy back to sitting in bed given more water and apple juice then dangle then standing second time. bp stable upon standing second time and pt feeling better feeling okay to go home, pt sent home with mother ambulated to exit per request at 0850. VS 0815 bp 99/61 hr 81 rr 16 o2 100 0820 bp 109/62 hr 74 rr 18 o2 100 out of trendelenburg, 0825 bp 108/66 hr 88 rr 16 o2 100 high fowlers, 0830 bp 102/54 hr 86 rr 16 o2 99 standing,, 0834 bp 109/61 hr 78 rr 16 o2 98 high fowlers, 0836 bp 91/67 hr 71 rr16 o2 100 dangle, 0840 bp 95/66 hr 90 rr 18 o2 99, 0845 bp 104/57 hr 76 rr 18 o2100, 0850 bp110/61 hr 85 rr 18 o2 99 standing

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1217690	4/16/2021	NJ	17	4/15/2021	4/15/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: After receiving vaccine within 10 minutes, patient complained of feeling light headed, dizzy, appeared pale. Assisted patient to lay down on the floor. Seen by EMS, Temp 98, Pulse 63, 90/70. Patient stated that he had taken medication for anxiety prior to vaccination. Per patients mother, he took \"Hydroxyzine 25 mg Tablet\". 2nd set of vital signs were taken, BP 100/60. Patient assisted back to chair and observed for an additional 10 mins. Refused transfer, patient went home with mother.
1219903	4/16/2021	PA	16	4/8/2021	4/8/2021	EMS providers approached by 17 y/o M pt complaining of rash local to injection site. Pt stated that he received the first dose of the Pfizer COVID vaccine at 17:21hrs today. Pt denied feeling any itching or pain at the site, and only noticed the rash upon visual inspection of the site. Pt denied chest pain, shortness of breath, nausea, vomiting or diarrhea. Upon inspection, (R) upper arm found to have slight, non-raised rash, warm to the touch. Full assessment performed and vital signs obtained. GCS 15, P 76 regular, RR 18 non-labored, B/P 146/P, PERRL, SpO2 99% RA. No other associated symptoms found. Pt administered Diphenhydramine 25mg IM in RA. Pt monitored and denied any worsening of condition. (See Attached)
1220620	4/16/2021	OH	17	4/16/2021	4/16/2021	2 minutes after receiving Covid vaccine- patient felt numbness in his left hand. About 1 min later he felt numbness in his right hand. About another minute later- his vision started to darken and he felt like he would faint (he was sitting down during this entire experience) and his face started to tingle. His vision went completely black but he did not lose consciousness. His eyes were very blood shot during this and he was very pale. He recovered from all symptoms after about 10 minutes. He felt very thirsty after this and throat felt dry.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1220735	4/16/2021	CA	17	4/16/2021	4/16/2021	On 4/16/2021 at 2:17 PM, 17-Year-old white male received his first dose of Pfizer vaccine lot #ER8729 0.3 ml to his right deltoid. At 2:28 pm while patient in the observation area, patient noted pale in color, he was complaining of dizziness, blurred vision. Patient taken to designated area while provided complete privacy. Vital signs as followed: BP 90/60, respiration 16, pulse 54, o2 sat 97% on room air, patient lowered to the floor with his feet elevated . 2: 33 pm Patient voiced that his feeling better. Patient skin color improved 100/80, respiration 18, o2 sat 98% on room air. Patient endorsed allergy to penicillin which he describes reaction as hives, also as per patient and his mother who currently in vaccine clinic, patient had similar above reaction to flu vaccine a year ago. Patient denies any known past medical history nor currently on medication. 2:38pm Sitting vital sign : BP 110/70, pulse 76, o2 sat 97%, resp 18, Patient denies any further symptoms. 2:43 Pm Standing BP 120/80, pulse 65, o2 sat 97%, resp 18. Patient remained stable, able to ambulate steady gait. No complain voice Patient released thirty minutes post observation accompanied by his mother in stable condition. Writer recommended to patient if symptoms reoccur to sick immediate medical help. Patient and family verbalized understanding.
1212716	4/15/2021	AZ	16	4/3/2021	4/9/2021	Admitted to hospital on 4/10 with 2 day history of mydriasis, diplopia with blurry vision, dizziness and balance difficulty. Found to have enhancement of 6th and 3rd CNs on MRI. Patient continued to have blurry and double vision during her stay and mild gait instability. She developed mild frontal headache managed with Tylenol. Her exam was remarkable for mydriasis, mild lateral gaze limitation R>L, mild dysmetria, dizziness and unsteady gait without notable ataxia. No papilledema. Her reflexes were 2+ in her BL UE and LEs. Pediatric Neurology and ophthalmology consulted and followed patient. Eye exam remarkable for bilateral cranial nerve 6 palsy but no other element of CN3 palsy and bilateral dilated but unreactive pupils. Patient treated with IVIG 1mg/kg/day x2 days for likely miller fisher syndrome variant of Guillain-Barre.
1213520	4/15/2021	PA	17	4/15/2021	4/15/2021	Dizziness, mild sweating, and a temporary loss of hearing a few minutes after the shot before brief LOC. Mother reported "eyes rolling up" and a respiratory gasp. Rapid recovery with fully orientation on the floor. VS stable in observation. No nausea or visual changes reported by the patient. No orthostasis.

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1213045	4/15/2021	CA	17	4/15/2021	4/15/2021	<p>Patient is a 17 year old female who has completed a 30-minute observation period with the following signs and symptoms of an adverse reaction: loss of consciousness. Pfizer-BioNTech COVID-19 vaccine # 1 in series administered. Parents states that patient become pale and dizzy 1 minute after she received covid vaccination , Patient had a syncopal episode in the hallway, unknown if patient hit her head against the floor, no bruises, soreness or redness notice Patient become alert and oriented x 4, pale, diaphoretic, Patient states that she didn't breakfast. Also Patient mentioned that she is afraid to needles. Action(s) taken: Vital sign at 0814: blood pressure ; 75/34, heart rate: 65, respiration ; 16, Spo2: 99 % Repeat Vital sign at 08:28: blood pressure ; 85/44, heart rate: 65, respiration ; 16, Spo2: 99 % Repeat Vital sign at 08:31: blood pressure ; 97/58, heart rate: 66, respiration ; 16, Spo2: 99 % - Patient denies chest pain ,shortness of breath, nausea vomiting, diarrhea, abdominal pain, difficulty swallow, headache, dizziness, or vision changes - Patient was able to tolerated fluids intake well. Action(s) taken: Transferred to higher level of care, ER Patient and parents advised to discuss second dose considerations with a clinician</p>
1214995	4/15/2021	PA	16	4/15/2021	4/15/2021	<p>Pre vaccine anxiety. Post vaccine pt developed some visual changes and then muffled hearing. Pt was assisted to the ground by staff and legs elevated on chair. Transported to obs at 1652 via stretcher and accompanied by mother. Vitals obtained and monitored. No other symptoms developed and previous symptoms resolved. Pt was released to home with mother at 1710. Vitals as follows: 1655 LYING BP 115/82 HR 73 RR 18 SPO2 97 1700 LYING BP 117/76 HR 81 RR 18 SPO2 97 1705 SITTING BP 123/79 HR 66 RR 18 SPO2 98 1708 STANDING BP 105/71 HR 79 RR 16 SPO2 98</p>

VAERS_ID RECVDATE STATE AGE_YRS VAX_DATE ONSET_DATE SYMPTOM_TEXT

1208279	4/14/2021	CA	16	4/13/2021	4/13/2021	Patient started feeling a numbness/tingling sensation in her right pinky that slowly moved up her arm and to her elbow about 20 minutes after she received the vaccine. Her right eye started to droop as well and her right pupil was slow to react to light upon assessment by EMT. Patient usually feels dizzy at baseline but felt even more dizzy after the vaccine. The numbness and tingling sensation in the right arm started to subside at 1500 and was completely gone by 1520. Vital signs were taken by EMT, BP 110/70, O2 99%, and P 73 which is patient's baseline. Patient's side effects subsided and she was escorted out to the car by her mother and EMT and her mother drove her home. RN and EMT advised patient to call her primary care provider to explain the adverse effects of the vaccine.
1208266	4/14/2021	OH	17	3/28/2021	3/30/2021	She had COVID-19 infection on January 5. She received Pfizer vaccine 3.28.2021 - er8733 lot. she was feeling well prior to the vaccine with no seasonal allergy symptoms. No nasal congestion or itchy eyes. No NSAIDs the day of vaccine. Tired 20 minutes later. She woke up 4 hour later with fever 101. Took Tylenol 5-6 hours later. No ocular swelling at that time. had some nausea that evening and some abdominal pain. No muscle pain. Some chest tightness that evening. The next miring was very hot and nauseated and then vomited. Two days later swelling around eyes, not too itchy. Swelling was more severe in April 4. the swelling is slightly improved over the last week. On April 4, antecubital fossa were itchy and red. lasted 1-2 days. No runny nose, sneezing or itching. Low grade fever lasted 1 hour. fatigue lasted a few days. No muscle or GI symptoms. No NSAIDs, but Tylenol initially. no sore throat. No mucous membrane involvement. No leg swelling. No change in urine output. No joint pain. No headache. No vision change. No bleeding gums. No hives. No enlarged lymph nodes. No SOB. No chest pain. No change in bowel habits. Energy level good. No night sweats. SAR symptoms well controlled. Mild swelling at left arm injection sight that lasted 1 day. swelling is worse in the AM when waking up; both upper and lower eyelids.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1208267	4/14/2021		16	4/13/2021	4/13/2021	Patient received vaccine around 4:30pm. After 10 minutes patient reported that she was having a headache, felt like her breathing was a little bit heavy. Patient was brought to exam room with mother present. BP was 150s/100, O2: 99%, HR: 65, RR 20. No distress noted. Patient was slightly anxious, continued to complain about headache. Denied any blurred vision, changes in vision, nausea, vomiting. Around 4:45, patient was asked to lay down for a while to be observed further and to give her time to relax. Patient was given cold wash cloths for forehead. Patient suddenly became more increasing anxious at 4:49, complained of excruciating headache and bilateral arm pain. Oxygen remained at 100%. 911 called at 4:50pm. Paramedics arrived at 4:55pm. Paramedics checked patient's blood sugar: approximately 345. Patient reported last meal around 12:30pm. Patient was crying and continually stating that her head hurt. She was alert throughout the entire process and able to answer questions. Mother elected to have patient sent to ER for further evaluation. Followed up with family on 04/14/2021. Mother reported that patient was held at hospital for 5 hours, was given norco for headache. Diagnosed with panic attack. Mother reports that patient is doing better today.
1207241	4/14/2021	MA	17	3/20/2021	4/13/2021	Swollen lip and eye
1209293	4/14/2021	AZ	17	4/9/2021	4/9/2021	The shot was given on Friday around 1 pm. Blurry Vision immediately after vaccination, then felt fine until 7 pm. At 7 pm she fainted at Lacrosse practice. The following day, Saturday, she fainted at work and was sent home. Sunday, she slept most of the day. Monday, she fainted at school and was sent home. Symptoms have been feeling of her heart racing, blurry vision, fainting, weakness, and major fatigue. No fever.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1210025	4/14/2021	MI	17	4/14/2021	4/14/2021	Patient arrived with mom for Covid vaccine at 12:48 pm. Mom reports a history of fainting so nurse decided to administer vaccine with client lying down. Vaccine was administered and client immediately stiffened arms and appeared to seize while her eyes rolled back. Nurse reported she turned the client onto her side and she "came to within 20-30 seconds." She reported blurry vision but could read when asked to do so. She quickly became alert and oriented. Her mother reported that she had a previous episode one time in the past year with painful menses. Her vitals remained stable but each time she attempted to stand up, she reported feeling "sick." She developed a headache within minutes of the vaccine and took 2 Tylenol while still there. Client left with parent to follow up at hospital.
1208802	4/14/2021	TX	17	4/9/2021	4/9/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Chest Tightness / Heaviness / Pain-Medium, Systemic: Confusion-Mild, Systemic: Tingling (specify: facial area, extremities)-Medium, Additional Details: symptoms started after they had waited the 15 min in store and were well on their way home. they included: speaking overly slow or oddly, left arm tingling, chest pain/SOB, developed into shooting pain down right leg. pt laid down for nap and awoke with swollen eyelids. pt still experiencing shortness of breath and having to limit activities
1209530	4/14/2021	PA	16	4/14/2021	4/14/2021	Immediately following injection, patient notes "clogged feeling" in right ear, along with blurry vision. Arrived to observation unit at 4:48pm. Blurry vision resolved. EOMI. No nystagmus. Hears snapping in ears bilaterally upon testing. 4:57, denies all symptoms. Lungs CTA bilaterally. Negative romberg.
1204270	4/13/2021	PA	16	4/13/2021	4/13/2021	Patient reports feeling "ringing in ears, head spinning, and vision going dark" on vaccine floor. Upon arrival to observation area at 1632, patient appeared pale, alert and oriented. Vitals 1635 HR-65, RR-18, BP- 101/39, Pulse ox- 99%, 1641 HR-72, RR-18, BP- 100/53, Pulse ox- 99%, 1645- HR-65, RR-18, BP- 100/58, Pulse ox- 100%, 1648 (while standing)- HR-64, RR-18, BP- 104/51, Pulse ox- 100%. Patient stated he felt better. His mother stated she felt comfortable taking him home. Patient left accompanied by mother.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1201979	4/13/2021	PA	16	4/8/2021	4/8/2021	EMS providers approached by 17 y/o pt complaining of rash local to injection site. Pt stated that he received the first dose of the Pfizer COVID vaccine at 17:21hrs today. Pt denied feeling any itching or pain at the site, and only noticed the rash upon visual inspection of the site. Pt denied chest pain, shortness of breath, nausea, vomiting or diarrhea. Upon inspection, (R) upper arm found to have slight, non-raised rash, warm to the touch. Full assessment performed and vital signs obtained. GCS 15, P 76 regular, RR 18 non-labored, B/P 146/P, PERRL, SpO2 99% RA. No other associated symptoms found. Pt administered Diphenhydramine 25mg IM in RA. Pt monitored and denied any worsening of condition. (See Attached)
1199044	4/12/2021	TX	17	4/12/2021	4/12/2021	pt experience syncope with normal blood pressure, but low pulse and loss of vision for short eperiod of time. EMS reported normal BP, heart check and pulse and oxygen. vision did return and pt felt better after about 20 minutes
1198436	4/12/2021	WI	17	4/12/2021	4/12/2021	Patient and Father were at desk to schedule follow-up vaccination when patient fell to the ground. Writer and additional clinic manager responded to event. Patient was rigid, eyes rolled back and not responding. Writer and manager attempted to arouse patient, with no response. Per father, patient has passed out in the past with blood draws. Feet were elevated and ice pack applied behind neck. Patient's fists were clenched, teeth clenched, back arched and appeared to have urinary incontinence. Episode lasted approximately 1-2 minutes. ED responded. Patient regained consciousness and was able to interact with writer appropriately. Bp 124/78, pulse 80 bpm, oxygen saturation 100%. Patient assisted to stretcher and transported to ED
1197200	4/12/2021		17	4/12/2021	4/12/2021	At 12:20 p.m, patient began to experience dizziness and the eyes began to roll back into the head. Initial blood pressure reading was 80/160 with a heart rate of 60 and an O2 saturation of 100%. This patient has a history with passing out with shots. Patient was given juice and multiple blood pressure screenings were recorded with results being 100/80, 112/78 and 104/75. At 1300, patient's heart rate was 68 bpm while sitting. Once the patient stood, blood pressure went to 90/60 and heart rate went up to 115 bpm. Patient was pale. Over next 15 minutes blood pressure and heart rate were routinely taken until patient felt better. Patient entered the vehicle safely and left with parents at 1:15

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1195826	4/12/2021	CT	16	4/8/2021	4/8/2021	Patient felt warmth in his arm and became faint. He had his eyes open and remained sitting, but became pale and not responding appropriately. He was reclined with his feet up, cold cloth and returned to normal rather quickly. His vitals were within normal limits, drank water, was observed x 30 minutes. His mother, who was present the entire episode, stated he has had a similar reaction to a previous routine vaccine. Instructed to contact Primary Care MD to discuss further immunizations. Patient walked out with his mother feeling fine.
1192978	4/11/2021	MN	17	4/10/2021	4/10/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Vomiting-Mild, Additional Details: Received dose. Felt a little lightheaded, then vomited. Provided cold pack for forehead, and cold bottle of water. Patient waited until better, with parent/guardian. Related sometimes has problems with shots. Then when feeling better, left under own power, with accompanying adult supervision.
1191231	4/10/2021	MI	17	4/7/2021	4/7/2021	Patient had anxiety prior to receiving vaccine and after. She said she felt very nauseas and wanted to puke. Was having trouble breathing. Patient did end up puking a few times. She was sweating and overheating, her tongue was starting to go numb, but she said her throat was not closing up. Her lips started to become white and she said she was having trouble seeing. her vision came and went at different times. EMS arrived and did diagnose her with an allergic reaction, gave her benadryl, and an ice pack. And sent her home.
1190061	4/10/2021	CA	16	4/9/2021	4/9/2021	vomited w/ tunnel vision- temporary hearing loss
1191493	4/10/2021	MD	17	4/9/2021	4/9/2021	The individual starts to show signs of anaphylaxis reaction some minutes after vaccination by the nurse. Said "I am not feeling good." Upon assessment, the individual is leaning his head backwards, unable to read how many fingers I held up; complained "can't see"; slow in responding. The individual appears to be losing consciousness; eyes closed. Color of face pale. HR: 47; Pulse Ox 95%. RR:16. BP 112/64. EpiPen 1 dose administered L leg IM. 911 was called. Continue to monitor and check vital signs. BP 143/75, HR: 54 and pulse ox: 94%. At 0850:EMS arrived. VS remain stable. HR: 62; Pulse Ox 94%. The individual starts to open up his eyes and responding. Parents at his side. He is taken to the ER. Followed up with the patient's parent, mom and is stable and doing better.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1189654	4/10/2021	NY	16	4/9/2021	4/9/2021	Site: Pain at Injection Site-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Vomiting-Mild, Additional Details: Patient started feeling dizzy within 5 minutes after vaccine administration. Patient vomitted once during observation period. Patient also stated feeling ringing in ears and vision darkening right before throwing up. Patient felt better after throwing up. Patient was observed for total 30 minutes.
1186953	4/9/2021	CA	17	4/9/2021	4/9/2021	The patient experienced the following reaction(s) during the immediate of observation: 1240- pt received first dose of Prizer vaccine at 1220. Pt was ready to leave and had a syncopal episode in her chair. Pt was lowered to the ground and was not alert or oriented. Mother was at the patient side. Pt was able to open her eyes and state her name. At this time the patient was placed into a wheelchair and during movement to post vac area, pt lost consciousness and had generalized muscle twitching resembling seizure like activity. At no time did patient have airway compromise. Pt was placed on the floor with feet up on the wheelchair. Vitals are as follows BP: 92/52 P: 72 R:18 99% spO2. Pt continued to answer questions appropriately with mother at her side. 1246: repeat vital signs BP: 118/64 P: 85 R:18 98% spO2 on RA Pt A&Ox4. Mother stated pt had same type episode 4 years ago while they were out of the country. EMS Was called to assess pt with possible transport to a higher level of care. 1259: BP: 110/72 P: 83 R:18 99% SpO2 Fire Department on scene speaking with mother and pt. All pt care given released at this time to FD. Mother spoke with FD and decided against transport to the hospital. Pt was observed 10 minutes longer and final set of vital signs done prior to pt leaving the facility. BP: 102/82 P: 75 R: 18 99% SpO2. Pt A&O x4, placed in a wheelchair and helped to vehicle. All questions answered prior to leaving the facility.
1186343	4/9/2021		17	4/9/2021	4/9/2021	Pt was given Pfizer first dose at 930. Walked to monitoring area. Sat down and c/o of visual disturbances light/blurry, ears sounding like drums. Bilateral hands shaking and holding parent's hands. Sweat running down face. Color draining from lips/face and began c/o trouble breathing. 9:31 epi given in right thigh. Began feeling better and breathing regular. 9:34 Benadryl given. Moved to exam room for monitoring. VS and monitoring continued for 4 hours. Pt released with epi rx and f/u instructions.

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1185888	4/9/2021	NY	16	4/9/2021	4/9/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Headache-Medium, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Medium, Additional Details: Patient was felling hot and had anxiety before getting the shot. He said he had breakfast at 7am and recieved the shot around 11:30 am.
1185436	4/9/2021	OH	16	4/9/2021	4/9/2021	11:15 Patient fell out of chair and hit his head on the gym floor, he lost conscientiousness, after he work up, he stated " I have a headache." Blood pressure elevated, sweating, kicking, confused initially but quickly able provide his name, birthdate, and current location. B/P 147/85 HR: 100 Oxygen Sat: 100% 11:20 am B/P 153/78 HR: 99 Oxygen Sat: 99% 11:40 Patient states " I'm not feeling alright but I think I'm going", patient was talking on the phone to his dad, unable to complete his sentence and began to fall out of his chair, patient eye's began to twitch, legs kicking, but patient was able to state his name. Patient was sent to the Emergency Room via ambulance. Father of the child will meet them at the hospital for further evaluation.
1183387	4/8/2021	AZ	16	4/8/2021	4/8/2021	Patient showing symptoms (closing/opening of eyes. fall back on chair. pale face) of fainting tendency within 5 minutes of vaccines. Pharmacist instructed patients to take slow, deep breaths and try to open eyes. Patients was able to stabilized.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1175510	4/7/2021	NY	16	4/7/2021	4/7/2021	Patient presented for her first COVID-19 vaccine. Approximately a minute after vaccine was given, she was noted to be seated upright in the passenger seat of her car, with head bent forward and eyes open. She was unresponsive, stiff posture, and was placed into a reclined position. She then had some posturing with head turned to the left, no eye deviation or nystagmus, no tonic-clonic movement. Radial pulse was thready, bradycardia was noted, with normal respirations. She was noted to become diaphoretic and pale/ashen color noted to the face and arms. She became responsive within a few minutes, however initially was not able to answer questions clearly. She had no loss of bowel or bladder function. EMS assisted with evaluation. Initial blood pressure 78/31, HR 54, SpO2 100%. EMS then transferred her to the stretcher and she was transitioned from her car to the ambulance. She continued to improve spontaneously with BP 94/61 then 103/60 and HR 86 then 74. SpO2 remained stable at 100%. Skin color improved. She had normal responses to questions, no complaints of headache, dizziness, chest tightness, shortness of breath, numbness or tingling. She had some shaking/voluntary movement of the limbs and body noted, but she could control and stop this voluntarily, no myoclonic or tonic-clonic jerking noted. After syncopal event occurred, mom reported that the patient has a history of syncope routinely with blood draws and vaccines in the past, however this episode was slightly more prolonged and seizure-like activity was different. She has had some jerking movement previously with syncope which lasts 20-30 seconds, different from today's response. No known history of seizure disorder.
1175876	4/7/2021	PA	17	4/6/2021	4/6/2021	Tunnel vision, light-headed D/C 18:04
1178627	4/7/2021	NY	16	4/4/2021	4/4/2021	About 5 minutes after shot he said arm is tingling then fell off chair and hit the floor. He passed out for a couple of minutes and then opened eyes and said my throat is closing up. The EMS gave Benadryl and used the Epi Pen. He was transported by ambulance to the hospital.
1176684	4/7/2021	MN	17	4/2/2021	4/2/2021	Patient passed out, fell out of her chair and hit her head hard after receiving her shot. Once she went down, two nurses ran to her assistance where they propped the patient's feet up on a chair and got her some water. Patient reported blurred vision, had a goose egg on the back of her head but did not appear to be mentally foggy.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1171456	4/6/2021	AZ	16	4/5/2021	4/6/2021	Woke in the night (@ 1:30 am) with stomach pain, dehydration and blurred vision. Vomited several times through the night. Also had severe diarrhea.
1171776	4/6/2021	NY	16	4/6/2021	4/6/2021	Patient is a 16yo seen for her first dose of the COVID-19 vaccine. She was seated in the back seat of the car. Shortly after receiving her vaccine (within a few minutes), she chose to move to the front passenger seat of the car, and after sitting in the passenger seat she became lightheaded and lost consciousness. Syncopal event was witnessed and lasted a few seconds. She spontaneously regained consciousness, and complained of some lightheadedness and tunnel vision. No significant confusion was noted, her responses to questions were appropriate. Initial pulse was thready and heart rate initially difficult to auscultate. Pale color noted on the face. Initial pulse approximately 50bpm. Breath sounds clear with good air exchange. Patient was placed in a reclined position with feet on the dash. She quickly recovered and repeat heart rate was auscultated at approximately 70bpm, stronger pulse noted. She was noted to have improvement and she was then driven out of the vaccine site after obtaining consent from her mother (who was the driver) and parked beside EMS. BP was 100/50 and HR 68-72, SaO2 97%. Lightheadedness resolved and she was feeling well, at her baseline. She was monitored for 30 min then allowed to leave with her mother, she was at her baseline at last evaluation. Per history review with her mother, she has had 2 prior episodes of syncope with pin removal from hand after surgery and IV placement.
1169881	4/5/2021	GA	16	4/1/2021	4/1/2021	patient said she started losing vision in one eye for few minutes, and started having numbness or tightness in arms. Paramedics were called and she felt fine after first few minutes
1169635	4/5/2021	WI	17	4/5/2021	4/5/2021	Patient passed out, complained of being lightheaded and having loss of vision post 2nd COVID-109 vaccine. EMS was called. EMS evaluated patient and recommended going to the hospital for observation. Patient's father denied transfer to hospital and patient left with father to go home.
1169898	4/5/2021	CO	16	3/11/2021	3/12/2021	Mother of patient describes chills, fatigue, and kidney pain. Is being exclusively managed by PCP who has seen him multiple times. Given Jannsen at mass vaccination clinic by student nurse under preceptor supervision. Error not brought to attention of until 4/2/2021.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1170150	4/5/2021	OH	17	4/5/2021	4/5/2021	Pt had reaction in the waiting room. Pt became pale, diaphoretic, passed out and had brief seizure x 3-5 seconds. She suddenly became aware again with no recollection of what happened. She continued to be pale and diaphoretic and c/o confusion and blurry vision. Pulse ox 98-100, HR dropped to 40's and BP 90/60. Squad was called, they assumed care and transported pt to ER with her mother present.
1170125	4/5/2021	TX	16	4/5/2021	4/5/2021	Patient became unresponsive within 15 minutes of getting vaccine. Her eyes were wide open, lips were turning blue, and had appeared to stop breathing.
1169973	4/5/2021	PA	17	4/5/2021	4/5/2021	Following the vaccine admin patient felt a wave coming over her and passed out she experienced tunnel vision and was clammy. She was placed on the floor and was then placed on a back board and taken to medical observation, patient wears a continuous glucose monitor and her mom reported that her bld glucose was 129, patients vital signs upon arrival was 120/65, P 71, Ox 98% on room air @ 10:35, at 10:40 her blood pressure was 120/78. she was then placed in a sitting position and bp was 119/79 and then standing after 1 minute was 121/74- patient was released from observation via wheelchair she was taken to the exit with her mom and she exited the building.
1163221	4/3/2021	OH	17	3/29/2021	3/31/2021	At 9:15 am on 3/31/21, patient experienced a seizure characterized by unconsciousness and full-body rigidity. He had never previously experienced a seizure. The episode lasted for approximately 5-8 minutes; the patient gradually regained consciousness, but was confused and complained of a headache, eye pain, and nausea for some time afterward. He does not remember the event or what preceded it. He visited the ER that morning. He received an injection of lorazepam and ondansetron. He was held for observation for about 4 hours. He was prescribed a 3 day supply of lorazepam 0.5 mg (taken every 12 hours) upon discharge.
1160819	4/2/2021	MI	17	4/1/2021	4/1/2021	Eyes started itching about 12 minutes after injection. Started getting very dry mouth and throat 15 minutes after shot. Felt lump in throat and throat tight about 17 minutes afterwards

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1159630	4/2/2021	SC	17	3/27/2021	3/27/2021	During monitoring, patient c/o nausea, dizziness and became pale. Vitals: systolic BP 52; pulse ox 88%. Patient lost vision and pupils slow to react. Called EMS and gave 2L supplemental O2 via rebrezer. Patient moved to hospital bed and had legs elevated. Upon recheck blood pressure improved and patient responsive to questions (suspected vasovagal response). After EMS arrived, patient's family declined to send patient to hospital via EMS, and ultimately left the clinic with his family.
1155527	4/1/2021	WI	16	3/31/2021	3/31/2021	They made initial contact with young lady when she entered the holding area (as they do with every car). Their second contact came when the mother showed up on scene. At that time the patient reported that at one point her vision began to get dark on the peripherals and she may have passed out. She stated she turned on her hazard lights (four-way flashers) at that point. Our personnel never noticed a vehicle not progressing forward at any point. Our personnel then removed her from the line for evaluation: She no longer had any complaints, vitals: BP 106/57 P-64 and regular SPO2-99% and did not want transport to the hospital. The patient and mother were given instruction of things to watch for and what warranted calling 911. They report the mother and patient had no concerns upon their departure. Further, there were 4-6 personnel in the 15-minute holding area yesterday. They are constantly on foot moving between all the cars.
1152529	3/31/2021	CA	17	3/30/2021	3/30/2021	Patient had initial dizziness and syncopal episode. Patient reported "vision went dark and felt heavy". Patient vomited x1. Patient given cold pack and water. After 10 minutes patient denies headache, dizziness, double vision, or ringing in ears. No report of difficulty breathing, SOB, numbness or tingling in extremities. Patient successfully discharged from observation at 4:05 pm.
1147960	3/30/2021	OH	16	3/30/2021	3/30/2021	Felt dizzy about a minute after vaccine administration, patient described blurry vision and then she fainted and fell to the floor. Patient described no prior history of reactions to prior vaccinations. After about a minute she regained consciousness and was able to walk, talk, and function normally. Mom did intend to follow up with primary care doctor regarding the fainting episode.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144471	3/29/2021	CA	17	3/28/2021	3/28/2021	Hives to arms, trunk and face within 8 hours of receiving vaccine. No swelling to lips or eyes, no wheeze. Hives improved with antihistamines.
1137567	3/26/2021	ND	16	3/24/2021	3/25/2021	muscle fatigue and stiffness in both shoulders, minor runny nose, dry eyes, minor cough.
1127265	3/23/2021	NY	17	3/23/2021	3/23/2021	17 YEAR OLD PATIENT: AFTER RECEIVING VACCINE PATIENT SAT IN OVERVATION AREA, UPON SITTING DOWN EXPERIENCED DIZZINESS, SHORTNESS OF BREATH, FATIGUE. PATIENT DEMONSTRTING RAPID EYE MOVEMENTS, RESPONSIVE TO DIRECET QUESTIONS AND TO PAINFUL STIMULI THOUGH UNABLE TO SPEAK IN FULL SENTENCES. DENIED CHEST PAIN, COUGH NAUSEA, VOMITING. MOTHER STATES SIMILIAR BEHAVIOR WHEN SHE DEVELOPED BLOOD CLOT IN THE PAST. PATIENT THEN STATED FELT LIKE THROAT WAS SCRATCHY.
1120981	3/21/2021	OK	16	3/21/2021	3/21/2021	Patient received vaccine and went to sit down in front of pharmacy. He then immediately started feeling lightheaded, his eyes rolled into the back of this head and he had a couple of convulsion. He did not lose consciousness and was immediately aware. He was pale, lips were blue tinged, pulse was 60, sweating and blood pressure was 98/50. Paramedics were called but he had recovered by the time they got there. They said he had a fainting episode due to the vaccination and did not have a seizure. The patient had not eaten anything the whole day and he felt that contributed. Followed up with patient's parent and he is feeling just fine now.
1117532	3/19/2021	WA	17	3/19/2021	3/19/2021	PT FELT FAINT AND SHAKY AND STATED THAT HIS VISION WAS VIBRATING. HAD THE PATIENT RECLINE AND ELEVATE HIS FEET APPLIED COLD PACKS TO THE BACK OF HIS NECK AND WRISTS HAD HIM SIP SOME WATER.
1110868	3/18/2021	CA	17	3/17/2021	3/18/2021	Welt appeared under right eye 5 hours after injection.
1096593	3/13/2021	NC	17	3/11/2021	3/11/2021	5 minutes after administration of vaccine, Patient had visual white-out of vision, diminished hearing, disoriented, severe pallor and then vomitted.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1092202	3/11/2021	CA	17	3/11/2021	3/11/2021	Written by the patient and guardian: " 8-10 minutes after shot, complaints of light head an throat closing up. Removed mask for fresh air, no relief. Went to get up for water, immediately for light headed, pale face, checked-out look in eyes. Body went limp, set 17yo in chair, still was light headed and lethargic. Laid 17yo down on floor, administered water. Vision came back dizziness went away. remained seated for another 15minutes. Continued hydrating w/ water, other symptoms diminished." From Dr.: "Witnessed patient pass out in chair, within 10-20s was helping caregiver lower patient to the floor and patient had come to. Increasingly alert. Endorses above narrative, as well as not having eaten or drinking much today, "maybe an apple". She does not have a history of vasovagal syncope. Patient Pulse at 65, normal breathing, no distress, no signs of injury. Overall episode appears to be vasovagal syncope. Patient asked to drink water and remain at the vaccine center an additional 15-20 minutes for observation. After 15 min patient feeling back at baseline. No further medical intervention.
1080286	3/8/2021	CA	17	3/7/2021	3/7/2021	Flushing, sweating, anxious, tingling in ears, nausea, blurry vision. Vitals within normal limits. Patient stabilized.
1075055	3/5/2021	TX	17	3/4/2021	3/4/2021	Patient started to feel strange within 1 minute of receiving the vaccine. Within 5 minutes of receiving the vaccine, patient felt very faint, dizzy, nauseous, tingly, lost feeling in lower body, blurry vision, and started shaking. EMS was called at vaccination site. EMS arrived about 5 minutes later and took patient's blood pressure. First reading was 102/70, second reading a few minutes later was 108/76. By that time, patient could sit up and was alert and oriented. Patient never lost consciousness. Patient was not taken to the ER. Patient remained on-site for another 45 minutes until symptoms resolved enough that she felt it was safe to leave. Patient has not had a reaction to vaccines or other medical treatment in the past.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1069723	3/3/2021	ME	16	3/3/2021	3/3/2021	Given history of anxiety around needles, visual aura, paleness after episode, and quick recovery to baseline presentation most consistent with syncope with myoclonus. Seizure less likely given that this is different than his typical semiology and he has been well controlled on his current AED regimen. Discussed with the Neurology attending of the week who was in agreement. Point of care blood glucose was found to be 111. Per neurology recommendations, Trileptal level was drawn. Patient was observed for 1hr and remained at baseline with no additional events concerning for seizure. Patient and mother were informed about vasovagal syncope and instructed on precautionary measures to take with future shots. Given return precautions.
1055411	2/25/2021	TX	17	2/24/2021	2/24/2021	Patient was normal and little nervous before vaccination. After receiving vaccinations about 2 minutes patient stated he could get up and was shaking. He was pale and sweating. Pharmacist Rima left the room to get another pharmacist. Patient mom reported she saw him passing out and eyes rolling. Patient was conscious after and had difficulty breathing but return to normal after a few minutes. We gave him a ice pack and called 911 to be ready on hand but was not dispatched. Patient rested in the room and left on their own.
1033449	2/16/2021	IL	17	2/12/2021	2/16/2021	Patients menstrual cycle started the day she received the moderna vaccine, the next day,02/13/2021, she stated it was heavier than she had ever had. Patient reported changing birth control 1-2 months previously. On 02/16/2021 Patient's father reported she was standing in the kitchen and her pupils were huge. Patient told parents she couldn't see or hear. Patient became unconscious for approximately 3 seconds. took patient to ER. ER was unable to find a cause. Loss of vision and hearing lasted approximately 3-5 minutes.
968248	1/23/2021	NY	17	1/21/2021	1/22/2021	At approximately 7:30 AM the following day, the patient woke up with the left eye being swollen and puffy as well as tender and slightly painful. Felt weird to blink but only in left eye. Took Acetaminophen 500mg and swelling decreased significantly around 2 hours later from the time it was first noticed.
950711	1/16/2021	CA	16	12/29/2020	1/15/2021	Last night I broke out into a bunch of itchy spots that resemble hives all over my body. The hives went away in the morning. Just now, 3:57pm today, I have puffy eyes and a swollen throat.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
916074	12/31/2020	IL	17	12/30/2020	12/30/2020	MODERNA COVID-19 VACCINE EUA: Individual presented to COVID-19 vaccination clinic sponsored by Health Department being held for Healthcare Providers. Individual marked on Vaccination Consent form that she was a Medical Assistant at her father's medical practice. After administration of vaccine it was discovered that she is 17 years old. This vaccine is not for individuals < 18 years old. Call made to CDC who advised us to call Moderna. Called Moderna and awaiting guidance/advice from Moderna Medical Information division.