

# COVID-19 Vaccine Drug Reactions: Child Fainting

**Preliminary Notes – Reactions Listings Start on Page 2 Below**

1. Child Fainting cases Reported through June 4, 2021 in the United States to the Vaccine Adverse Event Reporting System (VAERS).
2. In the United States, it is very rare for children to be given COVID-19 vaccine drugs. As children are tested with experimental drugs, there may be a significant increase in child fainting cases. In many cases, losing consciousness is just one in a litany of very serious symptoms.
3. In February and early March, 2021, there were articles published related to the large number of deaths linked to COVID-19 vaccine drugs, including pieces by Reuters and International Business Times. Shortly after these publications, there appeared a small number of *fake cases* submitted in order to try to discredit VAERS. This included a death of a 2-year-old child. Submitting a false case to VAERS is against U.S. federal law. Fake cases only benefit the drug manufacturers and do not benefit people who experience serious short-term reactions such as death and blood clots or reactions from long-term, repeated injections.

# Child Fainting: COVID-19 Vaccine Drugs

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1374494	6/4/2021	IL	14	F	6/4/2021	6/4/2021	Patient fainted after receiving vaccination. After a period of 15 minutes, patient was able to leave under her own power.
1374361	6/4/2021	NE	12	F	6/3/2021	6/4/2021	Patient awoke the morning after her 1st COVID vaccination. Reported she slept well. Her arm was sore from COVID shot. She was up for approximately 20 min and had brushed her teeth and did her hair. She was going to get dressed for the day and states she got a sudden pounding headache and felt nauseous. She was on her way out to the kitchen to tell us she didn't feel good when she blacked out. She face planted, hitting her forehead on the hardwood floor witnessed by both parents. She was out for approximately 30 seconds. Her blood pressure was 90/60, HR 120, O2 on rm air was 98%. She has no previous history of syncope. After spell heart rate ran in the 100-110s for about 30 min and then normalized around 88-95. Was tired and sleepy for 2 hours after. (No post ictal sx to suggest seizure) Patient also received Tdap and meningococcal vaccine in other arm at the time of 1st Covid vaccination. The night of her COVID shot patient had normal appetite and activity level.
1374354	6/4/2021	CA	17	M	6/2/2021	6/2/2021	Patient passed out at the discharge table 15 minutes after Pfizer COVID-19 vaccine. Medical assistant at discharge table able to catch patient and patient was assisted to ground by clinic staff. Patient skin warm to touch and pale. BP @ 1700 147/77, HR 68, RR 16, O2 saturation 94 % on roomair. Patient complains of dizziness and numbness tingling sensation to vaccinated left arm. Patient verbalized eating a small meal this am, exercising , and not drinking fluids. Ice pack applied to patients neck. Patient drinks water and sports drink. Doctor present to assess patient. Patient observed in discharge area an additional 30 minutes. Patient ambulated for 5 minutes in the discharge area per physician instructions. Patient stable, denies any dizziness, or numbness to left arm. BP @1727 was 149/85, HR 76, RR 18, O2 saturation 96% roomair. Patient ambulated independently to exit with family.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1374198	6/4/2021	WA	15	M	5/25/2021	6/2/2021	Syncope event caused ER trip where abnormal ECG resulted with possible pericarditis
1374088	6/4/2021	CA	17	F	6/3/2021	6/3/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Shakiness-Mild, Additional Details: Patient received 1st dose of pfizer vaccine. Less than 1 minute later patients mother alerted us that the patient had lost consciousness. She was immediately laid down and gained consciousness within 10 seconds. She stated feeling lightheaded, sweaty, looked pale and felt like she was in a trance. 1st BP reading (111/67), 2nd BP reading done 15 min later (106/59 & HR 65). After 30 min of monitoring patient was able to leave.
1374011	6/4/2021	WV	15	M	6/3/2021	6/3/2021	Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Additional Details: Patient fainted once, then almost again. Called 911 to have evaluated before leaving. Was feeling ok upon departure
1374498	6/4/2021	CA	12	F	6/3/2021	6/4/2021	Upon getting up, patient experienced brief spike in fever (felt very hot to touch), unsteadiness and fainted. Temperature after fainting was 100 and patient was sweaty, fatigued and had 'wobbly' legs. About 5 minutes later, fever subsided and patient has generally recovered.
1371298	6/3/2021	OH	16	F	6/2/2021	6/2/2021	This young lady was at the school to receive her second dose of the Pfizer vaccine, she answered all the questions with a No answer, she stated she was feeling well and had minimal reaction to first vaccine. She appeared to be nervous as reported by the nurse. after receiving her second shot, as the nurse was finishing up paperwork and filling out card, the student felt like passing out, one of the other nurses that were at her side, caught her as she fainted out of chair, she was placed on the ground and EMS was called at 10:10 and Nursing Supervisor was notified at 10:15. EMS determined she had a Vasovagal Syncope. EMS attended to patient and it was unknown if she was released after observation or taken to ED for further evaluation. a field emergency record was recorded and return to the nursing supervisor at the health department.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1369962	6/3/2021	NV	16	F	6/2/2021	6/2/2021	Immediately following administration, patient walked out of room and sat down in waiting area. Patient felt very dizzy and almost fainted. Complained of hearing loss then tinnitus. Initial BP was 82/31 then gradually increased back towards normal over 20-30 minute period. Hearing loss recovered after 1-2 minutes then complaint of tinnitus which then stopped after 5-6 minutes. Approx 30 min after admin, pt felt much closer to normal and parent felt comfortable bringing her home.
1371018	6/3/2021	NH	14	M	6/2/2021	6/2/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium
1371140	6/3/2021	IA	14	F	6/2/2021	6/2/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient fainted while walking down aisle with dad. She immediately regained consciousness. Although she was conscious, EMTs were called to assess vitals. She was cleared by the EMTs to go home. No injuries were sustained.
1371171	6/3/2021		12	F	6/3/2021	6/3/2021	Patient with history of vasovagal syncope. Patient took the vaccine at 0817 and felt light headed. Patient did not lose consciousness, however felt light headed and leaned toward her mom. Patient was laid down, given ice, juice/water and snacks. Patient was observed for a little while until she felt better, then went home.
1371225	6/3/2021	PA	17	F	6/3/2021	6/3/2021	Patient developed warmth, clamminess, nausea and lightheadedness shortly after her shot. She admitted to near syncope, but there was no LOC. No tunnel vision. Symptoms resolved on their own. VVS throughout. No orthostasis.
1372906	6/3/2021	IL	14	M	6/3/2021	6/3/2021	Patient fainted approximately 5 minutes after receiving the vaccine. He fell to the ground hitting his head on some shelving while falling. He was quickly revived by his father, but still felt dizzy and complained of blurred vision. Patient was given a bottle of water and comforted by his father and brother. When I checked on him about 20-30 minutes later, he said he felt fine. He looked a lot better too.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1371766	6/3/2021	TX	12	M	6/3/2021	6/3/2021	Pt stated feeling nausea, mother stated pt passed out for 15 seconds then gained consciousness. P:80 BP: 126/79 O2: 99% T: 77.5 F RR:14
1371788	6/3/2021	TX	12	M	6/3/2021	6/3/2021	Pt stated feeling nausea, mother stated pt passed out for 15 seconds then gained consciousness. Pt left at 2:25 feeling better P:80 BP: 126/79 O2: 99% T: 77.5 F RR: 14
1371878	6/3/2021	MI	16	F	6/3/2021	6/3/2021	Vasovagal event. Pt fainted and immediately came to. Pt felt better after about 15 minutes and was able to walk.
1372542	6/3/2021	CA	16	F	6/3/2021	6/3/2021	patient fainted a few minutes after getting pfizer covid vaccine. She felt better 5 minutes later, Her blood pressure was 113/69 pulse 73. Her blood pressure was 98/64, pulse 80 30 minutes after. But she felt perfectly fine then.
1372902	6/3/2021	TN	12	F	6/3/2021	6/3/2021	Patient fainted after immunization. She waited 15 minutes after and was walking to car and fainted. EMS was called and came to evaluate her. No treatment was needed.
1371569	6/3/2021	MO	13	M	5/20/2021	5/23/2021	Sharp chest pains, difficulty breathing and passed out for about 30 seconds.
1371206	6/3/2021	PA	16	F	6/3/2021	6/3/2021	Patient experienced mild nausea and lightheadedness about 10 minutes after her shot. Some alternating warmth and cold feelings. No chills. No symptoms to suggest allergic reaction. No near syncope or syncope. Symptoms were self limiting and resolved on their own. VSS throughout her stay. no orthostasis.
1367857	6/2/2021	GA	17	M	6/1/2021	6/1/2021	Systemic: Fainting / Unresponsive-Severe, Systemic: patient had a seizure about 5 mins following administration-Severe, Systemic: Seizure-Severe, Additional Details: ems was called and patient was evaluated and pt was cleared with normal vitals and alert from ems parent refused to go to er i tried calling to follow up with patient and now answer on best contact number

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1367856	6/2/2021	NC	13	M	6/1/2021	6/1/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Additional Details: Mom reports that patient has a history of fainting after vaccine administration. Patient complained of feeling dizzy and lightheaded after receiving Covid vaccine. Patient fell from standing position and hit his forehead against store aisle. NP was called by Pharmacist, to assist/evaluate. Patient alert and oriented upon NP arrival. BP 116/60, pulse 76, O2 sat 99% on room air. Patient with normal neuro exam. Patient returned to baseline.
1367851	6/2/2021	FL	16	M	6/1/2021	6/1/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild
1367809	6/2/2021	WA	12	M	5/25/2021	5/26/2021	Syncope. No treatment needed.
1367785	6/2/2021	TX	13	F	6/1/2021	6/1/2021	Passed out. Seizure without shaking muscles contracted and fists clenched. Dizziness. Tingle in arms.
1366854	6/2/2021	CA	17	M	6/1/2021	6/1/2021	Patient felt lightheaded, dizzy, popping and ringing in ears, blurred vision, and fainted for a few seconds. This occurred about 5-10 min following vaccination. Most likely a vasovagal syncope reaction. No history of allergic reactions nor syncope. After laying patient down and elevating his legs, he felt much better. Patient remained in this position for about 15 minutes. He then sat up, ate a snack, and drank water and was observed for an additional 15 minutes. Vitals were within normal range. Patient stated feeling "normal" and "fine" after this and he was able to go home without additional issues.
1366576	6/2/2021	CA	15	F	6/1/2021	6/1/2021	After patient got her 1st dose of Pfizer Covid 19 vaccine, she was instructed to wait 15 minutes at the resting area in front of pharmacy. On her way from immunization room to the resting area, she fainted. Since her mom was holding her, she didn't fall. She was put down on the floor and regain consciousness within a minute. 911 was called. While waiting for paramedics, Rph took her blood pressure with result of 110/71 HR 89. Patient then walked back to immunization room with mom and Rph's help. When paramedics arrived, they took her blood and it was low. They provided IV fluid and she was taken to hospital by ambulance.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1367860	6/2/2021	TX	15	F	6/1/2021	6/1/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Hypotension-Medium
1369328	6/2/2021	CA	14	F	6/2/2021	6/2/2021	On 6/2 patient received her first dose of covid19 (Pfizer vaccine). After a couple minutes, it was reported to us by her brother that the patient passed out. However, she was alert within seconds. Paramedics were called upon brother's request. Patient was transported out of store.
1366577	6/2/2021	IL	14	F	6/1/2021	6/1/2021	Patient felt dizzy immediately after the shot was given. She said she was going to pass out, and did for about 10 seconds. She was sitting up in a chair during this time, with her mom holding her up. She came to, the about 20 seconds later, she passed out again for another 10 seconds. She came to, and was given some water to drink, but 20 seconds after that she threw up the water. I took her blood pressure, and it was 60/40, with a pulse of 60. She was very pale. After resting in the chair and taking deep breaths, her color returned and she felt much better. she also said her vision wasn't blurry anymore. Ten minutes later, she left with her mom, feeling ok. She was very anxious about getting the shot, and told me she had passed out in the pass after giving blood.
1369335	6/2/2021	AZ	15	M	6/2/2021	6/2/2021	AFTER PT RECEIVED THE PFIZER COVID VACCINE THE PT SAT DOWN AND SHORTLY AFTER FAINTED. THE PT WOKE UP AND WE GAVE HIM COLD WATER AND AN ICE PACK. PER PARENTS, PT HAS NO PREVIOUS HISTORY OF FAINTING OR ANY OTHER HEALTH CONDITIONS. PT LOOKED DEHYDRATED. SPOKE WITH PTS PARENTS AND TOLD THEM THEY NEED TO GO TO THE EMERGENCY ROOM AND THAT WE CAN CALL AN AMBULANCE. PARENTS REFUSED AMBULANCE AND INSTEAD TOOK THE CHILD TO THE EMERGENCY ROOM ACROSS THE STREET. SPOKE TO THE MOTHER AFTERWARDS. SHE STATES THAT HER SON WAS SENT HOME. THE DRS BELIEVE HE FAINTED DUE TO A LACK OF FOOD AND WATER (DEHYDRATION). THEY SENT HIM HOME AND TOLD THE PARENTS IT WAS OK FOR HIM TO RECEIVE A 2ND COVID VACCINE 21 DAYS LATER.
1368645	6/2/2021	NJ	16	F	6/2/2021	6/2/2021	syncope

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1369584	6/2/2021	OR	14	M	6/2/2021	6/2/2021	pt mom yelled for help. other employee dialed 911. mom reporting that patient keeps fainting/feeling nausea. used smelling salt x 2. then had patient have small sips of orange juice. patient began feeling nausea again and threw up. pt started breathing heavy/flushed/wheezing administered epi-pen (1st dose incomplete- bent needle) 2nd dose successful in muscle of right thigh. patient reported feeling better. took bp 94/54 pulse 88. ems arrived and took over. patient left with ems
1368039	6/2/2021	FL	14	M	6/2/2021	6/2/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Patient recovered and mom says she was taking him to the doctors office for follow-up
1368832	6/2/2021	NY	3	F	6/2/2021	6/2/2021	Pt became lightheaded at recovery table near syncope . brought to cot to lie down, elevated feet. ice pack to back of neck. no LOC, No SOB, no N/V. Pt stated she is menstruating. Rt arm vac site benign. VS 108/58, HR 80 Reg, strong, resps 12 reg, non labored, SPO2 98%. Gave water for hydration, provided reassurance. After lying down flat for 15 min, pt stated "I feel better, I OK". OK'd to exit with family.
1368631	6/2/2021	NV	16	F	6/2/2021	6/2/2021	Within minutes of receiving the 2nd dose of Pfizer vaccine the patient start to feel light headed, she saw stars, she vomited, she started to look pale and felt tightness in her chest. We called the EMTs and we advised the patient that syncope is something we have seen in children receiving the vaccine and the EMTs advised of the same thing. They took her vitals all normal and the patient began to see the symptoms disappear. The patient once better and cleared by EMTs went home per their advise.
1368591	6/2/2021	MO	16	F	6/1/2021	6/1/2021	Pt had loss of consciousness x 2 immediately after injection. , shaking of extremities described. Lasting appx 1 min each. return to baseline after . Differential was seizure vs. more likely vagal syncope



<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1368412	6/2/2021	PA	14	F	6/2/2021	6/2/2021	Vasovagal syncope immediately after IM injection. Lowered pt to floor and elevated LE on chair. Pt responsive and AOx4. Taken to Med Obs 1 for VS, assessment and further observation. VS WNL and no reported or objective s/s distress noted during assessment. Pt reported symptoms resolved and escorted to doors from Med Obs 1 at approx 0848 VS Sitting 0832 BP 108/67 HR 83 RR 16 SpO2 98% RA Sitting 0845 BP 113/58 HR 76 RR 16 SpO2 98% RA Standing 0846 BP 1108/62 HR 74 RR 16 SpO2 100% RA
1368080	6/2/2021	WA	16	M	5/22/2021	5/24/2021	Two days later my grandson fainted, had a seizure and was taken to the ER. At the ER a CT scan of the head was performed. Also while getting an IV, my grandson also had a seizure. I do not have his CT scan results at this time. My grandson is also prepping for a surgery coming in June.
1368062	6/2/2021	OH	16	M	5/28/2021	5/30/2021	Patient received second dose of Pfizer COVID-19 vaccine on 5/28/21. Within 12 hours patient experienced chills and subjective fever. The follow day patient reported developing fever. The day prior to admission (admitted 5/31/21) patient developed chest pain but worsened to 8-9 out of 10. Pain described at pressure in the center/sternal area of chest or like bricks on his chest. No pleurisy or radiation of pain, pain worsened when supine. Negative for shortness of breath, syncope, palpations. Did no improve with acetaminophen or ibuprofen at home. Patient presented to outside hospital where troponin was 0.37 and EKG showed ST abnormalities. Patient received 30 mg of ketorolac and 4 mg of ondansetron and was transferred to this facility. In our ED, pain improved to 4-5 out of 10. Diffuse ST elevations on EKG, troponin elevated to 7.38. Chest X-ray and rapid covid test were negative. Patient was started on naproxen sodium 500 mg enteral BID 5/31/21 through discharge on 6/2/21.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1365524	6/1/2021	MN	13	F	6/1/2021	6/1/2021	Prior to the vaccine patient and parent were given teaching about concerns for fainting. She was questioned if she had something to eat and drink prior to coming to the clinic and both indicated that she had. It was volunteered that patient has never had a fainting spell from receiving injections/vaccines. She was administered 0.3 ml of the Pfizer vaccine at 4:47 p.m. while seated securely in a chair. At about 4:50 p.m. she lost consciousness and assumed a prone position. She was held by both the R.N. and her mother and never fell or injured herself. She was unconscious for approximately 8-10 seconds and regained consciousness. She was alert and oriented. She was reassured and given some apple juice and a graham cracker which she consumed. Charge nurse and nurse manager appeared on the scene. EMT was summoned who brought a wheel chair and patient was transported to the observation area in the wheel chair. She was conversing and appeared oriented prior to going to the observation area.
1364595	6/1/2021	WI	17	F	5/27/2021	5/27/2021	received the Covid 19 Pfizer vaccine and passed out approximately 2 minutes after the vaccine. Was seated at the time. Physical support until patient regained consciousness approximately 30 seconds after. Assisted via wheelchair to cot to lay down and water provided. Mother with. Instructed to lay down for second dose of vaccine when receiving it. Left with mother ambulatory in stable condition approximately 30 minutes after dose administered.
1364700	6/1/2021	FL	12	M	5/29/2021	5/29/2021	After taking the vaccine patient stated that he felt like he was going to pass out. Mother stated that this happens every time he gets a shot. Patient was walked to chair where he was given water. Patient passed out briefly and was taken to medic station.
1364825	6/1/2021	MD	13	F	5/15/2021	5/15/2021	fainted right away, pale, sweaty, eyes closed and then rolling back in the head. This never happened before.
1364916	6/1/2021	TX	13	F	6/1/2021	6/1/2021	Patient had likely syncope. Fainted/felt dizzy after immunization. Patient waited at the pharmacy for 30min until she felt better, then went home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1365135	6/1/2021	MI	13	F	5/28/2021	5/28/2021	Very pale, pupils dilated, non responsive, passed out immediately after vaccination
1365185	6/1/2021	TX	15	F	5/23/2021	5/23/2021	Syncope approximately 2 minutes after receiving COVID shot. Diaphoresis and pale in color.
1365525	6/1/2021	CA	17	M	6/1/2021	6/1/2021	PT PASSED OUT. HAD HX OF PASSING OUT AT SCHOOL WHILE IN CLASS. PARAMEDIC CAME, HYDRATION OFFERED. SX RESOLVED, NO TRANSPORT.
1365535	6/1/2021	IL	15	M	6/1/2021	6/1/2021	Patient and his Mother were in the vaccination room. approx 30 sec to 1 min following Vaccination patient stated he feels like he is going to pass out and before his mother or administering pharmacist could respond the patient fainted/ lost consciousness for approximately 30seconds
1365910	6/1/2021		16	M	5/31/2021	5/31/2021	Patient fainted and had convulsions for 5-10 seconds. He came to and was just fine.
1365546	6/1/2021	TX	15	M	5/21/2021	5/30/2021	My son was evaluated by ER after experiencing 2 fainting episodes within an hour. ER report stated reason for visit as Loss of Consciousness with diagnoses of Syncope (Vasovagal) and Concussion.
1365565	6/1/2021	MN	16	F	6/1/2021	6/1/2021	After receiving the injection the patient fainted. Patient was offered juice and after taking a sip she had a small amount of emesis. A cold towel was placed on patient's forehead and then observed by EMS.
1365574	6/1/2021	NM	13	F	6/1/2021	6/1/2021	pt passed out turned while and grey stopped breathing received on dose of epi pen 0.3 mg came to and a sugar drink, emt called and came, blood pressure was good

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1365707	6/1/2021	CO	17	F	6/1/2021	6/1/2021	Patient was very anxious and breathing heavy. About 5 minutes after the vaccination they started to hyperventilate and ended up throwing up. After letting them sit and relax for 5 minutes, the patient then had to throw up again and told their mother they felt like they were going to faint. Mother and myself stood by, while patient did end up fainting. We slowly lowered them to the ground, and on the way down their body got stiff and patient had uncontrollable movements and was hardly responsive. Mother and myself finally got her safely to the floor as they came to and was responding to verbal ques and stimulation from mother. Mother went to get water and i stayed with the patient to ensure no other things happen. Patient ended up doing alright after relaxing for a few and then i walked them and mother to their car and ensured they were feeling good enough to go home. I then advised the mother to seek medical attention.
1365749	6/1/2021	AZ	16	F	5/31/2021	5/31/2021	Pt passed out. Experienced extremely low blood pressure. Pulse couldn't be detected for a couple of seconds. Pt woke and was clear and coherence. Paramedics saw pt and provided IV fluids. Pt left under own power.
1365891	6/1/2021	CA	14	M	6/1/2021	6/1/2021	PT STARTED TO FEEL NERVOUS. PT SAID HE FELT HE NEEDED SOME AIR SO HE WALKED OUTSIDE. MOTHER WITNESSED HIS FALL. PT FELL ON HIS ELBOWS, HANDS SHOOK FOR 2 TO 3 SECONDS. PT DID NOT RECALL FAINTING. REPORTED HAVING A HEADACHE IMMEDIATELY AFTER.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1365431	6/1/2021	CA	16	F	5/13/2021	5/14/2021	Syncope x 3 in the early morning hours (around 3am) about 14-15 hours after vaccine. She had had headaches that is intermittent, throbbing, phonophobia but no photophobia, from back of head to top of head and behind eyes, taking Advil or Excedrin intermittently with relief for a week prior to covid19 vaccine. Syncope, longest lapse was two minutes, her sister found her. She went to Medical Center ER at 0400, was assessed and scanned, neg CT scan of head, and was discharged home. Has felt some fatigue today due to not sleeping early the night before, has returned to school since concussion, with normal learning, and denies any exertional physical activity due to pre-existing torn ACL, torn medial meniscus L knee. After evaluation by ER, was given IV fluids, determined cause to be dehydration.
1362499	5/31/2021	IA	15	M	5/31/2021	5/31/2021	Nausea, and the fainted
1362134	5/31/2021	FL	14	F	5/29/2021	5/29/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Hyperventilation-Severe, Systemic: Shakiness-Medium
1362139	5/31/2021	CA	14	M	5/29/2021	5/29/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Medium
1362145	5/31/2021	FL	15	F	5/30/2021	5/30/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: PATIENT FAINTED WITHIN 15 MINUTES OF VACCINE, ABOUT NOON. SHE RECOVERED WITHIN 5-10 MINUTES. THE PARAMEDICS CAME AND CHECKED HER VITALS AND WERE NORMAL. PATIENT WENT THEN HOME WITH MOM. I SPOKE WITH MOM AT 6PM when store closed AND MOM SAID Patient WAS DOING OK.
1362386	5/31/2021	NY	14	F	5/30/2021	5/30/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Mild

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362355	5/31/2021	NJ	17	F	5/31/2021	5/31/2021	The patient felt dizzy and weak then fainted while her mom was holding her . Her mom gradually led her to the floor from a sitting position. She felt nauseous and dizzy. I laid her on floor with her feet elevated on a chair with her head to the side so she would not aspirate if she vomitted.. She felt better after a while and wanted to sit. When she was sitting in the armchair she vomitted and said she felt worse, so I then called 911. They evaluated her and her blood pressure was very low and they gave her iv fluids and took her to the emergency room
1361542	5/30/2021	ID	16	F	5/30/2021	5/30/2021	After leaving the immunization room the patient fainted and fell on the floor. Patient lost consciousness for a moment but then was breathing and talking without difficulty. 911 was contacted. At some point before the patient left the store she vomited. Patient parent was contacted the next day; patient did go to hospital and was checked out and given the all clear and was then at home resting.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1361880	5/30/2021	KY	14	F	5/30/2021	5/30/2021	<p>Patient fainted after vaccine given and fell from the exam table onto the floor landing on her left side bumping the left side of her head and left shoulder. An ambulance was called. She quickly regained consciousness after approximately 10 seconds. She was alert and oriented to place, date and her birthday. She was able to move all extremities with 5/5 strength; no misalignment, asymmetry, or defects noted in head, neck, spine and major joints. She had full range of motion in all extremities and neck . Pupils equal and react to light. Left side of head above ear was slightly tender without any defects. Left shoulder was slightly tender to palpation anteriorly without difficulty with full range of motion. There were no bruises noted. She denied any difficulty breathing. BP was 88/60 and HR 125. After evaluation and assessment, patient was stable and the ambulance was cancelled per father's request. Patient remained in clinic and drank approximately 8 oz of water without difficulty. Patient's blood pressure was checked standing after 45 minutes and patient became slightly light headed again. Patient was instructed to remain in the clinic for 15 more minutes. Patient's blood pressure was re-evaluated and was 84/60 after standing for 2 minutes; she was asymptomatic and denies feeling like she would faint. HR 100. Discussed signs and symptoms of a concussion, warning signs to monitor (sleepiness, difficulty moving, headache, or vomiting), and when to go to ER. Father verbalizes understanding. Patient was able to walk out of the clinic with father and brother in a stable condition. Patient instructed to f/u with doctor in two days or ER sooner if worsening</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1361461	5/30/2021	CA	12	F	5/29/2021	5/29/2021	Systemic: Fainting / Unresponsive-Severe, Additional Details: PATIENT WAS GIVEN A PFIZER COVID 19 VACCINE INTRAMUSCULARLY. IMMEDIATELY AFTER BAND AID WAS PLACED, PATIENT APPEARED TO BE FROZEN FOR SEVERAL SECONDS AND WOULD NOT RESPOND TO MY QUESTION. MOM ASKED QUESTION AND HELD PATIENT, AT WHICH TIME THE PATIENT COLLAPSED AND HER EYES ROLLED BACK. SO SHE PUT IN A SUPINE POSTION AS I RAN AND CALLED 911. PARAMEDICS ARRIVED TO THE SCENE AND MONITORED HER VITALS FOR NEARLY 30 MINUTES. THEY OFFERED TO TAKE HER TO THE HOSPITAL BUT PATIENT'S MOM DECLINED.
1361462	5/30/2021	VA	13	F	5/29/2021	5/29/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient felt light-headed about 5 minutes after vaccine and then fainted. She was responsive again almost immediately, but we called 911 to have her checked out before she left. She did not require further care. EMS advised parent to get her to urgent care if that happens again. She does have history of fainting after dental procedure, also.
1361471	5/30/2021	FL	15	M	5/27/2021	5/27/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Vomiting-Mild
1361546	5/30/2021	WI	17	F	5/29/2021	5/29/2021	PATIENT FAINTED IMMEDIATELY AFTER VACCINE ADMINISTRATION. PATIENT DID NOT INJURE HERSELF, WAS CAUGHT IN MOM'S ARMS. PATIENT WAS EXTREMELY WARM AND CLAMMY AND SHAKY. SHE KEPT SEATED, FAN BLOWING, PROVIDED WITH GATORADE AND FELT NORMAL AFTER 10 MINUTES. PATIENT ADMITTED TO NOT EATING PRIOR TO VACCINE.
1361685	5/30/2021	CO	14	F	5/30/2021	5/30/2021	5/30/2021 11:04 AM After 4 minutes of receiving vaccine, pt became weak, diaphoretic and fainted. 911 was called. Pt's v/s HR 46,BP80/64. Pt woke up 2 minutes later, able to pronounce name and date of birth and able to drink 3 oz of apple juice. Pt's HR 65 BP 88/58. Transfer of care to ambulance personnel at 11:12. Ambulance record.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1361707	5/30/2021	NY	12	F	5/30/2021	5/30/2021	After receiving vaccination, syncopal episode while sitting in the chair. Mom held child from falling to the ground and slowly placed her on the floor. LOC for less than 2 minutes. Alert and talking, ice pack to forehead and fluids offered. Placed in wheelchair and sent to med evaluation for further evaluation. Mom present at all times. VS taken 104/80 HR 72 Resp 16, diaphoretic with c/o's of lightheaded and foggy feeling. Lying on cot with Gatorade/water offered. Pt has never passed out with a vaccination in the past, had carrots for breakfast and little fluid intake. Very anxious with getting the shot. Discussion with mom & pt. importance of hydration eating when the next dose given, it will be in the med evaluation area lying down. Pt alert an ambulatory with 1/2 Gatorade and 1/2 eater prior to discharge with mom. Discussed s/s of reaction and call pediatrician with any further concerns. Verbalized understanding, discharged ambulatory with mom.
1361981	5/30/2021	CA	14	M	5/30/2021	5/30/2021	patient fainted after 10 minutes of receiving the Pfizer vaccine. He revived really quickly. Did not require paramedic help. Patient was confused for a very short period. Bumped his right knee but no head injury.
1361695	5/30/2021	RI	14	M	5/29/2021	5/29/2021	Systemic: Fainting / Unresponsive-Severe, Additional Details: Patient has long history of fainting whenever getting vaccines. No history of seizures, per mom.
1360963	5/29/2021	TX	17	F	5/29/2021	5/29/2021	Syncope approximately 3 minutes after shot with resulting head injury. Pt conscious on paramedic evaluation with hematoma on forehead. Unable to walk without assistance. Pt's mother chose to drive her for follow up at ED against recommendations of reporter. Fire Department wheeled pt to personal vehicle. Unknown dispositions/outcome.
1361354	5/29/2021	IN	14	F	5/28/2021	5/29/2021	Daughter was tired and went to sleep not long after shot. Woke up with sore arm around 12:30 am. And went back to sleep after taking Advil. She woke up and took a shower at around 9 am and fainted while showering. She?s never had a history of fainting ever.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1359871	5/29/2021	MN	15	M	5/21/2021	5/23/2021	On 5/23 two days after vaccine he was irritable, tired, fatigued, not sleeping well. He could not complete his track meet . He had abdominal pain, felt bloated, and he felt this nausea & discomfort. He thought he might be constipated, so he took MiraLAX and then he had diarrhea all day yesterday. on 5/26 he had a temperature of 99.2, he had acute chest pain retrosternal and feeling of compression on the chest, head fullness as if he is going to explode. He had nausea, insomnia. Ibuprofen was given to him by his mother and this helped a lot But he woke up on morning of 5/27 , but the chest pain returned with increased pressure, very nauseous, agitated, unable to be comfortable. No fever., the pain was a sharp pressure. He had no syncope or chest shortness of breath He was seen at Hospital ER where a chest x-ray was normal. Echocardiogram was done, ,noted to have EKG changes. Troponin was elevated. He had a cardiac catheterization done emergently at hospital through the right radial artery and was noted to have normal coronaries. He also had a chest x-ray done which was negative for pulmonary lesions, and his abdominal pain he says was relieved after the MiraLAX and the diarrhea. His twin sister who received the vaccine 15 minutes after him is completely asymptomatic.
1360696	5/29/2021	NY	17	F	5/28/2021	5/28/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Headache-Mild, Systemic: Shakiness-Medium, Systemic: Weakness-Severe, Additional Details: Patient was given Pfizer vaccine, told to remain in waiting area for 15 minutes. Immediately after shot she seemed and and was conversing with me normally. 2-3 minutes later her dad noticed that she was tipping over and called for help. When I rushed over, pt was moved to the floor, close to passing out, very weak and shaky. We called 911 - she was responsive. she laid on the floor until ems arrived at which point they took over and took patient to get further checked out.
1360715	5/29/2021	MI	15	F	5/28/2021	5/28/2021	Patient fainted about 2 minutes after vaccination after standing up for about 30 seconds. Patient recovered quickly, brought patient Apple juice and grand parent brought up some food. Patient states she hadn't eaten since lunch time.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1360728	5/29/2021	AL	17	F	5/27/2021	5/27/2021	Systemic: Chest Tightness / Heaviness / Pain-Medium, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Weakness-Medium
1360870	5/29/2021		14	M	5/29/2021	5/29/2021	AE: patient passed out post vaccine administration, however; the patient did not hit head on the hard surface or become unresponsive.
1360893	5/29/2021	IL	14	M	5/28/2021	5/28/2021	Pt with presyncope event. Pt complained of sudden onset of nausea and feeling ?weird.? Clinician immediately at chair side. Initial vitals 102/58, HR 49, RR 18, O2 sat 98%. Pt assisted with receptacle for emesis-none. EMS medic 153 on scene and present. 4:25p BP 102/64, HR 62. 428p transferred to avail cot to lay supine. Aox3 and verbal entire time. Ice pack to neck. Water to drink without difficulty. Orthostatic vitals assessed ,WNL. Parent present throughout event. Mom refused transport. 446p EMS called verbal report to hospital MD as part of release for transport refusal. Permission granted to refuse transport . Pt up, walking around. States he now feels fine at 452p
1360937	5/29/2021	PA	16	F	5/29/2021	5/29/2021	Patient had an episode of vasovagal syncope right after receiving the vaccine. Her blood pressure dropped to 92/50 at 11:15, but then it resolved to 102/60 within 5 mins. Gave 8 oz. of orange juice and patient reports feeling normal after 15 mins. Monitored for about 20 mins and no other symptoms were observed.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1360956	5/29/2021	MA	14	M	5/25/2021	5/27/2021	<p>Patient received 1st dose Pfizer COVID vaccine at a store/pharmacy on 5/25/21. Presented to ED with chest pain on 5/28. Diagnosed with myocarditis and admitted to the hospital. ED attending note: Patient presents with acute onset of chest discomfort in the sternal area 2 days after the first dose of Covid vaccine. Patient's not had any fevers. No respiratory symptoms. No difficulty with respirations or any pleuritic chest pain. Denies any cough. No chest wall trauma. No back pain. No palpitations or syncope. No orthostasis. No peripheral edema. On physical exam he was mildly tachycardic in the 80s to low 90s with no murmur and no gallop. No JVD. Clear lungs. No rub. Bedside ultrasound performed by HCP had bilateral lung sliding and normal gross function based on 2 views. No pericardial effusion. EKG had ST changes. Chest x-ray was obtained without any effusions or pulmonary infiltrates. Normal cardiac silhouette. Troponin sent elevated. Cardiology consulted for possible postvaccination myocarditis. Child remained stable. Resting heart rates in the 70s and low 80s. Cardiology came to see the patient. Plan to admit to cardiology service. Presumed diagnosis of myocarditis. Cardiology admitting note: Pt. is an otherwise healthy 14yM who presents with acute onset atraumatic chest pain i/s/o recent covid vaccine, found to have mildly elevated inflammatory markers and troponin with borderline ST changes on EKG most consistent with mild peri/myocarditis at this time given overall well appearance on exam without hemodynamic or respiratory compromise and grossly normal function on POCUS, though plan for formal echo in AM. EKG w/ non-specific ST-T wave changes in precordial leads, no evidence of strain or block. Admitted to the cardiology service for serial troponins, ECHO, and close monitoring. HPI per cardiology consult note: "Patient is a healthy 14 year old with a history of alopecia who presented to the ED with mild chest pain 4 days following his first Covid vaccine (Pfizer). He had no symptoms in the days immediately following vaccine, and played basketball the day following with no symptoms, but after waking up today began having dull mid sternal chest pain. It was a 4/10, worse with lying down, non pleuritic, not sharp, and not radiating pain and not associated with any other symptoms including SOB, numbness, GI pain, cough, or anything else. Has not taken any meds for the</p>

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

						<p>pain. Has not exercised today. Felt "warm" this AM, but didn't check temperature and felt better throughout the day. No palpitations, dizziness. Denies ever having chest pain before and no recent illnesses or sick contacts. No notable hx of cardiac disease. In the ED, troponin mildly elevated to 0.12 ng/mL and CRP 5 with low ESR and BNP. Bedside point-of-care US reportedly showed no clear effusion with grossly normal function. HR mainly in 70s in ED and normotensive. EKG with borderline nonspecific ST elevation in V3-V6.~~</p>
1361192	5/29/2021		17 F	5/29/2021	5/29/2021	<p>Syncopal event. Patient was found lying on the ground after being vaccinated with Pfizer first does. Pt had prior history of fainting, and was vaccinated in a supine position. Pt stayed in a supine position for about 7 minutes and walked to the observation area with her mom. Patient was assessed by paramedics and myself. She regained consciousness approximately 10 seconds after even or less. Initial BP 121/83, HR 64, O2 100% room air. Pt vitals retaken at 10:37 BP 110/74, HR 72, O2 100% room air. Pt was advised to stay for an additional 15 minutes and reassessed. Patient left in stable condition with mom.</p>
1361260	5/29/2021	CA	14 F	5/28/2021	5/28/2021	<p>Patient received the first dose of Pfizer on 5/28/21 and during the 15 minute waiting time after the immunization, patient fainted. Patient did not fall or hit head, due to father being in the proximity and able to protect her from hitting the floor. Patient regained consciousness quickly within seconds and was moved to the floor while her feet were elevated. Patient stated that she saw a bit blurry and feeling shaky right before fainting. Patient was seen to be a bit pale in the lips but color came back after a few minutes. When patient's mother came, it was learned that the patient had a similar experience with an allergy shot in the past. Patient blood pressure was 110/71. Patient laid on the floor for a while before sitting back up.</p>
1361320	5/29/2021	MN	17 F	5/27/2021	5/28/2021	<p>She fainted and collapsed about 18 hours after receiving the second dose (6:30 am). She was confused for about an hour after she fainted. She was on ibuprofen (400 mg taken at 5:30 am). Other than weakness, headache, and fever, she has had no other adverse reactions so far besides the single fainting episode.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1361002	5/29/2021	ND	13	F	5/29/2021	5/29/2021	Approximately 3 minutes after receiving the shot, the patient fainted for approximately 15 to 20 seconds while seated in the waiting area. Patient reported feeling nauseous but did not vomit. EMT was called to the scene and checked her pulseox was at 100 and pulse was at 60 approximately 13 minutes after shot injection.
1361179	5/29/2021	NY	12	F	5/28/2021	5/28/2021	5 mins after being on the observation area patient experienced a feeling of dizziness while being with her mother, she fainted but didnt fall as she supported her body, mother expresses that something similar happened recently when she went to obtain blood work for her ab test. Also fx hx of vasovagal sx as per discussion. Denies any chest pain, no SOB, no HA, no palpitations. Pt was transferred via wheelchair to the medical stretcher area and was observed and lie down in supine position with elevation of her legs for 30 mins. Patient left home without further episodes and stable, VS at time were 100/64 HR 67 Dr and EMS were at the site. Medical Advised provided
1361164	5/29/2021	WA	17	F	5/18/2021	5/19/2021	Dizziness, presyncope with exertion, nausea, occurring daily
1361162	5/29/2021	OH	14	F	5/29/2021	5/29/2021	Syncope and paleness
1361120	5/29/2021	NC	17	M	5/29/2021	5/29/2021	Patient passed out after receiving Vaccine. I called the paramedics they observed the patient and released him to his father.
1361054	5/29/2021	NC	16	M	5/29/2021	5/29/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient was very worked up and nervous before receiving vaccine. Seemed to calm down after vaccine administration. Within a few minutes patient fainted. Had patient lie down with feet up. Once patient could sit up, blood pressure reading 75/42. Patient was given water and laid down/sat for about 30 minutes. Feeling better and blood pressure reading of 98/69 before leaving store.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1361020	5/29/2021	MA	14	F	5/28/2021	5/28/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: Hypotension-Medium, Systemic: Shakiness-Medium, Additional Details: pt passed out immediately after vaccination briefly, when she regained consciousness she convulsed for about 2 seconds, heart rate at 58, with weak pulse, called 911, pt taken to er as a precaution
1358311	5/28/2021	MI	16	F	5/27/2021	5/27/2021	Patient received the Pfizer vaccine. Patient left to sit in out waiting room after vaccine. Patient's mother informed in a few minutes that the patient was not feeling well. She stated that the patient felt hot. I grabbed an ice pack on my way out to her. I put the ice pack behind her neck. Patient passed out within a minute of me getting to the patient. She came back to quickly and stated that she was having a hard time seeing and hearing. She then again passes out. At this point I made the decision to call 911. I delegated to my tech to call 911. She called 911. I asked my other tech to come help me thinking the patient my have needed to be lower to the ground. The patient again regained consciousness. At this point I asked tech to call our Store Director and inform them. I also asked that she get me a water for the patient. The patient was feeling better and drank some water. She then again passes out. This time we were struggling to get her to regain consciousness. I used sternal rubs to help the patient regain consciousness. I was having a hard time finding her pulse. This lasted for a minute or two and then she started responding. Right then EMS arrived and took over. I gave them the information I had and they took her vitals. EMS decided that she was stable and could go home to be monitored by mom. I did call the Mother the next morning to check on the patient. The patient did well last night and was feeling good this morning.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1357676	5/28/2021	PA	15	M	5/27/2021	5/27/2021	Systemic: Chills-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: PATIENT RECIEVED VACCINE AT 2P. Sat in waiting area for about 10 minutes. Our observer noticed that the patient was sliding in his seat and looked dizzy. Patient starting to flutter his eyes and lost consciousness for about 5 secs. He complained about blurry vision, feeling hot, sweating, but with chills. Patient was given water. After he drank the bottle of water patient felt fine. The ambulance was called and arrived, patient reported he felt fine. Patient did not eat/nor drink water today.
1357696	5/28/2021	IL	16	F	5/27/2021	5/27/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium
1357884	5/28/2021		16	F	4/15/2021	4/17/2021	Myocarditis. Chest pain started 2 days after the 2nd shot. Elevated troponin and went upto 20. Near syncope and tiredness.
1358089	5/28/2021	VA	14	F	5/28/2021	5/28/2021	Patient became dizzy and very pale in the waiting area post vaccine. 11:29AM layed patient down in cot with an ice pack. 11:36 Patients color returned in her face. B/P 99/58, pulse 67, O2 98% and patient states feeling better. 11:38 BP 100/57 Pulse 66, and O2 98. 11:42 Patient sitting position now, and denies dizziness. Drank some water. B/P 100/57. 11:50 Patient stood up and denies any complaints. Patient states she passed out as a young child after an injection. Patient had no food this morning before her appointment. Advised to eat and hydrate before next vaccine, and to lay down for injection.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1358138	5/28/2021	IA	13	F	5/28/2021	5/28/2021	RN reported that patient became flaccid after her vaccination, then became rigid, crossed her legs, and lightly slammed her head back against the wall. He reports that she fainted but had some seizure-type activity, but minimalized. She was monitored by both RN and myself. She was lowered to the floor to lay on the floor, was fanned, and her BP and pulse were monitored by RN. She was accompanied by her mother, and her mother declined having EMS contacted. Once patient regained consciousness, she was alert, laughed and talked to us, and regained a sitting position. We then gave her cold water to drink, and she was able to get up into a chair. After sitting for several minutes, she was able to walk out of the room and into one of our monitoring cubicles for an extended monitoring timeframe. We kept her here for 30 minutes for further observation, then left accompanied by her mother. Due to RN's report of the seizure-type activity, mom is going to contact patient's pediatrician to see if further treatment is needed.
1357903	5/28/2021	OH	17	F	5/18/2021	5/18/2021	Passed out/ got chills and sweats after receiving vaccine at the Pharmacy. Proceeding the vaccine she had headaches and still gets them and it's currently 05/27/2021 which it's been 9 days since also for 3 days after vaccine was extremely exhausted.
1358363	5/28/2021	CA	17	F	5/27/2021	5/27/2021	at 2:30pm pt had temporary loss of consciousness for approx. 15 seconds pt. was safely assisted to gurney and placed in supine position with BLE elevated. vitals monitored VS BP 97/67 P-65 RR-17 o2SAT 97% RA pt offered fluids and snacks pt refused snacks pt had water. 230pm pt denies dizziness no headache no SOB no lightheadness vitals BP80-/50 17,69, 98%RA 245pm pt bp still cont. to be below normal. bp 87/57 P-63 RR-18 o2SAT 97% RA pt was recommended to sent to hospital for further eval. 255pm 911 came and eluated pt per paramedics based in theri eval. pt. &mother was made to choose to go to the hospital or go home pt. and mom choose to go home. #23 Syncope #21 went home against med advice
1358440	5/28/2021	VA	12	M	5/28/2021	5/28/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Hypotension-Medium

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1358513	5/28/2021	NY	17	F	5/18/2021	5/19/2021	She had been bleeding since May 2. We took her to Hospital Pediatric ER on Thursday, the ambulance took her in because she had a seizure on Wednesday (the Ambulance - they stabilized her that day and took her vitals and was sure she was okay - they knew we had an appt to go in the next day at 10:00 am for tests (previously scheduled); Thursday morning she had another seizure - we gave her seizure meds and she came out that - she ate breakfast after and then took her regular meds and the next thing we know ,50 minutes later, her head drop forward and her arms go completely limp and there was no response. She was breathing but she was out. I called the ambulance. And they took her in to ER. What they put in the paperwork was that she had a seizure and they wrote that she had had syncope episode - it took 20 minutes to come out of it. Which she has never had anything like that. We were in the ER for 7 hours. Was admitted to Hospital -from 24th -28th.
1359541	5/28/2021	TX	16	M	5/28/2021	5/28/2021	About 10 mins after shot, fainted with eyes rolling back in head, convulsions for a few seconds. Patient helped to lay on floor. Showed confusion for a few seconds and then came to. EMTs checked vitals and blood sugar levels and said things were normal. Visited urgent care facility a few hours later where physician said episode was likely vasovagal syncope.
1358603	5/28/2021	CA	14	F	5/13/2021	5/13/2021	Participant's mother states her daughter received the vaccine around 3:30pm. PT mother states her daughter felt a headache, felt dizzy and then had a syncope at around 6:00pm. 911 was called. PT mother states they went to the hospital where lab work was done. They told her that her daughter's potassium, iron and sodium was low. The medical staff said she was excessively dehydrated. Her mother states as for today her daughter gets easily dizzy after she eats, and gets headaches, feels light headiness and I have been IV liquids to give her levels up.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1358328	5/28/2021	MA	12	F	5/14/2021	5/14/2021	Within 3-5 minutes, she was asking for water and feeling hot. Her back was sweaty. Her eyes looked like they were glazed- not responding; didn't look bright. She got some water and an ice pack on her back and removed her shoes and put her feet up. After drinking the water and keeping the ice pack on for the rest of those 15 minutes. Nurses were there watching her. And she was able to walk out of the clinic on her own power. It had looked like she maybe would have passed out without the intervention of water, ice pack and getting her feet up. She had muscle pain in her arm (of injection site) that day and into the next day. The muscle pain in her arm lasted for about 24 hours.
1358757	5/28/2021	CA	15	F	5/28/2021	5/28/2021	Approximately 10 minutes after the 1st dose, the patient fainted in the store and hit the back of her head. She regained consciousness immediately. She was alert but pale and complained of pain on the back of her head.
1358779	5/28/2021	AL	14	M	5/28/2021	5/28/2021	patient received vaccine and immediately passed out and hit the floor. he woke up soon after and we gave him some water and crackers and he felt better. we called the ambulance and they came and checked him out and he was fine so he and his mom went home. he walked out on his own and was fine. no issue at the injection site, etc. i think he just passed out from nerves and not eating all day.
1357792	5/28/2021	CA	16	M	5/9/2021	5/10/2021	Received 2nd Pfizer COVID vaccine 5/9. On the evening of 5/10 he awoke with severe 7/10 CP located centrally and radiating down both arms. Not a distinct pain such as sharp, stabbing, burning, throbbing but located in center of chest and was really uncomfortable. No other associated CV symptoms (palpitations, SOB, syncope). Pain slightly worse supine. Pain self-resolved but recurred on 5/12. he had no symptoms of COVID disease.
1354269	5/27/2021	TX	13	M	5/26/2021	5/26/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1354739	5/27/2021		17	M	5/22/2021	5/22/2021	After 10 minutes of administration the patient fainted. He was lowered to the floor and awakened almost immediately. BP was 127/65, pulse was 63. He was pale. A physician was in attendance the entire time. Once he was better he was transferred to a stretcher. Mother stated he had been at an overnight sleep over, she had picked him up from there and came directly to the clinic. He stated he had nothing to eat or drink that morning. he was given water and some snacks.. MD released him when he appeared to be back to baseline. He was seen in the pediatrician's office on the 5/24/21 as a followup at the parent's request at which time no issues were found. Patient's father had asked the pediatrician's office to see the patient following the inoculation that day which the office deferred as an MD was attending this patient in the clinic.
1354708	5/27/2021	WA	14	M	5/22/2021	5/22/2021	Fainted 20 min after vaccine, after the waiting period waiting to check out. Vitals were taken and observed for another 20 min. Has been ok since. No additional symptoms.
1354502	5/27/2021	IL	13	M	5/26/2021	5/26/2021	Systemic: Allergic: Anaphylaxis-Severe, Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Headache-Medium, Systemic: Weakness-Severe, Additional Details: pt was mostly unresponsive and turning white and motionless; throat closing up; no other choice but to give the epi-jr shot; after administering the shot the patient started to feel better but we decided to still call 911 to be on the safe side
1354483	5/27/2021	RI	16	F	5/27/2021	5/27/2021	patient became pale white ; lightheaded, had to lay her down to prevent full fainting episode
1354471	5/27/2021	WA	14	F	5/25/2021	5/25/2021	Patient received her first dose of the vaccine then fainted shortly after.. She appeared unresponsive and her cheeks were flushed. Patient only responded to verbal command with confusion. Permission was obtained from ER Dr on duty to administer EpiPen at 0.3 mg Patient was then transported to ER

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1354466	5/27/2021	OR	13	F	5/26/2021	5/26/2021	Patient experienced vasovagal syncope within a minute of her vaccination. Helped patient lie down on the floor and explained situation to her. Assisted patient to cot, and provided apple juice. Encouraged patient to call her mom and continued to monitor patient's status.
1354457	5/27/2021	WI	17	F	5/27/2021	5/27/2021	Patient fainted in a chair in the waiting area during observation period (~10 minutes after vaccination). Patients guardian said the patient has a history of vasovagal syncope in medical environments. Patient recovered in a few minutes. Patient remained in the chair for 15 minutes until her guardian and her were able to leave the store on their own accord.
1354352	5/27/2021	NJ	17	F	5/26/2021	5/26/2021	Patient upon seated for the 15 minutes post-vaccination fainted. When she was coming through, she started shaking as if she was having a seizure. When I reached the patient, she was shaking and then came through and stopped shaking. Patient was still pale, sweating, and didn't feel okay. 911 was already called once the patient was shaking. As I am checking in on the patient, the mom discloses that she has fainted at least twice before and when she comes through she shakes but it is not seizures. However, during the screening process, patient and mom stated the patient never had any problems when getting vaccinated. I got her BP checked and it was 102/61 and HR of 92. We had the patient sit still and drink water. When EMS arrived within 5-10 mins, they took her vitals and it was 112/70s and HR of 84 with 98% O2 sat. Patient and mom decided to be taken to the ED to make sure she is okay.
1354742	5/27/2021		15	M	5/24/2021	5/24/2021	Patient had syncope and dizziness after 1st pfizer vaccine dose at another facility. Patient has previous history of syncope approximately 2 months ago after blood donation was seen and evaluated by cardiologist. Initially skin on face slightly pale, sweaty arms -improved after lying down on bed. Oriented X3, BP 95/57 O2 sat 99% HR 61, was offered apple juice and peanut butter crackers, left ambulatory with his mom, asymptomatic at time of discharge.
1354286	5/27/2021	NJ	17	F	5/26/2021	5/26/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Additional Details: Patient recovered in about 20 to 25 minutes.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1354731	5/27/2021	TN	12	M	5/26/2021	5/26/2021	Called out to vehicle by Covid staff that a patient had passed out. Upon approaching vehicle, patient is in passenger side of his mothers van, with mother in driver seat, and is awake. Patient is very pale and is sipping on Powerade. Mother reports that patient passed out for about 10 seconds about 3 minutes after receiving Covid vaccine. She also reports that patient does this every time he gets any type of injection. Blood pressure at this time 118/60. Patient is becoming less pale and reports he is starting to feel better. Patient reports that he hasn't had anything to eat or drink all day. Patient and mother deny the need to call the ambulance for evaluation. Patient continues to be less pale and feeling better. Encouraged patient and mother to always eat and drink before receiving an injection and to wait at least 15 minutes and to make sure he is feeling completely back to normal before leaving. Patient and mother report good understanding.
1354328	5/27/2021	PA	17	F	5/25/2021	5/25/2021	Site: Pain at Injection Site-Medium, Systemic: Chills-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Fever-Medium, Systemic: JAW AND THROAT PAIN-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium
1355585	5/27/2021	SC	16	U	5/27/2021	5/27/2021	passed out for at least 30 seconds, dizziness, lightheaded, black out, hot/clammy skin, sweating, ringing in the ears, disoriented 911 was called and responded to by both fire and medical paramedics vitals were taken and patient was observed for an additional 20 minutes before leaving when he had returned to a stable condition
1354683	5/27/2021	MN	15	F	5/27/2021	5/27/2021	Patient fainted at check out desk. All necessary precautions were utilized. Patient walked to check out desk and started to fall forward. Desk staff and mom caught patient and lowered her to the floor. Patient became conscious and sent over to observation area and was monitored for 30 minutes. No injuries sustained during fall and was able to leave with mom.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1356062	5/27/2021	CO	17	F	5/27/2021	5/27/2021	Patient fainted and felt hot. Patient fainted within 10 seconds of receiving vaccine. Once patient came to, she sat down for about 15 minutes and felt better. Patient stated she did not eat anything before.
1354983	5/27/2021	IL	14	M	5/27/2021	5/27/2021	passed out in aisle of store 5 min after receiving vaccine. mother and sister have history of passing out (vaso-vagal rxn). mother, neighbor and pharmacist sat him up in chair in aisle while 911 was called. all stayed with patient until emt arrived and patient left with them.
1355777	5/27/2021	CA	14	F	5/27/2021	5/27/2021	Pt fainted/syncope s/p vaccination. No head injury. Experience nausea. symptoms self-resolved and pt discharged home in stable condition with family. BP 93/56 HR 76 RR 16, unlabored SpO2 99% RA
1355600	5/27/2021	MI	17	F	5/27/2021	5/27/2021	Fainted shortly after vaccination, patient was seated and assisted
1355813	5/27/2021	CA	15	F	5/26/2021	5/26/2021	patient received the fist dose of Pfizer and started to experience syncope during her 15 minutes post-monitoring. EMT was called per mom's request because patient wasn't feeling good. Patient was escorted out with EMT.
1355583	5/27/2021	SC	16	U	5/27/2021	5/27/2021	passed out for at least 30 seconds, dizziness, lightheaded, black out, hot/clammy skin, sweating, ringing in the ears, disoriented 911 was called and responded to by both fire and medical paramedics vitals were taken and patient was observed for an additional 20 minutes before leaving when he had returned to a stable condition

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1355556	5/27/2021		16	F	5/27/2021	5/27/2021	PATIENT'S FATHER REPORTED AFTER PATIENT SAT DOWN IN OBSERVATION AREA, SHE REQUESTED A WATER. PATIENT AND MOTHER WALKED TO RETRIEVE WATER AND AS SHE ENTERED THE TENT PATIENT REPORTED DIZZINESS AND VISION DISTURBANCE. PATIENT STATED SHE BEGAN TO SEE BLACK AS SHE WAS SEATED. NURSE WAS CALLED OVER. DAD STATED PATIENT'S BODY SLUMPED OVER AND HE SUPPORTED HER IN THE CHAIR. THE NURSE WITNESSED FULL BODY UNCONTROLLABLE SHAKING FOR LESS THAN 20 SECS. LOC ASSESSED AND PATIENT WAS AOx4 IMMEDIATELY FOLLOWING THE SHAKING. NURSE ALSO OBSERVED PALE LIPS. FLUIDS OFFERED AND CONSUMED. MD & EMS PAGED. DAD REPORTED TO MD, PATIENT HX OF FAINTING. PATIENT BECAME PALER. MD ADVISED AGAINST PLACING PATIENT ON GROUND. GURNEY PROVIDED. PATIENT FEET ELEVATED. VS OBTAINED #1 BP: 76/48; #2 83/52, p: 60, RR: 16; O2: 98%; #3 BP: 85/53, P: 81 at 1540. PATIENT OBSERVED WITH FEET ELEVATED FOR LESS THAN 10 MINS. MD RECOMMENDED PATIENT REMAIN IN OBSERVATION FOR 15 MINS PRIOR TO LEAVING. PATIENT MOVED TO CHAIR SEATED UPRIGHT POSITION WITHOUT ASSISTANCE FOR 15 MINS. 15 MINS ELAPSED, MD MADE AWARE AND DECLINED TO REEVALUATE PATIENT AT 1555. PATIENT EXITED OBSERVATION AREA ACCOMPANIED BY PARENTS AND BROTHER WITH FLUID IN HAND IN STABLE CONDITION.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1355390	5/27/2021	IL	15	F	5/26/2021	5/26/2021	Pt came in to pharmacy with her mom for her 1st dose Pfizer vaccine appointment at 2pm on 5/26/21. We checked her in and (pharmacist ) gave her shot with her mom present at 2 10pm and she was fine with no issues. Within 2 minutes in of her observation period, she started fainting and having seizure like for about 10 seconds, and regained conscious and said she felt dizzy and then blacked out. She was pale and sweating and asked for water. Our shift lead happened to be closed by her chair where she was sitting so she prevented pt from falling down from the chair and called pharmacist for help from inside the pharmacy. Pharmacist rushed to the patient and asked shift lead to call 911. Pt was conscious, but lethargic, she could breath normally, no sign of obstruction airway. Pharmacist lift her legs up to opposite chair and started to take BP. Paramedic arrived within minutes and took her vitals which was normal. Mom agreed for paramedic took her out in stretcher to hospital for check up.
1355326	5/27/2021		17	F	5/27/2021	5/27/2021	An attendee fainted after receiving vaccine Pfizer 1st dose. She didn't lose her airway. The business called 911 they assessed the situation and said she was ok. Patient up walking around.
1355252	5/27/2021	RI	15	F	5/26/2021	5/26/2021	After the vaccine within second my child was sweating was taken out the waiting area before the 15 minutes and passed out on the floor .we have a broken jaw missing teeth and concussion there no protocol being followed my family is going through the worst right now this could have been avoided if guidelines were followed
1355054	5/27/2021	CA	12	M	5/26/2021	5/26/2021	sees black, was dizzy, blurriness, clammy skin, diaphoretic. Apple juice, Graham crackers, icepack, fan air-- felt better, having whole conversation, no complaints 18: 50 --84,16, 82/42, 18: 58-- 86/58, 99, 16, 98% monitored for 30 minutes, walked out of clinic with parent in stable condition give juice, icepack-- better no meds, no previous fainting episode
1355000	5/27/2021	CA	12	M	5/26/2021	5/26/2021	sees black, dizzy, blurriness, clammy skin, diaphoretic 84,16, 82/42 86/58, 99, 16, 98% given juice, icepack-- felt better no meds, no previous fainting episode

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355765	5/27/2021	MD	13	F	5/20/2021	5/20/2021	Before I administered the vaccine, the mother stated that she sometimes has an issue with fainting, but mainly at the doctor's office out of fear. She assumed that since this was a different environment, she would be okay. After giving her the shot, she fainted. The mom called 911. I waved an ammonia inhalant under her nose, and she was revived. Her twin brother informed me that she has been in an ambulance 4 times prior after getting shots. Had I known she had a history of fainting, I would have suggested that she receive the vaccine at the pediatrician's office once it becomes available. The mom refused to go to the hospital once paramedics arrived. She sat for 15 minutes, I applied a cool cloth, she drank water and was able to walk out on her own.
1351062	5/26/2021		12	F	5/26/2021	5/26/2021	AE: Syncope( at 11am) Treatment: no medication was given. patient was under observation. Water improved symptoms Outcome: symptoms resolved and patient was sent to POV/Home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1350637	5/26/2021	VA	16	M	5/23/2021	5/24/2021	<p>Previously healthy 16 year old male presenting to hospital as a transfer for chest pain and elevated Troponin levels concerning for myocarditis. Patient has otherwise been healthy. Two days ago he received his second dose of COVID vaccination. He initially felt fine, but later that day had some body aches. The next day he felt feverish off and on and had dull left upper sternal border chest pain intermittently. Today, he reports sharp 7/10 mid sternal chest pain, lightheadedness, sweating, chills, and intermittent non-productive cough. He presented to original hospital for evaluation. The patient admits to tactile warmth since Sunday with no documented temperatures. He recently received his second dose of Pfizer just before onset of these symptoms. He reports difficulty sleeping since Sunday, but no shortness of breath, rashes, syncope, nausea, or vomiting. He has not had any other recent illness, fevers, or known COVID-19 exposures. He denies any history of prior cardiac disease and there is no known family history of cardiac disease, arrhythmias, or sudden death in the child or adolescent period. He denies illicit or recreational drug use. In the ED, he was well appearing with pain now 1 out of 10. POC troponin was 16.8 ng/mL. He had labs pertinent for ESR 10, CRP 3.0, BNP 24. RP2 PCR was negative. UDS was negative except for opiates (s/p morphine). IV was placed and patient was started on IV fluids. EKG was obtained and showed questionable left atrial enlargement per ED read. Cardiology was consulted and performed Echocardiogram in the ED at bedside and was within normal limits. Cardiology resident team contacted for admission. Past Medical History: No major medical diagnoses Past Surgical History: Orchiopexy, T&amp;A Family History: No cardiac family history Social History: Lives at home with mother. Has two healthy siblings not living at home Immunizations: Up to date Medications: None Allergies: NKDA Etiology of likely myocarditis remains unclear at this time. In his age group, this would most likely represent a viral myocarditis. He would likely benefit from cardiac MRI during this admission for further evaluation of myocarditis. His EKG findings with his age group are unlikely to be secondary to myocardial infarct. No arrhythmias or heart block noted on EKG at time of admission or telemetry in ED. There is no family history of autoimmune disease or cardiac disease to suggest an</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							autoimmune component or genetic etiology.
1350306	5/26/2021	IL	16	F	5/25/2021	5/25/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Hypotension-Medium
1350955	5/26/2021		15	F	5/25/2021	5/25/2021	Syncope. Pt fainted and fell on Left side. Had small elbow abrasion. No Bleeding. Pt denies hitting head. No swelling noted. HR stead 80-100, RR 18. BP 128/82 -- > 110/65 -- > 112/74. Pt symptoms resolved. Pt stable and released from the vaccination site.
1350883	5/26/2021	ID	12	F	5/18/2021	5/18/2021	Episode of syncope after receiving the covid vaccine. Secondary injury to back of head after falling out of chair. 3:05 PM Vital Signs: BP 118/62 HR 92 Resp 18 O2Sat 98 Skin Signs: Warm and dry Initial Treatment: Initial impression: altered mental status, shallow breathing, pupils Perla. Patient regained consciousness and was able to respond to questions. Patient was placed in a wheel chair and taken to triage area. Vitals taken. 3:20 PM Vitals: BP 116/82 HR 82 Resp 16 O2Sat 98 Skin Signs: Warm and dry Circulation: Cap refill <2sec Respiratory: Breath sound clear bilaterally Follow up Treatment: Denies nausea. AOx1 No longer feeling 'shaky'. Very sight swelling at the site of head injury. Ice pack in place. 3:35 PM Vitals: BP 116/66 HR 78 Resp 16 O2Sat 99 Skin Signs: Warm and dry Circulation: Cap refill <2sec Respiratory: Breath sound clear bilaterally Follow up Treatment: Home with mother with CHI instructions.
1350773	5/26/2021	PA	12	F	5/22/2021	5/22/2021	Patient turned pale after vaccination; fainted without injury. Completely recovered within minutes with hydration and support.
1350757	5/26/2021		15	M	5/25/2021	5/25/2021	Syncope, Vomiting, flushing/sweating. BP 122/47, HR 51, RR 16 -- > 125/71, 54, 16. Pt fell to the floor but recovered after resting. Pt stable and released from the vaccination site.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1350634	5/26/2021	MI	16	F	5/17/2021	5/17/2021	Patient sat about 2 minutes after getting vaccine and started to walk away to sit in our designated area. She immediately turned around to sit down again. She then proceeded to start falling to her right and passed out. I was able to catch her and then she started shaking as if having a seizure. This lasted about 5 seconds. She stopped and then it happened again for about 5 seconds. When she came to, she tried to walk away again and had to return to sitting. Then she vomited twice. Upon checking her blood pressure after about 30 minutes, it was 97/66. She sat for a total of about an hour before feeling good enough to leave. She was nauseous for the remainder of the day and the next day as well.
1350483	5/26/2021	FL	16	F	5/25/2021	5/25/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Severe, Systemic: Vomiting-Mild, Additional Details: Patient temp at time of incident was 96.8. About 8 minutes after vaccination was given patient became pale and passed out for several seconds. Patient was dizzy and vomited. No other symptoms. Called paramedics to make sure patient was okay. Gave patient some water and spoke to patient until the paramedics arrived. Paramedics took her vitals and after while they cleared her. She was able to walk out on her own and went home with her father and brother.
1350477	5/26/2021	TX	17	M	5/25/2021	5/25/2021	Site: Bruising at Injection Site-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1350414	5/26/2021	PA	14	M	5/25/2021	5/25/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe, Systemic: Vomiting-Severe, Additional Details: AFTER SHOT ADMINISTERED,PATIENT WAS WALKING TO WAITING AREA FOR OBSERVATION, WE FAINTED AND HAD 2 SEIZURES ABOUT 40 SECONDS LONG. NO PULS OR BREATHING. GAVE 10 CHEST COMPRESSIONS AND 2 BREATHS. EMERGENCY WORKER SHOPPING IN STORE HELPED ROLL TO RESCUE POSITION AFER FEEELING PULSE IN THE WRIST. HE SPIT UP A SMALL AMOUNT OF SPIT. HE SHORTLY CAME AORUND IN ABOUT ANOTHER MINUTE. NO EPINEPHRINE WAS ADMINISTERED.
1350381	5/26/2021	LA	17	F	5/17/2021	5/19/2021	Two days after receiving the vaccine, the patient fainted at the home. Has had intermittent shortness of breath, and dizziness
1350358	5/26/2021	NY	14	F	5/23/2021	5/23/2021	Systemic: Fainting / Unresponsive-Severe, Systemic: Hypotension-Severe, Systemic: Nausea-Medium, Systemic: Shakiness-Medium, Systemic: Weakness-Severe, Additional Details: within minute of injection patient passed out, parent and witness said patient had seizure like shaking (I did not personally witness this), became extremely pale and non-responsive for few minutes. Before shot given Mom informed me patient normally faints and has extreme anxiety and aversion to needles.
1351245	5/26/2021	WI	12	M	5/21/2021	5/21/2021	Chief complaint: Fainting post vaccination 1500: Sat up and briefly felt better. Needed to lay back down due to feeling lightheaded and faint again. 1515: Reports feeling "a little better". Able to sit up again. Slight headache 1522: Sitting up in chair, drinking water, reports feeling fine. Went home with his mother
1351069	5/26/2021	CA	17	F	5/25/2021	5/25/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild
1350378	5/26/2021		13	F	5/22/2021	5/22/2021	AE: light headed, dizzy, pale, fainted Tx: n/a, just food and drink Outcome: juice, crackers helped resolve AE. pt was discharged home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1352127	5/26/2021	CA	17	F	5/25/2021	5/25/2021	Pt fainted several minutes following vaccination. Pt's mother was vaccinated, then patient, then patient's sister. Pt left vaccination chair following vaccination to allow her younger sister to sit. She stood for several minutes, leaning against wall/counter but immediately after her sister's vaccine she fainted. She slid down the counter but her mother and the vaccination caught her before she landed on the floor. She lost consciousness for approx. 30 seconds, regaining it slowly. While no health conditions were reported on the VAR form the pt appeared to possess traits of a developmental difficult such as Down's syndrome. While she awoke she didn't want to speak and appeared nervous. After approx. 2 min the patient spoke voluntarily. After several more minutes of deep breaths, patient sat up and answer questions regarding the time and place and personal history. She moved to another area to sit, was given water, and after approx. 25 min, left with her family.
1351004	5/26/2021		15	M	5/26/2021	5/26/2021	AE: Syncope( at 11am) Treatment: no medication was given. patient was under observation. Water improved symptoms Outcome: symptoms resolved and patient was sent to POV/Home.
1352528	5/26/2021	CO	13	F	5/1/2021	5/22/2021	Patient fainted immediately after receiving the Pfizer vaccine. She regained consciousness immediately as soon as patient was placed on her back on the floor with feet elevated. Her blood pressure was normal and she was kept under watch for 20-25 mins after receiving the vaccine and she left the clinic after we observed her for 20-25 mins and she was doing absolutely fine. Followed up with the parent on Wednesday 5/26/21 at around 7:45pm. Mother reported patient is doing absolutely fine. I told patient's mom, fainting can be caused due to nervousness and drop in oxygen levels to the brain. However, this adverse effect will be reported to patients doctor and also to the VAERS for Pfizer covid-19 vaccine.
1351342	5/26/2021	NC	15	M	5/26/2021	5/26/2021	After receiving patients first Pfizer Covid shot patient passed out twice. EMS was contacted at this time. Patient regained consciousness each time. He then passed out a third time after EMS arrived at the seen. Due to this he was transported to nearest hospital ER for further testing

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1352136	5/26/2021	WA	14	F	5/26/2021	5/26/2021	Patient with history of syncope following vaccine administration came to the pharmacy for COVID vaccine. She was accompanied by her father. They warned me of the history prior to giving the vaccine. Within a minute after administration, patient fainted in the chair and slide accompanied by myself and dad to the floor. She was out for about a minute. She rested on the floor for 5 minutes and then moved to the chair, where she recovered for 10 minutes. When she felt able to walk, she went the the pharmacy lobby and continued to recover until 4:18pm.
1352119	5/26/2021	MI	17	M	5/26/2021	5/26/2021	Patient passed out after receiving vaccine. He hit his head and stated his teeth hurt.
1352113	5/26/2021	PA	14	F	5/26/2021	5/26/2021	patient became dizzy and lightheaded. patient passed out.
1351926	5/26/2021	NE	12	M	5/26/2021	5/26/2021	PFIZER COVID VACCINE ADMINISTERS APPROX 4PM, 4:03PM (APPROX.) PATIENT FAINTED IN CHAIR IN WAITING AREA. MOM & PHARMACIST GENTLY LAID PATIENT DOWN ON FLOOR, PATIENT REGAINED CONSCIOUSNESS WITHIN 1 MIN & WAS ALERT, KNEW HIS NAME, WHERE HE WAS, WHAT WAS HAPPENING. GAVE PATIENT OJ, WATER, GRANOLA BAR, TRIED TO HAVE HIM SIT IN CHAIR AFTER ABOUT 5-10 MIN, BUT PATIENT STATED FEELING LIKE GOING TO PASS OUT, HAD PATIENT LAY ON FLOOR WITH FEET UP ON CHAIR. APPROX 4:30PM PATIENT VITALS: BP 72/48, HR 81, O2 SAT 99%. PATIENT FEELING DIZZY, LAID ON FLOOR WITH FEET UP ON CHAIR, CONTINUED DRINKING WATER AND OJ. APPROX. 5PM PATIENT SITTING IN CHAIR, VITALS: BP 98/62, HR 95, O2 SAT 98%. PHARMACIST CONSULTED PEDIATRICIAN WHO ADVISED IF PATIENT FEELING OKAY AND NOT DIZZY/FEELING FAINT, OKAY TO LET GO HOME BUT TO REST TONIGHT AND TAKE IT EASY. ADVISED MOM TO TAKE TO ER IF ANY FURTHER FAINTING INTO THE EVENING. APPROX. 5:10PM PATIENT LEFT PHARMACY WITH MOM AND STATED FEELING FINE. MOM ACKNOWLEDGED SHE UNDERSTOOD PLAN FOR EVENING AND TO FOLLOW UP WITH PEDIATRICIAN REGARDING GUIDELINES/HOW TO HANDLD 2ND DOSE OF VACCINE.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1351880	5/26/2021	CO	14	M	5/26/2021	5/26/2021	patient fainted within 1 minute of getting vaccine. Came around very quickly, about 10 seconds. We got him to lay down, rest with legs on chair, felt better in 30 minutes with water and cookies. this is a known issue with patient and vaccinations
1351676	5/26/2021	GA	13	M	5/26/2021	5/26/2021	Patient became nauseous 15 minutes after receiving vaccine,then vomited,then fainted. We lowered him to floor with legs raised. He regained consciousness after a few seconds,but was still not clear-headed. He was very anxious and shaking and pale. 911 was called . He was taken to ER.,but was clear headed,with heartrate slightly elevated.
1351663	5/26/2021	NJ	16	M	5/26/2021	5/26/2021	Patient had the vaccine and then he fainted after the needled removed. He passed out and then he had seizure after. He brought to the Emergency room and was released.
1351593	5/26/2021		14	F	5/26/2021	5/26/2021	Patient fainted within 10 minutes of receiving vaccine. Patient was woke up within 30 seconds of fainting. Upon awakening patient did experience nausea and vomiting. Medical intervention was not necessary. Patient was able to leave pharmacy on own power.
1351411	5/26/2021	NY	16	F	5/24/2021	5/25/2021	This patient received the Pfizer vaccine on 5/24/21 at 4:30pm and was feeling fine until the next morning at 5:30am when she felt dizzy and passed out. She then was able to get back up and passed out again. Her guardian states that she was gray in color and was very weak. She was able to communicate but was very tired and stayed at home for 2 days. Today she is feeling fine and guardian was asking if she should get the 2nd dose. I said that she should contact her physician.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1351588	5/26/2021	HI	15	F	5/15/2021	5/15/2021	Prior to arrival, the patient received her first COVID vaccine at the clinic, after which she suddenly felt dizzy, described as lightheadedness, and felt warm. She was noted to be hypotensive with SBP at 67. She subsequently drank water with some improvement. No syncope, severe headache, numbness, tingling sensations, or focal weakness. Mother was concerned and brought the child to the ED for further evaluation. Currently the patient feels better. No similar symptoms in the past. The patient denies any chest pain or pressure, shortness of breath, or abdominal pain. No recent fever or cough. She is otherwise healthy and has a normal cardiopulmonary exam and reassuring EKG. The description of her symptoms and the environment which happened is very consistent with vasovagal syncope and she does not have any stigmata, and acute neurologic or cardiac emergency. I believe she is safe and stable for discharge home and she was discharged with return precautions and follow-up instructions.
1351570	5/26/2021	MN	13	F	5/26/2021	5/26/2021	Patient was vaccinated by Dr. As she was handing her dad, her sticker, she fainted. On the way to the floor, she bumped the top left part of her head. No bump or swelling. She states it is tender but not painful. She recovered from the faint immediately with return to full consciousness. A& O X3. She was moved to a lounge chair and laid back for 10 minutes, then to sit position, then attempted stand. On first attempt she still felt dizzy so she returned to a sit for 5 additional minutes. Then she was able to walk on own accord to observation area. She kept ice pack to head the whole time. She had a juice, water, and a piece of candy. She denied other s/s. Dad was offered a copy of incident report but left prior to completion. PHN will mail to family. RN PHN

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1351439	5/26/2021	NY	15	M	5/26/2021	5/26/2021	Patient developed a short lived near syncope spell x 30 mins after receiving Pfizer vaccine while getting up from exam bed no injury to report he reported feeling warm and appeared pale and clammy and diaphoretic vitals: B/P 126/90 pulse 77 oxy 99%. He showed no symptoms of allergic reaction no rash no angioedema, lungs were clear with obstruction reporting no tingling or swelling of the tongue he was observed for 30 mins walking around normally before being transitioned back to his guardian he did not lose conscience discharge vitals B/P 123/85 sat 100% pulse 82.
1351722	5/26/2021	MI	15	M	5/26/2021	5/26/2021	FAINTED, AND HIT HIS HEAD ON THE GROUND AND TEETH NOW HURT
1352150	5/26/2021	WA	14	M	5/26/2021	5/26/2021	5/25/21 @ Approximately 12:03 pm, 14 year old Patient fainted while waiting in vaccination waiting area after his first COVID-19 vaccination (Pfizer). Patient stated that he started to have ringing in the ears and some blurred vision. Patient's father instructed patient to lay down on the three chairs in vaccination waiting area. At this time store employee came out to assist patient and patient's father. I (employee) came out to assist moments later when I saw what was happening (I had just finished a consultation with another patient). We elevated patient's legs, put and ice pack under his neck, and called 911. Patient was awake but not very talkative. Patient was very alert and talkative in Clinical Service room at the time of immunization, which was a big change from how he was immediately after fainting. Patient appeared sweaty and pale in color. Patient's blood pressure was taken at 12:09 pm and was 88/51 pulse 53 (patient was still laying down at this time). Respiration rate was 20 breaths per minute. At 12:12 pm blood pressure was taken again as patient appeared more responsive and talking more. His BP was 101/63 and pulse 63. Immediately after second blood pressure reading, EMS arrived and they took over. Patient was responsive and drink water and sitting up at this point. EMS checked patient out and was cleared shortly after. EMS stated that this will not defer patient from getting his second COVID vaccination. Before patient left he was continuing to drink water and was eating some crackers.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1346389	5/25/2021	CA	15	F	5/24/2021	5/24/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Hyperventilation-Mild, Systemic: Hypotension-Mild, Systemic: Nausea-Mild, Systemic: Visual Changes/Disturbances-Medium, Systemic: Vomiting-Mild, Additional Details: Patient felt dizzy and blackout/ fainted for less than 10 seconds. Vomiting and blood pressure on the low 96/64
1346955	5/25/2021	VA	16	F	4/19/2021	4/19/2021	Patient fainted and vomited within 15 minutes of vaccination. No treatment needed. Patient released to home with parent.
1346924	5/25/2021	WA	13	F	5/25/2021	5/25/2021	Approximately 3 minutes after her injection, the patient experienced stomach pain, hot flashes, and pallor so was taken to our roof for fresh air. While being escorted by parent and staff, the patient fainted and was supported to the ground. Epinephrine was administered and 911 was called. Paramedics arrived shortly thereafter and examined patient. Patient was cleared by paramedics and walked out of the clinic unassisted.
1346649	5/25/2021	NJ	15	F	5/24/2021	5/24/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Mild
1346636	5/25/2021	NH	17	F	5/24/2021	5/24/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Shakiness-Mild
1346623	5/25/2021	MN	12	F	5/24/2021	5/24/2021	Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium
1346613	5/25/2021	AL	17	F	5/25/2021	5/25/2021	PATEINT RECEIVED INJECTION AND ABOUT 6 MIN LATER SHE FAINTED AND HAD A 5 SEC SEIZURE. WOKE UP ON HER OWN
1346392	5/25/2021	VA	15	M	5/24/2021	5/24/2021	Patient exhibited signs and symptoms of syncope. Felt dizzy, clammy skin, nauseous. Had him lie down for 15 minutes with legs elevated and used an ice pack on the neck to help improve blood flow. Patient recovered.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1346384	5/25/2021	IL	13	F	5/24/2021	5/24/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: i administered pfizer vaccine to patient and after 5 minutes she experienced syncope and we had to call an ambulance for the patient. The NP within the store helped the patient as well by checking blood sugar, blood pressure and o2.
1347149	5/25/2021	ID	15	F	5/25/2021	5/25/2021	Pt reported feeling woozy, dizzy, and nauseous after walking out to waiting room after receiving shot. Approximately 3 minutes after shot was given I was called out to the waiting room as the patient had passed out. I helped her mother lower her to the floor and by the time we lowered her down she was regaining consciousness. After about 5 minutes she was feeling better and we moved her into the immunization room to wait for EMS. EMS came and evaluated her and determined she was ok to go home
1346442	5/25/2021	CA	12	F	5/24/2021	5/24/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient briefly fainted for 15 seconds and recovered. Patient was monitored for 30 minutes and was given fluids and granola bar. After 30 minutes passed for observation, patient was confirmed to be completely okay.
1348339	5/25/2021	NJ	14	F	5/25/2021	5/25/2021	Patient while sitting in the post-vaccination are, fainted in her chair. Upon my immediate arrival, I tapped the patient and she was coming to consciousness. Patient upon awakening, felt nauseous and wanted to vomit, but barely did. I gave the patient water and sports drink and the patient was regaining normalcy. Both the patient and her guardian reported that she did not eat or drink anything prior to coming to the vaccine appointment and that she was very nervous and worried prior. Patient denied history of fainting. I recommended to have the patient sit for at least another 15-20 minutes, but the parent stated his daughter was fine and decided to leave.
1346965	5/25/2021	VA	17	F	4/19/2021	4/19/2021	Patient fainted within 15 minutes of vaccination. She had not eaten that day. Given some food; no treatment needed and she was released to home with a parent.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346998	5/25/2021	VA	17	M	4/21/2021	4/21/2021	Patient fainted 10 minutes post-vaccination and reportedly had shaking/seizure-like activity. Patient felt cold and dizzy and requested transport to ER. Transported to medical center by EMS.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1348637	5/25/2021		15	F	5/25/2021	5/25/2021	Female 15-year old client received her first Pfizer shot (Lot# EW0185) at 15:02. She was accompanied by her mother and 12-year-old sister, who was also vaccinated at the same station with her. Client received her shot first and waited while her sister received her shot. After both girls were vaccinated, they were walking with their mother down the hallway to the observation room. RN1 stated that from the opposite end of the hallway she saw client?s knees buckle. RN1 walked toward client to ask if she was OK. Client straightened herself out, slumped onto her mother?s shoulder, and rolled onto her mother, who guided client to the floor. At 15:09 Lead RN heard client fall to the floor, went out to the client, and radioed for EMT assistance. Client was conscious and turned her face up. Client?s mother stated client passed out for 2-3 seconds and that her head did not hit the floor. Client?s mother stated that she cushioned her fall. Client was breathing adequately, appeared pale in face and lips, and stated she was OK. Lead RN and RN1 kept client lying on the floor and elevated her legs on a chair. EMT1 & EMT2 arrived at 15:10 and checked client?s pulse (HR: 74). Client denied head, neck, and back pain. Client was alert & oriented times 3 (person, place, & event). Client stated she was OK to stand up and sit in a wheelchair. Wheeled client to extra vacant breakroom where client vitals were taken by EMT2 at 15:17 (BP: 124/60, HR: 96). EMT1?s assessment found the client exhibited good circulation, sensation, and motor function in all 4 extremities. Client denied chest pain, shortness of breath, and nausea & vomiting. Client was leaning forward in the wheelchair resting her elbows on her lap. She stated she does not remember becoming nonresponsive and that she felt dizzy when lying her head back. Client stated she has a history of anxiety and panic attacks and is currently taking Prozac. Client stated she felt hot. Client?s mother stated client ate a full lunch at 12:35. At 15:20 Lead RN provided client with a bottle of water. Lead RN & EMT also observed client?s color returning to her face at that time. Client sat upright and stated that she felt better and was alert & oriented times 4. Client and mother declined going to the hospital and calling 911 for evaluation. At 15:23 client was wheeled to the observation room with her mother and sister where she remained seated in the wheelchair for 30 minutes for additional observation by EMT1. At 1600

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1347710	5/25/2021	OR	17	M	5/25/2021	5/25/2021	EMT1 took client vitals while she was seated (BP: 116/82, HR: 68, RR: 16). EMT1 took client vitals again while having client stand (BP: 120/86, HR: 72, RR: 16). Client and mother stated they were OK to go home. Client and mother were instructed by Lead RN to follow up with HCP if client experienced any additional symptoms after going home and to call 911 if client experienced SOB or any difficulties breathing. Lead RN and EMT observed client leave the facility walking with a steady gait with her mother and sister.
1347689	5/25/2021	NC	12	F	5/25/2021	5/25/2021	A 17 Year old boy, received his first dose of COVID - vaccine, Pfizer. He walked out of the health room feeling fine. Stood outside in the waiting room talking to his mom during his 15 min observatory period. within 10 mins, he fainted and fell on his face on the floor. Till the pharmacist came out to him, the pharmacist kept tapping his shoulder and called his name out loud, he recovered and woke up. pharmacist checked his BP and was 121/71 and 68 HR. 911 was called , and paramedics came in, checked his vitals and all were normal . He just hit his chin when he fell, and bled from his gum, no loose teeth reported and a chin wound that might need glue stitches per paramedics. Patient was fine and talking when paramedics transported him to the hospital.
							Patient was given vaccine and felt fine right after. After awhile a customer came back and alerted the pharmacy that she had fainted and was in one of the aisles with her mom. she did not injure herself in the fall. We had her lay on the floor and took her blood pressure which was slightly low. We had her stay laying down until she felt better and her blood pressure increased. After about 25 more minutes she felt well enough to leave the store with her mom.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1347318	5/25/2021	CA	15	F	5/24/2021	5/24/2021	Site: Pain at Injection Site-Mild, Systemic: Allergic: Anaphylaxis-Severe, Systemic: Chills-Severe, Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Turning very pale, passed out and unresponsive, sweating-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Nausea-Medium, Systemic: Shakiness-Medium, Systemic: Weakness-Medium, Additional Details: After 5 minutes of vaccination, mom called for help in the waiting area. The patient passed out for a few minutes and responded after we both called her several times. We called 911. She was feeling nauseous. She sipped a little water and was looking very pale and was starting to become unconscious again. Mother thought it was an allergic reaction and asked for EpiPen. Epinephrine was administered, and patient became alert and less pale. EMS came and took her away due to low blood pressure
1347314	5/25/2021	GA	16	F	5/22/2021	5/23/2021	Felt dizzy and like she would pass out Felt faint and nauseous and very sweaty. MOM noted she was obviously sweating and left wet marks from her arms on the table Did have a syncope episode
1347313	5/25/2021	CO	16	F	5/21/2021	5/21/2021	16yo female pt had syncope episode approx 15 min after vaccination. Parents said they had just come off of a long international flight and that pt was very tired and had not had anything to eat or drink. After vaccination, the family walked around the store, and pt fainted on other side of store. Emergency services were called. Pt was helped to sitting upright in a chair, and had a scraped knee.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1347294	5/25/2021	CA	17	M	5/24/2021	5/24/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Mild, Systemic: Tachycardia-Mild, Systemic: Weakness-Medium, Additional Details: Patient and his father sat down in the observation area post vaccination. Within less than 5 min, the father called for help and pharmacy clerk notified the pharmacist that the patient needed attention. Patient had turned white and started to twitch lost consciousness for less than 30 seconds. Epipen was administered by pharmacist (pt was conscious, alert, and oriented nearly immediately after Epipen) and patient was reclined on his back on the floor. BP/ HR monitored while waiting for 911
1347288	5/25/2021		17	F	5/25/2021	5/25/2021	Patient passed out after receiving her 2nd dose of the Pfizer COVID19 vaccine. Patient was sitting in waiting area after receiving the dose when she passed out and her mother was holding on to her. Patient came back after a few seconds and was laid to the ground. Her BP read at 107/68 and then later at 101/71. Mom stated that patient has history of passing out before. She stayed with us until she felt better until her mom took her home.
1347260	5/25/2021	IL	17	M	5/7/2021	5/7/2021	Pfizer-BioNTech COVID-19 vaccine - Immediately after receiving his second dose of the Pfizer covid-19 vaccine, pt expressed dizziness and lightheadedness. Prior to receiving his second dose, he informed the pharmacist administering the vaccine to fainting after receiving his first dose. The pharmacist was prepared and when the pt expressed dizziness after second dose pt was able to lay down on the ground with feet up prior to becoming light headed. Pt also experience sweating and was given an ice pack. He remained on the ground for approximately 10 min until lightheadedness subsided and was then brought to the observation area where he was observed for an additional 20 minutes without incident.
1342933	5/24/2021	MI	15	F	5/21/2021	5/21/2021	Systemic: Confusion-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Numbness (specify: facial area, extremities)-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: TINGLING IN FEET

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1343095	5/24/2021	PA	13	M	5/22/2021	5/22/2021	sycope, pt started experiencing fainting symptoms such as sweating, paleness, hearing disturbances, weakness, dizziness, coldness of extremities after about 3 minutes of the vaccine, symptoms resolves in about 20 minutes.
1343559	5/24/2021	KY	14	F	5/20/2021	5/20/2021	Approximately 2 hours after receiving her first covid vaccine, my 14 year old fainted. She was standing in our kitchen at home and became dizzy and started falling backwards. She said her vision was black, she was hot, her head hurt, I could see sweat on her face and chest, and she said she was having tightness in her chest/not able to get full breaths. She didn't totally lose consciousness, but she was disoriented. These symptoms lasted a few minutes, then she felt fine.
1343538	5/24/2021		13	M	5/21/2021	5/21/2021	Pt c/o lightheadedness, dizziness, flushing/sweating, nausea. Pt vomited 200mL digested food. Pt given PO fluids. BP 93/42, HR 66, RR 20 -- > 105/57, 59, 18 -- > 108/60, 65, 16 -- > 109/68, 68, 16. Pt was COVID positive Jan 2021 (s/sx body ach). No h/o fainting with vaccines or blood draws. Pt's symptoms resolved after drinking water and laying down with knees bent. Advised taking 2nd dose supine.
1343460	5/24/2021	MN	15	F	5/21/2021	5/21/2021	Patient is here today for his covid vaccination. It was noted that he was unconscious. At 11:00, monitored by EMS for 15 minutes. History of:NA Nursing Assessment: Airway: Open Breathing: Spontaneous Circulation: Pulse present Mentation: Alert Skin: Normal Patient fainted after receiving Pfizer vaccine and was lowered to the floor, feet were raised, cold towels were applied to the patient's face, and patient was monitored on site by EMS with no further incidence and released to home care with his parent at 11:20.
1343354	5/24/2021	NY	14	M	5/24/2021	5/24/2021	Patient felt dizzy and passed out, did not hit head, was lowered to the ground. All vital signs were normal throughout experience. Patient was transported with a wheelchair, ate some crackers and drank some juice. No concerns noted, patient left clinic site, self ambulated.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1343326	5/24/2021	NJ	15	F	5/22/2021	5/22/2021	One of the physician observers wrote: From what I understand she had her shot and switched places with her sister and was standing and then just went down. I don't believe she hit her head we didn't see a lump. She came too right away and got nauseated and light-headed again sitting up so we took her to lay down on the stretcher. She was doing ok but laying down when I left. The nurse that administered the immunization wrote: She got vaccinated, tolerated it well. Told her sister she barely felt it and expressed relief. Sat for a minute while in handed her mom paperwork ( vaccination card). Then got up, stood with mom and brother. Was standing one minute and went down without warning, standing next to brother and mom. I had just finished vaccinating the sister, I was putting a bandaid on her when it happened so couldn't have been more than a couple of minutes. Dr. observed this patient after they passed out at the vaccination clinic and subsequently released her home with the family.
1343203	5/24/2021	TX	15	M	5/21/2021	5/21/2021	Patient reported feeling "nauseous" about 5 minutes after having received vaccine. Patient had an episode of syncope in the restroom. Assisted patient to sitting position was A&O x4, no signs of active bleeding or cuts. O2 saturation was 99% with HR of 83. Patient was able to swallow and answer basic commands.
1343575	5/24/2021	IA	17	M	5/18/2021	5/18/2021	Patient reported they couldnt stand the sight of blood and had fainted during draws before. Father was present in the vaccine office as well. Immediately fooling the administration of the vaccine patients eyes glazed over and he fainted. A few seconds later he began to have a spastic seizure that was short in nature, followed by a voiding of his bladder before he regained consciousness. Patient was given water, glucose tablets, and instructed to lay on the floor of the room with his feet elevated while a member of the staff stayed with him to treat and watch him. Followed up with patient and doctor soon after to learn this was the only time it has happened, patient fully recovered.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1343013	5/24/2021	CA	15	F	5/23/2021	5/23/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Shakiness-Mild, Additional Details: pt immediately said she felt dizzy& eyes began to roll. Mom stated she has a fainting condition. Her Mom & I eased her to the ground. she briefly passed out, but immediately came to and asked what was happening. Her right leg was bent back but we lifted her to straighten leg. I elevated her feet & got her some water. I also got her some gatorade & a cool wet paper towel for forehead. She leaned against her Mom for a little while, then she sat. Mom said not to call 911
1343005	5/24/2021	MD	17	F	5/23/2021	5/23/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Headache-Mild
1342993	5/24/2021	MA	14	F	5/22/2021	5/22/2021	Systemic: Chills-Mild, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Weakness-Medium, Additional Details: pt passed out after about 10 minutes while in observation area. dad was next to her and she did not fall. emt were called to check her out and after 1/2 hr pt seemed to be ok
1342953	5/24/2021	CA	14	M	5/21/2021	5/21/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: Nausea-Medium, Systemic: Weakness-Medium
1342935	5/24/2021	MD	14	F	5/23/2021	5/23/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Additional Details: PT fainted after receiving the vaccine, she hit her head against a shelf and got bruises. 911 was called to inspect the patient, intial BP was 90/60 and it became 105/60 after about 10 minutes.
1342927	5/24/2021	NY	13	M	5/22/2021	5/22/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Shakiness-Medium

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1343792	5/24/2021	TX	14	M	5/17/2021	5/17/2021	Patient (14 years old) fainted in the observation area receiving the first dose of the Pfizer vaccine. Patient fell from chair and had some scratches to right temporal region. Patient was accompanied by his mother. Patient was assisted to chair and appeared very pale and disoriented to time and place. EMS was called at 1138. Patient also stated his vision was blurred, reported nausea (emesis x1), and reported feeling very weak and ?really weird?. Patient also reported he was very sleepy and wanted to go to sleep. Patient was kept awake. Mother stated patient had history of ADHD and anxiety but no other past medical history. Paramedics arrived at 1145 and assessed patient. Blood glucose and VS were normal. Patient continued to report feeling unwell and wanted to go to the hospital but also wanted to ?stop for food?. Patient?s mother reported that patient was starting to sound like his normal self and that his color was returning. Patient?s mother agreed for the paramedics to transfer patient to ED for further evaluation. Patient left in ambulance at 1157.
1343678	5/24/2021	AZ	14	F	5/23/2021	5/23/2021	Patient had episode of vasovagal syncope approximately 3 minutes after the vaccine. Pharmacist assisted dad in comforting patient. Patient was placed flat on the floor. 911 was called by technician. Patient aroused before EMS arrived on scene approximately 2 minutes after syncopal episode. Patient recovered. EMS did not take patient.
1342948	5/24/2021	GA	14	F	5/23/2021	5/23/2021	Site: Pain at Injection Site-Mild, Systemic: Chills-Medium, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Mild, Systemic: Shakiness-Medium, Systemic: Weakness-Medium, Additional Details: Pt received vaccine, spoke to her shortly after and decided to shop around the store. Shortly after walk pt started feeling light headed, and dizzy and fainted. Mom stated that this had happen to her before. Monitored patient for 30 min, gave water and a snack. Mom decided against calling 911.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1344212	5/24/2021	IA	17	F	5/24/2021	5/24/2021	Patient became light headed and fainted from a seated position about 10 minutes after her first Pfizer COVID-19 vaccination. She doesn't think she lost consciousness. Her skin was quite warm and sweaty after this event. I had her remain laying down on the ground while she recovered and I assessed her symptoms. She felt better almost immediately so I had her move to the pharmacy office for observation for an additional 15-20 minutes. She then reported that she has fainted with shots before and she hadn't eaten anything today. Her mother said this has happened before and drove her home once she felt well again.
1343730	5/24/2021	OH	16	F	5/24/2021	5/24/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Medium, Systemic: Shakiness-Medium, Additional Details: Patient had seizure with 1st vaccine, pediatrician informed mother to have patient lay down if it happens again. Patient said she felt out of it (at 11am) after administration of this vaccine so we helped her lay down on the floor with her head propped up. Gave her water and turned on the fan to try and make her more comfortable. Patient decidede to try sitting up slowly after 10-15 minutes, then after another 10 minutes she was able to stand and felt back to normal and left the store 11:30am.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1344868	5/24/2021	PA	16	F	5/24/2021	5/24/2021	Patient was visibly nervous/anxious about the vaccination. Patient had reported syncope from a previous vaccination on their consent/screening form. Vaccine was administered as prescribed and patient initially appeared fine but lost consciousness approximately 15 to 20 seconds after. The patient's mother, who was present as her legal guardian, helped me cushion the the patient to ensure she did not fall and injure herself. Patient regained consciousness in 10 to 15 seconds but then passed out again. I was then able to elevate the patient's legs and she regained consciousness. Provided patient with chilled bottled water and allowed her to rest in the vaccination booth for 15 minutes. I stayed with the patient during that time and observed her. Afterwards she said she was feeling better and the color in her face was returning. She felt comfortable standing up and moved to a different seat in front of the pharmacy where she waited another 15 minutes. I observed her from the bench during that time. When the patient and her mother felt comfortable they left the pharmacy together.
1344844	5/24/2021	PA	17	F	5/17/2021	5/18/2021	The day after the vaccine, she had an episode of syncope while in the bathroom. She does not remember the event, but was at a friend's house and was found in the bathroom after they heard a bang and was noted to be shaking. She then passed out again and continued shaking. She texted her mom and was given a cold rag on her forehead but has no recollection of any of that. Afterwards, she returned to normal.
1344316	5/24/2021	CA	13	F	5/18/2021	5/18/2021	About 3 min after getting vaccinated, patient fainted Reason for visit in ER: Near Syncope Diagnosis: Syncope and collapse



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1344304	5/24/2021	CA	16	M	5/16/2021	5/16/2021	ONE MINUTE AFTER ADMINISTERING PAITENT HIS FIRST DOSE OF PFIZER COVID-19 VACCINE, THE PATIENT FELL TO THE FLOOR. PATIENT REPORTS , " HE FELL ASLEEP", BUT CLAIMED HE WAS OKAY. THE PATIENT WAS ESCORTED TO THE WAITING AREA AND INSTRUCTED TO WAIT FOR 15-30 MINUTES FOR OBSERVATION. SOON AFTER SITTING IN THE WAITING AREA,THE PHARMACIST WHO ADMINISTERED THE VACCINE REPORTS THE PATIENT PASSED OUT FOR THE SECOND TIME. PER PHARMACIST REPORT, THE PATIENT WAS UNRESPONSIVE AND SEEMED NOT TO BE BREATHING. EPINEPHRINE 0.3MG DOSE WAS GIVEN INTRAMUSCULARLY AND EMERGENCY WAS CALLED AT 11:56AM. THE PATIENT REVIVED AND REPORTED HE "FELT FINE". EMERGENCY HEALTHCARE AND AMBULANCE ARRIVED AT 12:06PM AND TOOK OVER CARE OF THE PATIENT.
1344268	5/24/2021	MI	17	F	5/24/2021	5/24/2021	Patient was extremely nervous prior to vaccine. Got shot, walked out of room to waiting area. about 2-3 minutes post vaccine, realized did not feel well. Passed out. Mom said patient felt a touch rigid and twitched a couple times, then came too. Did hit head when patient fell to floor, although was not a major hit. Patient was worked up after coming to.
1344193	5/24/2021	WI	15	F	5/24/2021	5/24/2021	patient fainted about 3 minutes after getting her vaccine injection. SHe was out for about 3 to 5 seconds and then came to. she was sweaty but her temperature was ok and pulse seemed normal. The pharmacy called 911 as a precaution. paramedics verified her vitals and gave mom the option to take her to the ER or just let her stay and be monitored. mom decided to have her stay. Mom and patient stayed by phramcy for 30 minutes as the child drank 2 bottles of water and ate a granola bar. when she felt 100% they left the store.
1344170	5/24/2021	CO	14	F	5/22/2021	5/22/2021	Pt was vaccinated and had a syncopal episode in response. Pt was supported in her chair so that she did not experience a fall. Estimated syncope time of 8 seconds. Pt was taken to private observation area via wheelchair after she regained consciousness. Her vital signs and mentation were monitored continuously. Upon leaving clinic, pt was AOx4 with stable vitals.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1343961	5/24/2021	WI	17	M	5/21/2021	5/21/2021	Patient fainted (loss consciousness) a couple of minutes after receiving injection. Mom caught him and called for help and reported his eyeballs rolled up and he started down when she caught him. by time Pharmacist and store staff got there (less than a minute) he had regained consciousness but very lightheaded. No breathing difficulty. So got a chair and had him sit with head down and store staff observing. After another 10min he still reported lightheaded and nausea, so ambulance was called. When they arrived and checked him out everything checked out normal and he was feeling better so they released him to his parents care. Called on 5/24/21 at 10:10am and spoke to mom who reported he was doing fine and no apparent after effects.
1343871	5/24/2021	TX	15	F	5/22/2021	5/22/2021	Pt received vaccine and was standing outside of immunization room with her parents waiting for her brother to receive vaccine. She felt dizzy and fainted. She hit her head and collapsed. She was seizing/ shaking on the floor. She was conscious with no visible bleeding. She was able to say her name and DOB correctly. Mother reported no history of epilepsy or seizure. Called emergency services and pt was taken to Clinic for further evaluation. A 1.5cm laceration was noted behind her left ear. Pt received 2 staples in the lacerated area.
1343842	5/24/2021	CA	17	M	3/19/2021	3/19/2021	Syncope/fall s/p vaccine #1, abrasion under chin>ED>dc'd declined txt
1343830	5/24/2021	TX	13	M	5/22/2021	5/22/2021	Patient (13 years old) fainted at the vaccination table after receiving his first dose of the Pfizer vaccine, while waiting for his mother as she was getting vaccinated. Patient saw his mother bleed after the vaccine and fainted in the chair, as he began to fall, the vaccinator was able to catch him and assist him to the floor. Patient was turned on his side. EMS was called at 0912 and arrived at 0919. Patient was assessed by paramedics and found to be stable. Patient?s mother reported no PMH and the he doesn?t usually faint after injections. Patient left accompanied by his mother.
1343823	5/24/2021	NV	17	F	5/22/2021	5/22/2021	Systemic: Allergic: Anaphylaxis-Severe, Systemic: Fainting / Unresponsive-Severe

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1345273	5/24/2021	WA	16	M	5/24/2021	5/24/2021	patient received first dose. Left the consultation room and fainted within a few minutes. Emergency personell were called and patient taken to the ER. Patient given fluids and sent home follow up with family stated patient fine.
1343744	5/24/2021	ME	17	F	5/22/2021	5/22/2021	Fainted for 5 sec, HR 75 bpm, oxygen saturation 99%, recovered w water and oreos
1344301	5/24/2021	UT	15	M	5/22/2021	5/22/2021	Pt dad thinks pt has vasovagal syncope. Pt passed out immediately after getting vaccinated and vomited when regained consciousness. Pt turned white in the face and fell forward in chair when he fainted and after vomiting pt continued to go in and out of consciousness. Took about 10-15 minutes of placing feet on another chair and raising hands over head but pt color returned and he felt much better.
1342134	5/23/2021	CA	15	M	5/22/2021	5/22/2021	Patient fainted 5 minutes after the vaccination. He regained his conscious but complained severe headache. Patient also had some jerky motion after fainting. Paramedics was called. Patient's vital signs were normal. He was taken to facility for further follow-up.
1341863	5/23/2021	OH	13	M	5/21/2021	5/23/2021	My son woke up the day following his vaccine and had mild complaints of headache and ?feels like I have a touch of the flu?. He hydrated with water that day very well and I gave him 500 mg of Tylenol. On Sunday (2 days after vaccine) we were at church celebrating outdoor Mass. about 20 minutes into church my son said he didn?t feel well and needed water. He was standing at the time he said this. He had been standing under and umbrella the entire time to shade him from the sun. About 1 minute later he fainted. He visually looked very pale at the time. We treated him with by having sit down, moved him to air conditioning. It took about an hour before he felt back to baseline.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1341585	5/23/2021	CT	12	F	5/22/2021	5/22/2021	Systemic: Fainting / Unresponsive-Severe, Additional Details: upon exiting vaccination room pt fell forward. it is unknown if she fainted or tripped, mom was standing behind her and was unsure as well. pt bumped head and had a welt on her upper right eyebrow, also her nose began to bleed. ice pack was given/applied to head/eye, paper towel given to stop nose bleed. also water/starburst given. 911 was called. dispatchers came and questioned if she felt dizzy when she left room to which pt responded no, ambulance took pt.
1341586	5/23/2021	CT	14	F	5/19/2021	5/19/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Headache-Severe, Systemic: Nausea-Medium, Additional Details: after getting vaccine, pt felt dizzy/lightheaded. pt has had hx of fainting after getting vaccines due to anxiety. pt was very sweaty/hot. laid pt on the ground and instructed her to put legs up on the chair. provided water stated that was helping. nurse, lpn came and checked pts vitals. while we called 911. ambulance came and took her away. mom came back and said daughter was feeling better and did not go to ER
1341817	5/23/2021	NY	13	F	5/22/2021	5/23/2021	Pt woke up day after vaccine with dizziness, nausea/vomiting, fatigue and had syncope x 3
1341832	5/23/2021	IL	12	F	5/23/2021	5/23/2021	Patient fainted after receiving 1st dose of the Pfizer vaccine. Once vaccine was administered in the pharmacy area, patient moved to the waiting area near one of the aisles. She was in the aisle with her father when she fainted, and father brought her to one of the nearby chairs where she sat down. Patient was conscious and stated she was feeling dizzy, no other symptoms, and did not want us to call 911. She drank some water and remained seated for 30 minutes. Pharmacist checked on her every 10 minutes to make sure she was still feeling okay. Patient stated that she was "really nervous" to get the vaccine. She denied feeling any other symptoms, and after sitting down said she was feeling better.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1341937	5/23/2021	IL	15	F	5/22/2021	5/22/2021	Passed out about 5 minutes after receiving the shot. Was sitting in a chair and collapsed to the ground. She regained consciousness within 30 seconds and was sitting in a chair again 5 minutes later
1342076	5/23/2021	CA	15	F	5/23/2021	5/23/2021	single episode of syncope 15 minutes after vaccine after standing up, likely vasovagal vs. orthostatic. completely resolved
1342304	5/23/2021	OH	15	F	5/22/2021	5/22/2021	Patient has history of passing out. 2-3 min after Pfizer shot patient started to feel hot and was pale. A volunteer doctor assisted to sit down on floor. Has syncope episode after seated on ground. Use ammonia capsule . Pulse was intact throughout. Airway as cleared of gum in mouth. Loss of consciousness for 15 sec. Then alert able to call mother who was in the parking lot. 911 EMS called and arrived. Cool compress applied. Ems arrived. Patient felt better. Vital by Ems Glu 80 BP 120/80. Patient was able to drink water. MD instructed mother to clear with PCP or Cardiologist to clear before getting 2nd shot. Mother declined EMS transport. MD walked patient to car.
1342328	5/23/2021	CA	15	F	5/23/2021	5/23/2021	Syncope that self resolved after 5 minutes
1341935	5/23/2021	IL	14	F	5/23/2021	5/23/2021	pt fainted/had seizure 50 to 10 minutes after covid vaccine. pt did not fall, dad held her.head and eyes rolled back, shaking and stiff for 2 seconds per dad. pt alert, breathing, and movement looked normal when I saw pt . pt mom called 911 and pt was taken to hospital . no history of fainting or seizures per dad
1342025	5/23/2021	VA	15	M	5/23/2021	5/23/2021	one minute after injection, pt started to fall forward in the chair. father caught him and I was immediately called into the immunization room. pt was laid onto the floor and his legs were elevated onto a chair. father stated pt had never had a reaction to a vaccine before. no health conditions. 911 was called..... but then parent decided he didn't want them. pt states his vision started to go black before he briefly passed out... probable vasovagal syncope. we waited for 911 to come since they were already alerted. pt sat in chair but then started to get lightheaded again, so he returned to a position where his feet were elevated in the chair. EMS arrived and monitored him. father and EMS made decision to return pt to home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1340643	5/22/2021	CA	16	F	5/21/2021	5/21/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: See statement below-Medium, Additional Details: Minor patient with parents in attendance. After receiving immunization, patient stood up, took a few steps and fainted, falling backward and hitting head on the floor. Pharmacy staff immediately called 911 and provided supportive first aid. Patient quickly regained consciousness, RPh had her continue to lay in the floor, provided pillow for head, elevated feet and ice pack was applied to back of head. Paramedics arrived to evaluate patient's condition, patient was released home with parents.
1341045	5/22/2021	MI	16	F	5/22/2021	5/22/2021	Patient was fine after vaccine administration, but while sitting down patient passed out while sitting next to her mother. Patient was laid on the floor and regained consciousness while on the floor. Eventually with other help, got patient into wheel chair. Mom didn't want EMS called and just let patient sit for awhile until our store director in charge left with patient in wheel chair and Mom to make sure patient was alright.
1341009	5/22/2021	KY	15	F	5/22/2021	5/22/2021	Vaccine was administered. The mom made a comment that her daughter has a tendency to pass out after vaccines after administering the vaccine to the patient. We kept the patient in the counseling room seated for observation to be on the safe side. Within 5 minutes, the patient got light headed and stated she didn't feel well. She passed out. We laid her down for about 10-15 minutes and gave her some candy since she stated she hadn't eaten all day. Pt regained consciousness and was fine after.
1340967	5/22/2021	IL	13	F	5/22/2021	5/22/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1340956	5/22/2021	CA	14	F	5/22/2021	5/22/2021	Patient got her 1st dose of Pfizer vaccine, was told by provider and mother to sit down for 15 minutes. After awhile patient 's mom came back to pharmacy and alert us patient is fainting. I came to patient and she could barely stand up. patient looked pale. We assisted patient to come to pharmacy sitting area. I measured patient 's bp. BP reading was 60/43 and 70HR. Patient 's mom informed us she has not been drinking or eating breakfast, so they went to grab some snacks while waiting and that was when patient fainted. A bystander called 911 when patient first fainted. EMS came and brought patient to ER for further check up.
1340952	5/22/2021	KS	17	M	5/21/2021	5/21/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Hypotension-Medium
1340912	5/22/2021	NC	14	M	5/14/2021	5/17/2021	Pt received first shot of Pfizer vaccine on 5/14 - 12:30 PM EST. On 05/17 around 7:45 AM, Pt passed out/fainted. He woke up few minutes prior to the event and this event started after he passed urine. As soon as he finished Urination, he felt nauseated, dizzy and then lost consciousness thereafter. He fell backwards as a result and hurt his back as well as back side of the head. During his unconsciousness his body was completely stiff and his eyes were rolled back. For few seconds then he became completely still (it felt he was not breathing). I gave him physical stimulus (slight slaps on the face) post which he started reviving. During this time we called 911. I gave him few sips of water forcibly and he started reviving thereafter. on 5/15 and 5/16 (post vaccination on 5/14) he was feeling tired and seemed bit dull. This was unusual as Pt is a competitive soccer player and highly active.
1340725	5/22/2021	WI	17	M	5/13/2021	5/13/2021	Client Fainted ~5min after the vaccine. BP 86/42, repeat 97/40, HR 71, 99% pulse ox. Patient lowered to the ground, vitals obtained, wheeled to Health office.
1340594	5/22/2021	NY	12	F	5/21/2021	5/21/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Medium

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1340853	5/22/2021	DC	14	M	5/22/2021	5/22/2021	After 3 minutes of observation in a chair, he got up to move to the observation area in clinic and then fainted. He fell backward against a closed door and slid down. He quickly regained consciousness and his vitals were stable. within 10 minutes he was no longer dizzy or hot. He was able to sit up right without issues. Per dad, this is the same reaction he had to the flu vaccine in fall of 2020.
1341060	5/22/2021	IL	12	F	5/22/2021	5/22/2021	Patient told her mom she was not feeling well right after the vaccine. Mom told her she would go buy her an icepack to bring home to help her. The patient got up to follow her mom and fainted in the aisle. Her sister came and got the pharmacist and by the time I got to her she was already coming to. We did call an ambulance but by the time they paramedics arrived the patient was ok to leave on her own with her mom.
1340836	5/22/2021	MA	14	F	5/22/2021	5/22/2021	Patient had vaccine and entered waiting area for monitoring period. Started feeling dizzy and started to sit on ground but passed out while transferring to ground. Patient came to confused, pale, sweating and then proceeded to pass out 2-3 additional times. EMS was called as a precaution since patient reported feeling confused, weak, heart palpitations. Patient was advised to remain on the ground while waiting for EMS and was given an ice pack, water, juice and crackers.
1341270	5/22/2021	NY	13	M	5/22/2021	5/22/2021	Pt fainted shortly after the vaccine, regained consciousness immediately. Patient was given an ice pack and water. There was no harm to patient.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1340754	5/22/2021	NY	14	F	5/21/2021	5/21/2021	moderna clinic - Patient sat for a bit after vaccine - fainted when got up to leave. I heard the commotion from the pharmacy while i was giving a vaccine. Patient had signed up online for the vaccine with the date of birth 6-20-2001 (showing 19 years of age). Patient came to quickly after fainting - felt dizzy, nauseated, warm and blurred vision (seeing spots). Patient did not hit her head during fall. EMS came to check her out. Took blood pressure and pulse - within normal limits for patients age. Being that she's 14 and received Moderna instead of Pfizer that could have been the reason. Patient faulted age during online sign up stating she was 19. I checked with the mom the day after the incident - patient feels fine - no flu like symptoms or feeling dizzy, nauseated or blurred vision.
1341085	5/22/2021	MN	14	F	5/21/2021	5/21/2021	Patient received 1st dose of Pfizer covid vaccine and was told to stay 15 minutes after vaccine was administered to monitor for symptoms. We were then informed she fainted at the front of the store. It was reported she was unconscious for roughly 30 seconds. When I came up to her, she was conscious on sitting on the floor. She was given cold water and an ice pack while EMTs were on their way.
1341384	5/22/2021	PA	15	F	5/22/2021	5/22/2021	Patient fainted within a minute of receiving vaccine. Pale, diaphoretic, nauseated. No treatment. Recovered without incident.
1341267	5/22/2021	IL	13	F	5/22/2021	5/22/2021	patient was given shot and fainted and started rash at site lips turned blue also shot was given at 10:23am and at 10:26am adverse event started epipen was given at 10:26am paramedics called and patient was taken to hospital for followup
1341243	5/22/2021	FL	17	M	5/22/2021	5/22/2021	Less than a minute after administration patient started to feel not well. Patient displayed symptoms of possible syncope. Eyes were unfocused and unable to sit up straight. Epipen was administered immediately. EMS was called. Patient's blood pressure was taken multiple times and was low at each reading . Patient's blood pressure would also drop upon standing up. After about half an hour of not resolving EMS took patient to hospital for further evaluation.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1341420	5/22/2021	CA	14	M	5/22/2021	5/22/2021	The client was accompanied by his mother. Staff vaccinated the client. When filling out the consent form, the client started looking pale and was about to pass out. Staff caught the client before falling off the chair. They laid him down and put a cool pack on his neck. Called 911 to scene at 1731. EMT arrived at the scene at 1740. The client passed out for a minute but was still breathing. Vitals BP, 124/66, HR 56, Pulse Ox, 98%. Vaccinated lot num Pfizer EW0179 exp. 08/2021. EMT Transported client at 06:05pm
1341170	5/22/2021	TX	17	M	5/22/2021	5/22/2021	Patient fainted 3 minutes after receiving the first covid vaccine.
1341165	5/22/2021		15	U	5/22/2021	5/22/2021	Minutes after the vaccination patient felt dizzy and fainted and came back to consciousness shortly after. Patient felt much better just had a slight headache after regaining consciousness. Patient was given water and feet were lifted to help with circulation. Patient after additional 30 minutes of observation felt a lot better and was alert with no symptoms reported.
1341122	5/22/2021	OK	17	M	5/22/2021	5/22/2021	Syncope- pale, nauseous, initially disoriented when regained consciousness, sweating. Patient was taken to ED. Escorted out by EMS.
1341102	5/22/2021	SC	17	F	5/22/2021	5/22/2021	Immediately after the receiving dose #1 of Pfizer COVID-19 immunization the patient fainted. Patient remained seated until she came back to after 2 mins. Patient's mother was in the room, and stated this happens every-time she gets a shot. VAR stated no history of fainting or reaction after any vaccinations. Patient remained seated for 15 minutes while being monitored. After she stated she felt normal and left in her mothers care. No medication was administered.
1341111	5/22/2021	TX	14	F	5/22/2021	5/22/2021	Patient fainted and felt dizzy roughly after 10 minutes upon receiving the vaccine. She immediately gain consciousness but could not recall that she fainted and just said she "blacked out". The pharmacy staff took her blood pressure, and said it was low but after monitoring for 10 minutes, it went back to normal. She felt no more dizziness, was able to stand up, walk normally and went home shortly after.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1341108	5/22/2021	WA	16	M	5/22/2021	5/22/2021	AFTER RECIEVING FIRST COVID VACCINE PATIENT FAINTED. PT HAS A HISTORY OF FAINTING AFTER VACCIATIONS
1341197	5/22/2021	NC	13	F	5/22/2021	5/22/2021	PATIENT FAINTED WHILE SITTING DOWN, MOM CAUGHT HER AND HELPED HER STAY IN THE SEAT. PATIENT LOOKED PAIL AND WAS FEELING NAUSEATED. MEDIC ARRIVED AND TOOK VITALS AND OBSEEREVED. PATIENT WENT HOME WITH MOTHER
1336140	5/21/2021		15	M	5/15/2021	5/15/2021	(Vasovagal Response) Fainted when standing up after getting vaccine. Hit shoulder on table. C/o of mild pain to shoulder, but no additional complaints. Laid down and no additional treatment needed.
1337288	5/21/2021	NY	15	M	5/21/2021	5/21/2021	Patient experienced as 15- 20 second syncope spell when he sat up frpm a sitting position after receiving the covid vaccine initial vitals 102/60 pulse 40 after regaining conciousness BP was 111/60 pulse at 60 patient prior to fainting appeared diapharatic, pale and cool to the touch there were no signs of llegeric reaction including flushing of the face lack of hives or angiodema no wheezibg, no strider or labored breathing patient complained of dizziness upopn standind equal to 30 mins.. EMS was notified when arrived patient was up and alert without dicculties EMS recommended patient be released to his gaurdian BP at release 112/57 pulse 62 father advised to call physician if any concerns arise or go to nearest hospital in an emergent situation
1337247	5/21/2021	VA	17	F	5/20/2021	5/20/2021	Systemic: Fainting / Unresponsive-Medium, Additional Details: Pt fainted after vaccine, hit head on nearby object. sustained approx 2 cm laceration to scalp with moderate bleeding. applied saline wound wash and gauze. bleeding stopped. VS normal BP110/72, P90,RR14,O297%RA. Pt revived after1-2 min. She sat up and was able to walk. Mom at work. Mom called neighbor to pick up pt. Mom agreed to have FM take pt to ER/urgent care.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1337219	5/21/2021	IL	13	M	5/20/2021	5/20/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Mild, Systemic: Hypotension-Mild, Systemic: Shakiness-Mild, Systemic: Weakness-Mild, Additional Details: The pt felt lightheaded and passed out for a few seconds. His father was with him and caught him and laid him on the ground. I contacted my nurses who stayed with the pt and monitored him for more than 30 mins. The pt was awake but felt light headed, had low blood pressure and blood sugar. The pt was given water and crackers. My DM was also here and called the paramedics who took him to the hospital.
1337208	5/21/2021	TX	16	M	5/20/2021	5/20/2021	Patient fainted, lost consciousness and was treated by paramedics. Patient was administered oxygen. Patient did not need further treatment.
1337129	5/21/2021	AL	13	F	5/18/2021	5/19/2021	Vasovagal syncope with full passing out the following day after the vaccine
1337009	5/21/2021	MO	13	M	5/19/2021	5/19/2021	Systemic: Fainting / Unresponsive-Mild
1336137	5/21/2021		13	F	5/15/2021	5/15/2021	(Vasovagal Response) Fainted as walking to court yard. Parent was able to assist w/o fall. Pt laid down and elevated feet. No additional treatment needed. (Initial BP 80/62 ? BP 96/68)
1336880	5/21/2021	TX	13	F	5/20/2021	5/20/2021	patient fainted after vaccine administration. Patient was given the vaccine and slumped in the chair ten seconds later. We were able to revive her after 20 seconds. We had her lay on her back and lift her feet. after 15 minutes she said she was feeling fine and left with her father.
1336139	5/21/2021		17	F	5/15/2021	5/15/2021	(Vasovagal Response) Felt tired and ?felt like fainting? immediately after shot. Pt laid down and elevated feet. No additional treatment needed. (Initial BP 87/58)
1337325	5/21/2021	CA	15	M	5/21/2021	5/21/2021	Client reported feeling, "lightheaded" approximately 10 minutes following the vaccine administration. Patient was immediately placed in the anti-gravity chair, and given food and water. The patient denied history of fainting but reported similar experiences with previous vaccines. The lightheadedness was relieved following the consumption of food, water, and placing in the patient in a semi-Fowler's position.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1336112	5/21/2021	WA	15	F	5/20/2021	5/20/2021	Light headed and dizzy without fainting. Patient laid flat with legs elevated approximately 30 minutes, was then able to travel home in personal vehicle with driver.
1337003	5/21/2021	NY	16	F	5/20/2021	5/20/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Severe, Systemic: Hypotension-Severe, Systemic: Nausea-Severe
1338365	5/21/2021	NJ	13	F	5/16/2021	5/17/2021	Patient had a syncopal episode passed out hit her head and suffered bilateral nose fractures and concussion
1337265	5/21/2021	NC	13	F	5/18/2021	5/18/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Additional Details: Pt had dentist appointment the morning of vaccine. After pt got vaccine and was seated in observation area pt got dizzy and passed out and hit head. BP was taken and was 84/54. 911 was called and pt went to ER due to continuous low blood pressure.
1337368	5/21/2021	CA	13	F	5/21/2021	5/21/2021	AFTER GETTING SHOT, PATIENT PASSED OUT. I CHECKED BLOOD PRESSURE AND 73/42 AND PULSE WAS 51. CALLED 911. PUT PATIENTS LEG UP AND PUT SOME ICE ON BACK OF HER NECK AND UNDER ARM. PATIENT GAINED CONSCIOUS. FELLING OK. PARAMEDICS ARRIVED AND TOOK HER TO HOSPITAL. PATIENT WAS ABLE TO TALK AND ANSWER CORRECTLY.
1338588	5/21/2021	CA	14	M	5/21/2021	5/21/2021	Patient appeared to be fainting, shook back and forth in a repeated manner after sitting down for observation following the COVID vaccination. Did not have any blurred vision, was responsive. To be safe, an ambulance was called. This occurred minutes after being vaccinated, the ambulance arrived about 30 minutes afterwards and picked the patient up.
1338366	5/21/2021	TX	15	F	5/21/2021	5/21/2021	Patient collapsed on shelf after fainting in diabetes care/ointment isle at around 6:10 PM after receiving shot

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1338138	5/21/2021	CA	14	F	5/21/2021	5/21/2021	Client received the 1st or 2nd COVID vaccine (Pfizer Lot # EW0185 expiration 05/22/2021) at 1312. RN vaccinated the client at 1312, the client then told her that she was feeling lightheaded and dizzy. RN alerted and they responded. EMTs alerted PHN at 1315 and vital signs were taken (blood pressure 102/60, oxygen 98, pulse 62). Skin color was appropriate to skin tone, client was alert and oriented. Client's mother was with her and stated that the client has anxiety to needles and has passed out before from receiving a vaccine. Client stated that she did eat today. She has no medical conditions, no allergies, and is not taking any medications. Client refused Benadryl. At 1320 client stated that she was feeling a "little better" and was escorted to zero gravity chair when dizziness and lightheadedness subsided. Client given juice which she accepted and drank. Vital signs taken at 1325 (blood pressure 118/74, respirations 18, heart rate 72, oxygen 97). Vital signs taken at 1335 (heart rate 76, oxygen 96, respiration 18, blood pressure 122/76). Client and mother provided education to seek emergency services if life threatening symptoms appear, and to follow up with primary care provider. Vital signs taken at 1345 (oxygen 97, heart rate 82, blood pressure 118/78). At 1347 client stated that she was doing fine and did not have any more symptoms. Client left with her mother at 1347 unassisted with a steady gait.
1338101	5/21/2021	CA	17	F	5/21/2021	5/21/2021	Pt. Is a 17 y/o female with NKA, no past medical history. Second dose of Pfizer was given in L deltoid at 1536. Approx. 1543 pt. Began to c/o of nausea and dizziness. Pt. Was moved for privacy, she verbalized wanting to lay on the floor for comfort due to her history of fainting after injections. Pt. Was A&O x4 during event. VS were performed before patient departed. 1546: 100/70 HR:71 o2:91% RR 19 (Laying) 1550: 110/80 HR: 93 o2: 99% RR: 19(sitting) 1552: 120/90 HR:93 o2:99% RR:20 (standing)
1337580	5/21/2021	MO	15	F	5/21/2021	5/21/2021	Pt had an episode of syncope, pt's mother supported the pt's head, ammonia tablet was used to rouse pt and pt was assisted to the floor. Vitals were monitored, legs elevated, cold compress provided to the pt and placed on her neck. Pt rested and awoke 2-3 minutes later.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1337860	5/21/2021		15	F	5/21/2021	5/21/2021	15 Y/O F syncopal event following vaccine. PT had LOC. Woke within 30-40 seconds, vomited x1. Was oriented x3. Treated w/ rest (supine, then sitting) and PO fluids. PT released to home w/in 45 mins. Dx: Vaso Vagal Syncope
1337820	5/21/2021	TN	15	F	5/18/2021	5/18/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Medium
1337765	5/21/2021	MI	14	F	5/20/2021	5/20/2021	Patient fainted two minutes after receiving vaccine. Loss of consciousness was not total. Patient was pale, clammy, and lethargic. Patient's mother and myself held patient in place while she recovered in chair. Resolution was within 15 minutes from start of episode. Followed up with mother two and one-half hours post incident and mother said patient was completely recovered.
1337693	5/21/2021	MO	15	M	5/21/2021	5/21/2021	vasovagal syncope
1337886	5/21/2021	MA	12	M	5/21/2021	5/21/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Additional Details: Pt has history of passing out after shots. passed out briefly after administration. did not fall or hit head. was given water and ice pack while mom attended to him. EMTs were called and took blood pressure did not bring to hospital
1338378	5/21/2021		14	F	5/21/2021	5/21/2021	This reporter received paperwork for report of Pt. experienced fainting event seven minutes after first dose of pfizer. Feet were elevated by EMS. Pt. cleared by EMS to leave with parent.
1337440	5/21/2021	VA	17	M	5/21/2021	5/21/2021	Patient fainted approximately 5 minutes after receiving his second Pfizer vaccine. He was observed to have tonic-clonic jerking but this was not seizure nor does the patient have a history of seizures. His mother reported fainting previously during stressful situations. Ice pack was given and BP was taken at 11:20 and was 100/65 and pulse was 101. When EMS arrived, patient's BP was 134/80 and pulse was 83. Patient reported stomach pains post-fainting. EMS cleared patient to leave and he signed off that he did not want to go to the hospital.
1333597	5/20/2021	TX	17	M	5/18/2021	5/18/2021	Vasovagal reaction with near miss syncope. 10-15 mmHg drop in BP

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1333605	5/20/2021	AL	13	F	5/18/2021	5/18/2021	Systemic: Fainting / Unresponsive-Severe, Systemic: Hypotension-Medium, Systemic: Nausea-Medium, Additional Details: Immunizing pharmacist checked patient's blood pressure after syncopal episode, and again before sending patient home. He then called later to follow up and was informed of a second episode, after which he accompanied patient and mother to hospital. He remained with them until she was cleared to go home.
1333631	5/20/2021	CA	12	M	5/19/2021	5/19/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Medium, Systemic: Weakness-Medium
1333672	5/20/2021	MD	14	F	5/19/2021	5/19/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Mild
1333740	5/20/2021	KY	15	F	5/20/2021	5/20/2021	Patient passed out about 15 minutes after receiving the vaccine. She stated that she had not eaten since breakfast and is the reason she felt lightheaded. Staff provided water and a snack for the patient and sat with her until she felt ready to stand up.
1333584	5/20/2021	NY	15	M	5/19/2021	5/19/2021	Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Additional Details: possibly seizure related. patient fainted and hit head on wall upon fall. came to and went in and out a couple times. stable until EMS arrival
1332430	5/20/2021	CA	14	M	5/19/2021	5/19/2021	PATIENT FAINTED WITHIN 20 SECONDS OF RECEIVING PFIZER COVID-19 VACCINATION. PATIENT'S FATHER AND STORE MANAGEMENT CALLED 911. FATHER AND ADMINISTERING PHARMACIST MONITORED PATIENT; PATIENT REGAINED CONSCIOUSNESS SHORTLY AFTER FAINTING. PARAMEDICS ARRIVED APPROXIMATELY 10 MINUTES LATER AND FURTHER ATTENDED TO PATIENT. PARAMEDIC DIAGNOSED VASOVAGAL SYNCOPE. PATIENT AND FATHER WENT WITH AMBULANCE TO HOSPITAL FOR FURTHER EVALUATION.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1333666	5/20/2021	MD	12	M	5/19/2021	5/19/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Medium
1333577	5/20/2021	IL	12	F	5/18/2021	5/18/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Mild, Systemic: Vomiting-Mild, Additional Details: Patient passed out within 30 seconds of receiving the Pfizer COVID vaccine. She was out for about 15-20 seconds, during which time she had a couple spasms. After that, she woke up, was aware that she had passed out, then threw up once. She waited with her mom for 30 minutes after that, but felt fine during that period.
1333487	5/20/2021	FL	13	M	5/19/2021	5/19/2021	BP 102/60, P 70, O2Sat 98%. As client walking to the observation room he passed out for a few seconds. Complained of dizziness. Assisted with ENT to observation. Stabilized after few minutes.
1333440	5/20/2021	NY	13	F	5/20/2021	5/20/2021	5 minutes after vaccine patient started feeling dizzy and fainted, while body was shaking for 20 seconds. Body then regained consciousness
1333375	5/20/2021	PA	16	F	5/20/2021	5/20/2021	pt began to feel light headed about 5 minutes after vaccination. She then had some vomiting. The room was very warm. She was a little diaphoretic. The vomiting happened about 3 times then subsided. Patients color came back. She sat for a few additional minutes. Drank some water and left clinic completely stable. She has had a history of fainting with heat and with injections.
1333319	5/20/2021	MA	15	F	5/19/2021	5/19/2021	Patient received vaccine and while walking around the store began to feel lightheaded/dizzy and fainted. Her parent caught her and brought her to the ground where she began to have a seizure. Paramedics were called and took over care of the patient. She was conscious and breathing after her seizure

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1333283	5/20/2021		17	F	5/19/2021	5/19/2021	While waiting for 15 mins monitoring after getting Pfizer covid vaccine, she fainted and fell off the chair. She fell on the ground and hit her head. Nurse and pharmacy staff rushed to her aid. She appeared to have convulsions for about a couple seconds but regained consciousness right away. We checked vital signs : low blood pressure but high heart rate, oxygen level was good. We placed ice pack on her head where said was hurting. She and her mother refused to call 911. She felt better, however we recommended her mom to take her to urgent care for further evaluations
1332440	5/20/2021	HI	16	M	5/19/2021	5/19/2021	Patient fainted after vaccine administration. After lying down for 20 minutes, patient felt back to normal.
1333757	5/20/2021	WA	15	M	5/20/2021	5/20/2021	Patient got shot on 05/20/21, waited in the pharmacy for 15 mins and felt fine. Patients mom called after about an hour and said patient fainted but recovered soon. He was not hurt, mom was advised to keep an eye on patient and call 911/ or urgent care visit. Per mom will wait. Called patient after some hrs per patient he is fine and has no adverse symptoms anymore.
1333213	5/20/2021	CA	14	M	5/19/2021	5/19/2021	Pfizer vaccine given 5/20/2021 Per mom/ pt the shot was given at 11:02 around 11:07 he leaned forward and became unresponsive. He was slightly drooling from the mouth. Mom says that his body was tight and that he was shaking a little. His eyes were closed and did not appear to be rolling back in his head. This episode lasted for less than 1 minute. He did not remember what happened and thought he wet himself after; which he did not. About 1-2 min after that episode mom states that he appeared to " passed out" for less than a minute. The ambulance was called and he was taken to hospital. He was evaluated and appeared well at that time. No fever. EKG was done and per pt it was normal. No EEG was done. He was discharged without admit That evening he has multiple episodes of vomiting > 10 times. No diarrhea or fever. Seen today at medical office for follow up. Vaccine not given at our clinic
1335982	5/20/2021	MT	14	M	5/20/2021	5/20/2021	PATIENT PASSED OUT WHILE STANDING AND HIT HEAD. ELEVATED FEET AND PARAMEDICS CAME AND CHECKED ON HIM, BUT HE FELT FINE AND WENT HOME

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1333897	5/20/2021		15	F	5/19/2021	5/19/2021	Stood up after vaccine and then passed out. Evaluate by EMS BP 100/72 P 60. Felt better. Went home with mom.
1333657	5/20/2021	MI	12	F	5/19/2021	5/19/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Nausea-Mild, Additional Details: Patient fainted and immediately regained consciousness. Father broke her fall but she may have hit her head on a shelf so we called paramedics to check her out. She declined to go to the hospital and paramedics cleared her to go home. She was instructed to go to hospital if any signs of severe reaction or concussion.
1334928	5/20/2021	CA	16	F	5/20/2021	5/20/2021	Patient experienced fainting symptoms immediately after administration of vaccine. Further investigation showed patient had low blood pressure 73/57 mm Hg.
1334890	5/20/2021	WI	13	F	5/20/2021	5/20/2021	Patient fainted while doing IM COVID injection. RN called another staff to assist lowering patient to ground and elevating feet. Patient felt better after laying down. Nursing staff took vitals (supine), which were BP - 118/84, SPO2 - 97%, pulse - 48. Patient rested for a while, taking some deep breaths and putting an ice pack on the back of her neck. After approx. five minutes staff helped patient to a seated position and re-took vitals which were 122/80, SPO2 - 99%, pulse - 57. Patient drank some water and was observed for approx. 30 minutes following injection, stating she "felt better".
1334872	5/20/2021	LA	15	F	5/20/2021	5/20/2021	Fainted, blurred vision, ringing in the ear, 911 was contacted, EMT came and shortly ambulance, patient was taken away shortly
1334739	5/20/2021	MD	14	M	5/13/2021	5/13/2021	Patient has a history of fainting at needles, and he lost consciousness briefly immediately after injection. When he aroused, the patient said he felt "weird." EMT evaluated patient and administered a cold compress, water, and juice. Patient's uncle drove him home. completed the following: 5/14/21: 12:43pm - TC to mom who reports her son is doing fine. No problems or concerns.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1334703	5/20/2021	OR	14	F	5/17/2021	5/17/2021	Vaccine Administered: Pfizer COVID-19 Patient reaction: Flushing Pale Skin Nausea/Vomiting Fainting Dizziness Action taken: Antihistamine given. Outcome: Patient recovered. Late charting for 5/17/2021 - 5ml Diphenhydramine given PO 10 minute after c19 vaccine - patient dizzy, diaphoretic, and nauseous. Emergency medication entered and signed.
1334680	5/20/2021	CA	15	M	5/20/2021	5/20/2021	near syncope, got dizzy and pale BP: 107/58 @ 9:23am HR 66 provided water. within a few minutes patient felt fine. BP rechecked @9:36am was 117/68 HR: 90 patient recovered and ready to go home.
1334442	5/20/2021	CO	14	M	5/20/2021	5/20/2021	10 minutes after his vaccination, the patient was sitting with his mother and sister in our waiting room per protocol after a vaccine. I heard a mom scream while I was giving another patient a vaccine. I ran out with an epipen but he was awake, alert, and breathing normally. I asked what happened and she said he fainted for a second and seized or twitched a little. I did not give him any epinephrine because he was not having any issues breathing and was able to tell me he felt fine. We did call 911 per moms request and they came and checked him out.
1333995	5/20/2021	TX	15	M	5/20/2021	5/20/2021	Patient fainted
1334213	5/20/2021	OH	12	M	5/20/2021	5/20/2021	After vaccine was administered, patient was asked to wait for 15 minutes, at which time Parent notices that child had passed out, looked pale and unresponsive to name calling. I (pharmacist) was alerted to the event and I and couple technicians went out to assist patient. I elevated child's feet, supported head, took blood pressure and pulse. Child regained consciousness and was able to respond to name in less than two minutes. Child stated that he was hot and agreed to drinking cold water. I also applied cold compress to child's forehead and wrists. Child took sips of water and BP was continuously monitored. Parents stated that child looked much better and had regained color to his face. Child was monitored to 30 mins by the pharmacy team with no event before parents took child home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1334173	5/20/2021	NC	16	F	5/19/2021	5/19/2021	Patient fainted approx. 1 minute after getting the vaccine. Layed down on the floor with feet elevated and head supported for 15 min after, given water and cold compress for forehead. No additional care needed
1334149	5/20/2021	OH	16	F	5/1/2021	5/2/2021	Patient started experiencing numbness and tingling on her right side and then all over on Sunday evening 5/2/21. It affected her gait and the numbness and tingling in her legs caused her to have to catch herself and hold on to something to keep from falling. She described that her legs felt weak for a few seconds when walking. This sensation gradually decreased in intensity and duration. When I saw her at 5 pm on 5/3, she had normal gait and only felt the numbness and tingling very briefly. Her exam including her neuro exam was normal on 5/3 when I saw her. The sensation of numbness and tingling completely resolved by 5/4. She also experienced HA, nausea and fatigue, but did not have syncope, dizziness or fevers.
1334139	5/20/2021	VA	13	F	5/20/2021	5/20/2021	Syncope immediately following vaccine administration. No loss of consciousness, oriented, alert, responding appropriately to questions. Described "seeing spots in front of eyes, cold feeling". Pt denied nausea.
1334052	5/20/2021	WA	15	F	5/20/2021	5/20/2021	severe syncope and fainting, vomiting, lowered BP and lowered heart rate. First signs about 10 min post injection. Paramedics attending within 25-30 min of injection
1334035	5/20/2021	CA	16	F	5/20/2021	5/20/2021	PATEINT WAS ANXIOUS BEFORE GETTING VACCINE, ABOUT 10 MINUTES AFTER GETTING VACCINE PATIENT FAINTED FOR A FEW SECONDS. PARAMEDICS WERE CALLED PATIENT WAS EVALUATED AND NOT SYMPTOMS WERE FOUND. PATIENT WAS NOT EXPERIENCING ANY OTHER SYMPTOMS AND WENT HOME WITH MOM.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1334255	5/20/2021	WA	12	F	5/18/2021	5/18/2021	The patient was vaccinated and then got up to walk to observation area. While waiting for her COVID vaccination card, she started leaning on mom and fainted. Mom caught her and placed her flat on the floor. A medical professional volunteering at the clinic responded to the incident and checked her O2 levels and blood pressure. Patient cam to shortly after fainting. Vitals were good and the doctor recommended she stay in observation for an additional 10 minutes. Patient left clinic with mom after waiting and without further incident.
1333904	5/20/2021		17	F	5/20/2021	5/20/2021	Blurry vision, near syncope after receiving vaccine. Onset of symptoms was 3-4mins after vaccine administration. Did not eat breakfast this morning Given juice and crackers Exam was normal Discharged to home
1330504	5/19/2021	CO	15	M	5/19/2021	5/19/2021	Was sitting in observation room, felt dizzy and put his hands on his head, then passed out. Hit head on carpeted surface. LOC less than 10 seconds.
1330550	5/19/2021	IL	17	M	5/18/2021	5/18/2021	PT HS NIXETY OF NEEDEL AND BLOOD, HE HAD FAINTED AFTER LAST VACCINE HE HAD. TODAY HE FELT NAUSEUS AND VOMITED. AFTER VOMITING HE FLET BETTER. HE WAITED 30 MINUTES IN WAITING AREA AND FELT NORMAL. PARENTA WERE WITH HIM THE WHOLE TIME.
1330585	5/19/2021		12	F	5/19/2021	5/19/2021	An incomplete Vaers report was previously submitted for this patient. Please reference Report. Please disregard previous report. Adverse Event At 10:10am, patient was sitting with her mother when she started to convulse while sitting upright in a chair and vomited as well. This episode lasted for about 15seconds. Past medical Hx Patient reported one syncope episode after receiving a shot in the past, blood was drawn. No Hx of seizure disorder Treatment Patient was given crackers, juice, water EMS called at 10:31am for patient to have further evaluation. Patient was in stable condition prior to transport to ER A translator used, parent consent was provided.
1330618	5/19/2021		15	F	5/19/2021	5/19/2021	Almost passed out BP 102/70 pulsestrong and regular. Pick up by mom.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1330444	5/19/2021		17	F	5/7/2021	5/7/2021	2nd dose Pfizer vaccine administered patient was in Observation Area and c/o of sweating and dizziness. Patient fainted for about 2 seconds. Patient arousable and VS were within normal ranges, blood sugar was 68 when being cared for by EMS. Pt states she has had this history of reaction before to vaccines. She had not eaten or drank anything since around 8pm the night before. Patient given water and a food and stated she felt better. Patient remained in Obs area for an additional 40 minutes with EMT, RN and Physician oversight.
1330762	5/19/2021	NY	17	F	5/19/2021	5/19/2021	Patient experienced syncope shortly after receiving vaccine while standing. Patient fell and remained on ground per advice of EMTs who arrived and escorted via ambulance for evaluation due to the patient experiencing nausea and vomiting upon rising back up.
1330026	5/19/2021	GA	13	M	5/18/2021	5/19/2021	A few minutes after receiving the vaccine, the patient fainted. The mother caught her son in her arms and we were both able to lay him on the floor safely without hitting his head. He came to within a few seconds. He remained in the pharmacy area for approximately 20 more minutes for observation. He was feeling back to normal before leaving.
1330774	5/19/2021	NH	13	M	5/19/2021	5/19/2021	Patient received dose of vaccine. While standing patient experienced syncope and fell to floor. Bumped head against wall while falling but was caught by father before hitting floor. He quickly regained consciousness and had a strong pulse. He remained on the floor with feet elevated for 10 minutes. He then sat in chair IN front of pharmacy for an additional 15 minutes. At that point he felt fine and left the pharmacy with his father.
1330702	5/19/2021	VA	17	M	5/19/2021	5/19/2021	After patient received the vaccine, went to sit on a chair for observation, he fainted and fall on the floor. He reported to fill dizzy and sweaty. Applied cold pack in the neck area on the back. The ambulance was called and patient was taken to the hospital for further treatment.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1330418	5/19/2021		12	F	5/19/2021	5/19/2021	Patient reported history of syncope episode with another vaccine in the past. Patient has history of seizure disorder. At 10:10am, patient was sitting with her mother when she started to convulse sitting up right in a chair. She also vomited while convulsing for about 15seconds. Full consciousness regained.
1330387	5/19/2021	MD	13	M	5/19/2021	5/19/2021	Vasovagal syncope a few minutes after receiving shot. Waiting to check in to observation area and fainted. LOC but immediately awake, A&O. LEs elevated, cool compress to neck. HR, BP checked, stable. Rested and resolved. Home with dad.
1330314	5/19/2021	CA	15	F	5/19/2021	5/19/2021	Pt had syncope x 1 postvaccination followed by seizure x 2. Pt recovered spontaneously after 3-5 seconds. No labored breathing. Alert and oriented x 3. Pt brought to ER.
1329891	5/19/2021	NJ	12	M	5/18/2021	5/18/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Mild, Systemic: Vomiting-Medium
1330117	5/19/2021	CA	14	F	5/18/2021	5/18/2021	Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Hypotension-Mild, Systemic: Shakiness-Mild, Systemic: Tachycardia-Mild, Systemic: Weakness-Mild
1329946	5/19/2021	CA	15	F	5/18/2021	5/18/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Shakiness-Mild
1330839	5/19/2021	FL	16	F	5/19/2021	5/19/2021	A few moments after receiving the vaccination, patient fainted and had some tremors afterwards. We picked her up off of the floor and placed her in a chair. She was pale and had some discoloration around her nose area. She was able to speak to us. She felt cold and was sweating at the same time. Her body temp was 97 degrees F. According to her mom, she's had a previous reaction similar to this but not to this extreme with the HPV shot. We called 911 to have her assessed by the paramedics
1330010	5/19/2021	NV	17	M	5/18/2021	5/18/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient fainted a few minutes after getting shot but regained consciousness in less than a minutes



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329867	5/19/2021	PA	13	F	5/18/2021	5/18/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Visual Changes/Disturbances-Mild
1330130	5/19/2021	PA	15	M	5/18/2021	5/18/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient received vaccine and passed out. Father reported after event that patient has passed out from needles and previous vaccines and did not notify the pharmacist prior to administration. Patient recovered quickly and remained in store for 20 minutes post event with no reported issues. Father denied need to call 911 and patient was responsive within 5-10 seconds.
1332239	5/19/2021	AZ	16	M	3/27/2021	3/27/2021	Within minutes of receiving the vaccine, he, vomited and then fainted twice. His blood pressure plummeted (60/40) and required the on site EMT medics to intervene with a 800 cc saline IV and Zophran medication. He responded well to the treatment and was able to be release 45 minutes after the IV started.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1330866	5/19/2021	IL	16	F	4/26/2021	5/10/2021	is a 16-year-old female patient admitted with tachycardia. Starting 1-1/2 weeks ago, mom notes that she has had episodes where she feels her heart racing. It began 1-1/2 weeks ago with her crying and her watch that her heart rate was 208. They went to the ED, where she was given some fluids and her heart rate improved so she was sent home. She had had prior episodes of mild tachycardia up to the 140s in the past but which has always improved with fluids. Mom states that she used to have a lot of trouble maintaining her hydration and would not drink a lot of water. Since the last 1-1/2 weeks, she has been having these episodes 1-2 times a day that last about 1 to 2 minutes with a max of 5 minutes. When it comes on, she feels dizzy and lightheaded, and after the episode she feels a big rush of blood to her head. She also has some associated shortness of breath. She denies having any episodes of chest pain at all. She has never passed out, she has never felt like she was going to pass out, she has never felt like she was out of balance. She denies any nausea or vomiting during episodes. She denies any headaches during the episodes. She does have history of migraines, but has not had one in the last couple weeks. Her prior resting heart rate was in the 80s per her watch, and lately it has been in the 110s to 120s while awake in 80s while asleep. Along with the episodes, she also feels some pulsating sensation in her abdomen. She does not have any abdominal pain. Today, her heart rate was again in the 200s, but it was worse than before because it lasted about 30 minutes total. Lately they have been using an app that continuously monitors her heart rate. Since these episodes started, she has cut down on her caffeine intake and she has increased her water intake. Does not feel that this helped. She has never had syncope in the past and has never had seizures in the past. Patient was started on carvedilol which has helped control heart rate and was encouraged to drink fluids. Per primary care team, her current episode of tachycardia was not due to the vaccine.
1329895	5/19/2021	MD	16	F	5/18/2021	5/18/2021	Systemic: Fainting / Unresponsive-Severe

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1332388	5/19/2021	CA	15	M	5/19/2021	5/19/2021	PATIENT FAINTED AFTER VACCINATION. PATIENT REGAINED CONSCIOUSNESS WITHIN 30 TO 60 SECONDS.
1332228	5/19/2021	CA	15	F	5/19/2021	5/19/2021	patient fainted after receiving pfizer vaccine. became alert after 1 minute. school nurse attended to patient and checked vitals and mother took patient home after recovery within 15 minutes
1332220	5/19/2021	CA	12	F	5/19/2021	5/19/2021	patient fainted 5 minutes after receiving pfizer vaccine. became alert after 30 seconds. school nurse attended to patient and checked vitals - bp was low and final bp returned to levels within range after 30 minutes. mother took patient home
1331772	5/19/2021	WA	16	M	5/19/2021	5/19/2021	Patient fainted after standing up. Immediately came to, Bp was 146/76. Gave water, pt sat with feet up. After 35 minutes felt better, bp now 121/85. Pt left with father.
1331747	5/19/2021	TX	14	M	5/19/2021	5/19/2021	The patient briefly fainted about 7 minutes after getting the vaccine. EMS were called into the scene and the patient was fine.
1331744	5/19/2021	VA	14	F	5/19/2021	5/19/2021	Patient had syncope-type reaction, chills, sweating, and passing out. Started around 12:35-12:40pm, lasted until 12:50pm after pharmacist intervention.
1331743	5/19/2021	MD	17	M	5/19/2021	5/19/2021	Syncope shortly after the shot
1331029	5/19/2021		16	M	5/19/2021	5/19/2021	ANXIOUS, LIGHTHEADED, DIAPHORETIC WITH SYNCOPE S/P VACCINATION. PARAMEDICS CAME, VSS, SX RESOLVED, REFUSED TRANSPORT, AMA SIGNED.
1331533	5/19/2021	CA	15	M	5/14/2021	5/14/2021	patient had the vaccination and waited for 15 minutes, then when he was walking out the store then he felt dizzy and fainted for seconds, Dad was there to catch him when he was falling. he came back to conscious as I was there, we called 911 and paramedics came and checked on pt. then he went home with parents after he was done with the checkup with the paramedics.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1331013	5/19/2021	PA	17	F	5/18/2021	5/18/2021	patient experience dizziness after receiving immunization and later fainted . Patient sat on ground before completely fainting to floor with help of mother and regained consciousness about 1 minute later. patient complained of muffled voices and trouble hearing for about 4 minutes, sweating , dizziness and shakiness. patient received water and Gatorade and cool cloth behind neck area. patient able to leave after approximately 20minutes in care of mother feeling better.
1331144	5/19/2021	OR	12	F	5/16/2021	5/16/2021	Patient with vasovagal syncope. Rapidly improved with position change, hydration, and monitoring. Returned home with mother as the driver.
1331159	5/19/2021	CA	17	F	5/19/2021	5/19/2021	Client received 1st COVID vaccine of Pfizer (Lot# EW0185 expiration 05/23/2021). At 1347, RN assisted Client to stand up from vaccination chair. Client began to have unsteady gait. Both RN and RN assisted Client back to the gravity chair. At 1348, RN and PHN responded to the event. At 1348, vital signs are blood pressure 116/72, heart rate 64, oxygen saturation 100%. Client reported no blurry vision no headache, appearance is pale. Client is accompanied by mother. Per client's mother, Client has no medical history, allergies to dogs, and a history of syncope and lightheaded with needles/vaccines. At 1352, vital signs are blood pressure 118/82, heart rate 62, oxygen saturation 100%. Client reports lightheaded, feels tired, no shortness of breath, no headache. Supplemental nutrition and fluids provided to Client . Client accepted. At 1357, vital signs are blood pressure 116/76, heart rate 63, oxygen saturation 100%. Client reports no headache, no blurred vision, lightheaded improving, feels "sleepy", and skin tone returning to appropriate ethnicity. PHN educated client and mother ED precautions, common adverse effects of COVID vaccine, and emphasize a follow up with primary care provider. At 1400, vital signs are blood pressure 118/72, heart rate 63, oxygen saturation 100%. At 1402 Client stood up with no complains. At 1403 Client walked out of vaccination facility with a steady gait accompanied by mother.
1331230	5/19/2021	MD	12	F	5/19/2021	5/19/2021	Pale diaphoretic, syncope witnessed loc Possible seizure Transported by ambulance with mother at 11:45am BP 67/30 P 46 14 99% at 12:00am BP 84/62 P 58 12 100%

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1331268	5/19/2021	MD	15	F	5/19/2021	5/19/2021	Was standing passed out and fell to ground. Vital signs: @13:15 B.P=100/50 118/80 HR: 70 Pso2:100% @13:45 B.P. 97/50 Trending hypotension Recorded by staff
1331304	5/19/2021	NY	16	F	5/14/2021	5/14/2021	At approximately 1825 a patient fainted over in her seat at the observation area. The EMS transported her to the other side of the gymnasium where a privacy screen is set up. She was fine to leave around 1835 per the EMT but stayed till 1848 and left on her own will. Patient was 16 years of age, female. Girl has a history of passing out, i.e. when she received novocaine and when she got her ears pierced. Her guardian declined to give a name for the report.
1331525	5/19/2021	CA	16	F	5/19/2021	5/19/2021	PT HAD A SEIZURE APPROX. 30 MINS AFTER RECEIVING THE COVID VACCINE, PT FAINTED, STIFFENED UP, AND BEGAN TO CONVULSE. PT WAS PLACED ON COTT IN THE RECOVERY POSITION, 911 WAS CALLED AND VS OBTAINED. P74, R22, BP118/80, O2SAT 98% ON RA. SEIZURE LASTED APPROX 10 SECONDS, AMBULANCE ARRIVED WITHIN 10 MINS, AND TOOK OVER PT'S CARE. PT'S COLOR REMAINED PINK THROUGHOUT, AND SHE WAS SLEEPY BUT ABLE TO ANSWER QUESTIONS APPROPRIATELY. VS: P83, R24,BP116/80, POX99% ON RA. PT TAKEN IN AMBULANCE TO HOSPITAL FOR FURTHER EVALUATION
1330974	5/19/2021		14	M	5/19/2021	5/19/2021	Dizziness, sweaty, blurred vision approx 2 mins after getting vaccine. Brought over to medical. Patient was alert, pale and diaphoretic. Patient was given water, crackers, alert and talkative, feeling much better. Patient sent home Past Medical Hx Had presyncope episodes with vaccine/blood draws in the past No recent illness and ate today

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1327459	5/18/2021	IA	17	F	5/18/2021	5/18/2021	Patient passed out as soon as she got to the waiting area post-vaccination. She was unresponsive for less than 15 seconds before waking up. She was breathing the whole time. We moved her to the ground to avoid any injury if she was to pass out again. We called paramedics who were at the pharmacy within 5 minutes. They checked vital signs and deemed she was ok. Patient walked out of the store on her own with her mother.
1326626	5/18/2021	CA	16	M	5/17/2021	5/17/2021	Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Shakiness-Mild, Additional Details: 911 was called for vitals after patient passed out. Paramedics stated that patient experienced syncope when standing up. also has history of anxiety.
1327135	5/18/2021	VA	14	F	5/17/2021	5/18/2021	Daughter fainted 20 hours after vaccine. Was treated by school nurse who observed elevated heart rate (150 bpm). Eventually heart rate normalized; took daughter to pediatrician for further evaluation. Not clear if fainting was related to the vaccine but it has never happened to her before and the timing of the two seems odd.
1327229	5/18/2021	PA	17	F	5/18/2021	5/18/2021	patient fainted five minutes after receiving vaccine. regained consciousness and emts evaluated but did not have to go to hospital
1327219	5/18/2021	MO	16	F	5/6/2021	5/7/2021	fainting and lightheadedness starting day after receiving second dose
1327215	5/18/2021	NC	15	F	5/18/2021	5/18/2021	Patient Vomited and passed out. EMS was called and Patient recovered after resting and calming down
1327200	5/18/2021	NC	14	M	5/15/2021	5/15/2021	Patient vomited and fainted. We already had EMS here for his sibling. He was also fine after resting and calming down.
1327185	5/18/2021	NC	13	F	5/15/2021	5/15/2021	Patient Fainted and we called EMS. Patient was fine after resting for a few minutes
1327130	5/18/2021	MD	12	F	5/18/2021	5/18/2021	PATIENT HAD HEADACHE AND FELT PASSING OUT BUT NEVER PASSED OUT

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1327107	5/18/2021	CA	15	F	5/18/2021	5/18/2021	15 year old female found in supine position with feet elevated in vaccination area. Pt had a left upper lip injury (non-bleeding) , redness and slight swelling to left lateral eye area. She also had a less than dime sized abrasion to right knee. Pt was recovered from dizziness (syncope) and then placed into a wheelchair and placed onto a cot in the observation area with her feet elevated with a chair. VS 107/73 66 24 and an O2 sat of 99% on RA Pt timid and somewhat afraid of passing out again. Chair was later removed and then pt sat up in bed with apprehension. She ate a bag of doritos and drank a half bottle of water ( about 250 ml) She then stood up and denied any dizziness but insisted on sitting and/or lying down. She did sit back down for another 10 minutes and later stood up , denies any symptoms. Pt then ambulated to BR without help, MAEW, NAD, steady gait. She was a + o x 3, VS at 1431 111/69 74 22 with O2 sat of 99% on RA. Pt and mother given directions to change positions slowly allowing 30-60 seconds per position change. They both acknowledged this. Pt discharged home with sister and mother with direction to f/u with pcp as needed and to increase sodium and water intake today and tomorrow. No medical history Denies taking any medications Denies any allergies (name), site supervisor aware of situation. Vaccination Site
1327053	5/18/2021	IN	15	F	5/18/2021	5/18/2021	Patient received the vaccine with no issues. Approximately 5 minutes after the vaccine the patient fainted. They were seated on a chair and had multiple instances of syncope.
1325402	5/18/2021	OR	15	F	5/13/2021	5/13/2021	Patient bopped her head back and then forward (fainted for about one second) after receiving vaccine. Reports of low blood pressure and dizziness
1326629	5/18/2021	MI	15	M	5/17/2021	5/17/2021	Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Hypotension-Severe, Additional Details: sweating profusely, EMS called and came to pharmacy, checked on pt and all clear for him to leave, parents had no problem and said they didnt need anything before they leave
1326558	5/18/2021	CA	14	M	5/18/2021	5/18/2021	Vasovagal syncope with mild convulsion for 5 seconds.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1325406	5/18/2021	CA	13	F	5/17/2021	5/17/2021	After receiving the Pfizer covid-19 vaccine. During the 15 minutes waiting, patient's father took pt to the front of the store to buy ice cream. While he was paying the ice cream, pt fainted and hit head on the register counter. Ambulance was called. Store personnel and pharmacist check up on pt. She said she was feeling fine. No sign of short of breath or allergic reaction. Emergency personnel arrived and performed check up on pt. Pt stated she was fine and refused the ambulance or the trip to hospital for check up. Pt's dad sign waiver and release with emergency personnel and left store with pt.
1327661	5/18/2021	VA	15	F	5/18/2021	5/18/2021	Systemic: Fainting / Unresponsive-Mild
1326671	5/18/2021	NJ	14	F	5/17/2021	5/17/2021	Systemic: Dizziness / Lightheadness-Medium, Additional Details: Right after immunization patient looked pale and thought she was going faint. This was a near syncope event. Patient did not actually faint. Told her to lay on the ground flat with legs elevated. She was monitored for 30 minutes and felt fine after.
1328224	5/18/2021	NC	17	F	5/18/2021	5/18/2021	about 5 minutes after receiving injection, patient's BP dropped. She was sitting when it happened and we rushed over to put feet up. She was non-responsive for about a minute and then started to come back for syncope episode. Water was provided until ambulance arrived to check on patient.
1327559	5/18/2021	OH	15	F	5/18/2021	5/18/2021	Patient received her covid vaccine, while waiting for 15 minutes to be observed the patient fainted. Her mom noticed her eyes rolled back and started calling for help. We called 911 . Patient was placed on the ground carefully as we awaited for EMS to arrive. The patient was breathing, but had low blood pressure when EMS arrived. EMS took the patient to the hospital.
1327472	5/18/2021	MN	13	F	5/18/2021	5/18/2021	Shortly after receiving vaccine patient fainted in waiting area. Ran to check on patient and she got up on her own accord. Helped patient and mom to a bench in the waiting area, had pharmacy technician grab some orange juice while pharmacist waited with patient and parents to monitor for other signs of reaction.
1328926	5/18/2021		12	M	5/18/2021	5/18/2021	Pt dad states that patient fainted upon receiving the vaccine. Evaluated by EMS-Refusal to transport.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1328513	5/18/2021	CO	15	M	5/18/2021	5/18/2021	Within 3 minutes of vaccination, pt fainted. Immediately came to. Monitored for 20 minutes and then released pt as mom was comfortable with pt being ok. Pt experienced similar episode 2 years prior during x-rays.
1328250	5/18/2021	VA	12	F	5/18/2021	5/18/2021	1808-Child waiting in observation post vaccine and experienced vasovagal with syncope. Lowered to floor and feet elevated. Regained consciousness after 10 seconds. EMS on site arrived and assumed care. Child talking and able to answer questions accurately. 1812-BP 113/69 P 104 SPO2-96% 1818-113/59 P 105 S 1822-100/57 P 99 1827-103/55 P 95 1832-109/59 P 105 1838-104/58 P 102 Standing-1842-110/52 P 96 SPO2-98 Standing-1844-108/56 P 108 SPO2-97 Mother reports child played basketball outdoors for 1.5 hours prior to arriving at clinic. Ate a popsicle since lunchtime. Child departed EMS observation and care at 1848.
1328059	5/18/2021	TX	12	M	5/18/2021	5/18/2021	Patient appear to have a mild seizure (faint, stiffness on the arm that got the vaccine injection, eye rolled) about less than 5 seconds. Patient became fully awake as being put to laying down on the floor. Patient was able to answer to all questions was asked. Patient stated that he was nervous and scared of getting the vaccine. Patient's mother stated that he had fainting history of seeing cut or bleeding. The event occur 30 seconds after received that vaccine.
1328038	5/18/2021	NJ	14	F	5/16/2021	5/16/2021	Patient received vaccine and within 5 minutes was not feeling well. Patient fainted and then when conscious began vomiting. Patient also became very pale and clammy. Patient has experienced vasovagal symptoms before when having blood work done but not during vaccination. Patient also stated afterwards that she had not eaten any food all morning prior to receiving the vaccine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1327685	5/18/2021	WA	14	F	5/18/2021	5/18/2021	Patient received her vaccine and took a seat in the waiting area. After about 10 minutes she fainted and fell off her chair. Patient's mom yelled after it happened and the pharmacist and rushed over to help. When the pharmacist got to the patient she was face down and when they turned her over she got up. She did not appear to have hit her head and regained consciousness quickly. 911 was called at the request of patient's mother and the patient did not leave in the ambulance.
1327638	5/18/2021		14	F	5/18/2021	5/18/2021	Patient with syncope right after vaccination. Vitals stable. Patient given juice and crackers. Hadn't eaten today. Able to discharge patient home with mom.
1328261	5/18/2021	TX	14	F	5/18/2021	5/18/2021	immediately after the injection, pt appeared to have fainted, eyes closed, still breathing, body stiffed and jerked for a brief moment then became slouchy on the chair. we called 911 - as we waited for ems, pt opened eyes, said very sleepy, i kept her awake by taking about greys anatomy - ems arrived - mom wanted pt to be monitored at a facility - ems took pt away on stretcher.
1327674	5/18/2021	OH	16	F	5/5/2021	5/6/2021	Mother states that 18 hours post-vaccination her daughter fainted. She was taken to receive medical help and it was determined that her blood pressure was low and she was given IV fluids. Patient's blood pressure remained low for 11 hours.
1327986	5/18/2021	NY	13	M	5/18/2021	5/18/2021	Received Vaccine, immediately became pale, clammy, diaphoretic, had near syncope episode, brought to mat to lie down, elevated feet on chair, AAO, no loc, no sob, ice pack to neck, front, back, and stomach, MD assessed surmised vaso vagal reaction occurred, patient came from a baseball game, Patients mom at the side, Vitals: 110/80, HR-60, regular and strong, respirations 12, regular nonlabored, O2 Sat 98%, After 10 minutes sat up and had water for hydration and snack for nourishment. Monitored for 30 minutes, provided reassurance, okay to exit with Mom after 30 minutes, provided education to mother regarding reaction

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1327736	5/18/2021	IL	13	F	5/18/2021	5/18/2021	Patients is a 13 year old girl who came into facility to receive her Pfizer vaccine. She was nervous upon receiving her vaccine and after the shot was administered she stated she feels a little warm. The vaccinating pharmacist told her to sit and wait in the sitting area for 15 minutes after receiving the vaccine. A couple minutes after her vaccine was administered the girl started not feeling well and fainted in the store and her father caught her. We immediately called 911 and checked in with the young girl. The ambulance came and did a physical exam. They offered to take her to the hospital but the patient declined. Patient left the store shortly after with her father.
1327763	5/18/2021		13	F	5/15/2021	5/15/2021	At 1345, EMT found patient on ground. Patient's mother stated patient fainted and fell face first onto ground from chair. Patient was alert and oriented to person, place, time and situation. Patient stated she felt dizzy before she fainted. Patient reported no history of fainting, eating breakfast, and no chronic conditions. At 1350, patient vitals were blood pressure 124/80 mmHg, pulse 65 beats/minute, and SpO2 95%. At 1349, 911 activated . At 1353, paramedics arrived and assumed care. Patient's mother signed an Against Medical Advice form. Paramedics left scene at 1407. Lead RN educated patient and patient's mother on following up with primary care provider, signing up on v-safe, and signs/symptoms of when to seek emergency care. Patient left observation area with mother at 1409.
1327778	5/18/2021	UT	13	F	5/18/2021	5/18/2021	Patient came to the pharmacy to receive 1st dose of the Pfizer covid vaccine. About 5 minutes later patient felt unwell. According to her mom she passed out for about 5 seconds then jerked up and passed out again for a few seconds and woke up. Mom was unsure but thought it looked like a mini seizure. Both pharmacist was informed and checked on patient. Patient was hot and sweating but breathing was fine. Patient was coherent and could talk. Patient was given water. Blood pressure check was 102/69. Patient remained sitting with head over legs as that made her feel better. EMT arrived at the scene and took patient away on a stretcher for further observation.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1327966	5/18/2021	MO	12	F	5/18/2021	5/18/2021	approximately 30 seconds after patient received this vaccine she fainted and fell to the floor. She regained consciousness but then began to vomit. Symptoms were short lived and 9 hours later she seems to be fine.
1323469	5/17/2021	NY	16	F	5/15/2021	5/15/2021	Pt passed out after first dose of Pfizer vaccine. Pt was wheeled to the EMS station where she passed out a second time. Pt VS at 11:08AM HR 54, BP 11/40. At 11:16AM HR 60, BP 90/60. At 11:32AM HR 66, BP 100/60. Pt was given cookies and water and appeared alright, she was released following last set of VS.
1323930	5/17/2021	VA	14	F	5/17/2021	5/17/2021	client received first dose of pfizer covid 19 vaccine. walked over to recovery area and passed out.
1323792	5/17/2021	TX	14	F	5/17/2021	5/17/2021	PATIENT HAD BEEN ON CHAIR MONITORING FOR 14 MINUTES WHEN SHE FAINTED. NOT CERTAIN IF SHE HAD A SEIZURE. HOSPITAL WAS CALLED TO THE SCENE AND SHE WAS TRANSFERRED TO HOSPITAL FOR OBSERVATION. PHARMACIST SPOKE TO PATIENT'S MOM THIRTY MINUTES LATER AND SHE WAS ENROUTE. MOM STATED SHE WAS DOING OKAY.
1323770	5/17/2021	CA	16	M	5/16/2021	5/16/2021	Within 30 seconds passed out. Woke up and about 5 minutes later passed out again, with eyes open and could hear but couldn't talk. Epi Pen administered by Pharmacist around 8 minutes after shot. Taken by ambulance to ER
1323651	5/17/2021	MI	12	M	5/16/2021	5/16/2021	Fainted soon after the injection. Came too soon after and walked out on his own.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1323647	5/17/2021	PA	17	F	5/17/2021	5/17/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Chest Tightness / Heaviness / Pain-Mild, Systemic: Fainting / Unresponsive-Medium, Additional Details: Patient waited 15 minutes after receiveing vaccine and felt fine, on the drive home the patient says she had some difficulty swallowing water that caused pain in her chest, then passed out momentarily, patient returned to the pharmacy where we checked her BP which was 107-67, patient mom was on the phone with her physician, monitored the patient for additional 10 minutes and patient said she felt well enough to return home. Gave patient chocolate bar since she had not eaten anything.
1323624	5/17/2021	MI	16	M	5/9/2021	5/9/2021	Fainted 2-5 minutes after the injection. Came to quickly and recovered enough to walk out after a short rest.
1323833	5/17/2021	GA	15	F	5/14/2021	5/14/2021	AFTER COVID19 VACCINATION, PATIENT EXPERIENCED NUMBNESS, TINGLING, DIZZINESS, WEAKNESS, LIGHTHEADEDNESS AND DIAPHORESIS AT FOREHEAD. NO LOC, NO DIB, NO SYNCOPE, NO CHEST PAIN. AFTER 15 MINUTES PATIENT WAS ASYMPTOMATIC. LEFT WITH FATHER TO HOME AT 11:16 AM. VITAL SIGNS: 1100 BP 72/36, HR 88, RR 20 1105 BP 86/46, HR 84, RR 20 1110 BP 88/62, HR 82, RR 20 1115 BP 96/68, HR 80, RR 20 1116 BP 102/70, HR 82, RR 20

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1323410	5/17/2021	MA	12	M	5/13/2021	5/13/2021	From ED Note: 12 year old male with PMH of asthma on flovent, food allergies with epi-pen (has not required this) and pre-syncope/syncope who presents with concern for loss of consciousness and possible seizure-like activity following a COVID vaccine. Mom notes that he was in his usual state of health when he presented to COVID clinic to get his first vaccine. He got the Pfizer vaccine, seconds after getting in his left arm, mom noted that he looked very "wide eyed" and distraught. She notes that he slumped forward and had lost consciousness for approximately 5 seconds. She noticed shaking movements in his right arm and bilateral lower legs. She notes that his left arm was against her and therefore cannot comment on it. She notes that his eyes were closed. No tongue biting and no incontinence. No secondary trauma. She notes that when these 5 seconds were over he then had a period for about 30 minutes where he looked pale and was breathing heavy but was alert and answering questions. She notes that he has had presyncopal episodes and episodes of feeling faint when getting flu shots in the past. However, this time she noted that he had shaking which made her nervous for possible seizure activity. Patient denies any chest pain or headache prior to the symptoms. She came via ambulance for further evaluation. On arrival, he reports that he feels 90% back to his baseline. He notes that he does not feel quite ready to run around yet however denies any pains or discomforts, headache, weakness, numbness, or tingling. He had eaten a full breakfast prior to getting the shot. He had a normal night sleep and a normal day yesterday per mom. Medical History: as above Surgical history: none Family History: Reviewed and no pertinent related family hx pertaining to this visit Social History: Lives with family Allergies: food allergies Medications: flovent, epi-pen Immunizations: Up to date Medical Decision Making 12 year old male with PMH of asthma on flovent, food allergies with epi-pen (has not required this) and pre-syncope/syncope who presents with concern for loss of consciousness and possible seizure-like activity following a COVID vaccine. On arrival, he was alert, well-appearing, in no acute distress. His vital signs were normal for age on room air. His physical exam was very reassuring as above with a normal neurologic and cardiac evaluation. Differential includes vasovagal/syncope in the setting of a known

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1322958	5/17/2021	NY	13	F	5/15/2021	5/16/2021	stressful trigger vs seizure given report of shaking in his extremities. We feel the latter is significantly less likely given the timeline of the events. Has no known seizure activity nor any triggers per history (fever, trauma, etc.). He also has a normal neurologic assessment. At this time we will defer neurology consults given low concern for seizure. It is possible that this represents a side effect of the vaccine however we also feel that this is less likely given the fact that his symptoms have been seconds after receiving the vaccine. Nonetheless we reported the symptoms to the pharmacist who recorded it in the database. We attained an EKG showing a known incomplete right bundle branch block (unchanged from 2013) and a slightly prolonged QTC of 477 (previously 451). I encourage patient to stay well-hydrated, well rested in the setting of his suspected syncopal episode this morning. I also suggested that for further vaccinations, that he lay down on the table and drink/eat well prior. We provided strict return to ED criteria in the setting of worsening symptoms. All questions were answered at the time of discharge. Mom verbalized her understanding and agreement of the plan. He was discharged in a stable condition with mom at side. **After patient was discharged, cardiology called the follow-up team due to the prolonged QTC to ensure that we were aware. I contacted the patient's PCP to do a follow-up EKG in 1 month's time.
1322915	5/17/2021	FL	17	F	5/16/2021	5/16/2021	THE PATIENT, AFTER RECEIVING ONE DOSE OF VACCINE, PASSED OUT AND WAS HAVING DIFFICULTY BREATHING, SHORTNESS OF BREATH, SWEATING. SHE WAS CONSCIOUS AT THE TIME THE EMS ARRIVED.
1322885	5/17/2021	MI	16	F	5/16/2021	5/16/2021	Very shortly after receiving the vaccine the patient's head dropped down and she momentarily fainted. She was held in her seat so that she didn't fall out and was awakened only seconds later. She was kept in her seat for 15 minutes after the incident until she felt stabilized. She stood up slowly and assessed for balance and strength. She and her father felt she was stable enough to go home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1322876	5/17/2021	MA	14	M	5/16/2021	5/16/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: Mom said patient lost consciousness for less than 10 seconds after injection for about 5 minutes, while sitting in observation area for 15 minutes, then patient started to feel better. Patient felt fine after sitting for 30 minutes
1322854	5/17/2021	PA	17	F	5/16/2021	5/16/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: syncope/seizure like activity-Medium, Systemic: Hypotension-Medium, Additional Details: Patient experienced a syncope/fainting/hypotensive event immediately post vaccination that had characteristics of possible seizure activity. Patient regained consciousness after a few minutes and seemed disoriented but stable (still hypotensive). Transported to reading hospital (tower health) emergency room for evaluation
1322844	5/17/2021	OH	12	F	5/16/2021	5/16/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: pt fainted (slumped over in chair) approx 1 min after receiving the vaccine. she recovered within 60 seconds
1322820	5/17/2021	TX	17	F	5/16/2021	5/16/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient was administered the Pfizer Covid Vaccine. A few minutes later, while watching her mom receive the vaccine she fainted. Patient was unresponsive for less than a minute. Upon regaining consciousness patient seemed to recover fully after resting and drinking some water.
1322827	5/17/2021	MA	13	F	5/16/2021	5/16/2021	Fainted within minutes, hot. dizzy. Lasted approximately 15 minutes. Headache appeared about 8 hours later and soreness.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1324494	5/17/2021	WA	17	M	5/11/2021	5/11/2021	Pfizer-BioNTech COVID-19 Vaccine EUA ; On 5/11/21, Patient experienced tingling in left arm minutes after the vaccine was injected (4:07pm). Patient became nauseous. While in the vehicle to go home, patient's breathing quickened. After this, patient's vision became blurry and he was unable to see. Patient also experienced hearing loss with ringing in ears. The father of the patient pulled the car over in case medical attention was needed. Patient eventually passed out for about 30 seconds (about 4:22). Patient recovered, but complained about fogginess (thinking was unclear and unfocused). The next day, on 5/12/21, the patient experienced chills and nausea without a fever. Currently, the patient is doing fine with no further symptoms.
1323081	5/17/2021	OH	15	F	5/16/2021	5/16/2021	After administration of vaccine the patient stood up quickly and passed out. The patient fell down and came to rather quickly. After she came to we helped her to a chair and sat her down, advised her to put her head between her knees, and got her some water that she requested. After a few minutes she appeared rather pale and went to ask her if she was ok and she asked for a trash can because she felt like she was going to be sick. We gave her a garbage bag and she did get sick in the garbage bag. We kept an eye on her for another 15-20 minutes and she stated that she felt better and that she thought she was ok to leave. We offered her help to her car but she denied it saying she would be ok with she walked slowly. Her father was with her the entire time. While talking with them the father did state that she had incidents like that in the past where she stood up too fast and got light headed and passed out.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1324804	5/17/2021	CA	15	F	5/17/2021	5/17/2021	client felt lightheaded after receiving 1st Pfizer Covid Vaccine. Client received vaccine at 1717 and RN kept client in chair a few mins as client stated feeling nervous. PHN brought client water. Per client had only ate snack prior to appointment. Client able to transfer by herself to anti gravity chair. 1722 vitals: blood pressure 122/68, oxygen 98%, pulse 81. Per client feeling nausea, RN gave emesis bag. Client appeared diaphoretic and pale. Per Mother only medical history is seasonal allergies and client takes Zyrtec as needed. No history of fainting with vaccines in the past or allergies. Vitals at 1728: blood pressure 118/72, pulse 82, oxygen 97%. Per client symptoms still there, but improving. Vitals at 1733: blood pressure 120/70, pulse 83, oxygen 100%. Client stated lightheaded resolved, nausea still same. Client denied blurry vision, headache, warmth feeling. Vitals at 1738: blood pressure 118/72, pulse 80, oxygen 99%. Per client all symptoms resolved. Last vitals at 1743: blood pressure 114/80, pulse 76, oxygen 99%. Mother driving client home. Advised to follow up with provider and ER precautions given. After completing 30 min observation client left facility with steady gait at 1750.
1324758	5/17/2021	WA	14	F	5/17/2021	5/17/2021	AFTER GIVING THE SHOT PATIENT WAS SITTING ON CHAIR AND SUDDENLY COLLASPSE . SHE PASSED OUT FOR 15- 20 SECONDS AND WAS CONSCIOUS AFTERWARDS MEASURE HER BLOOD PRESSURE WAS LOW AROUND 87/57 , GAVE HER WATER AND SOME THING TO EAT AND MEASURE BLOOD PRESSURE AFTER 15 IMUTES IT WAS 111/82

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1324503	5/17/2021	OR	14	M	5/17/2021	5/17/2021	Patient passed out immediately following administration of the vaccine to the left deltoid. His head fell backwards and limp. The Rph administering the vaccine moved in front of the patient and gently moved his head into an upright position. The patient had mild muscle spasms and twitches while passed out but when he regained consciousness he immediately began talking saying he was ok. Father came into the consultation room at that point and Rph explained what had occurred. Patient looked a little pale and eyes were having a hard time staying open so with the help of his dad Rph helped him down to the ground in the corner of the room so he could have back and head support from the wall. Patient was given a glucose tablet and water, and later orange juice. Patient stayed in the consultation room for about 20 minutes before leaving on his own and saying he was feeling much almost back to normal.
1324483	5/17/2021	CA	14	F	5/17/2021	5/17/2021	Patient received first Pfizer Covid-19 LOT #EW0167 vaccine, pt stood up with mother to go to observation area. pt passed out and hit her head on floor. mother states pt loss of consciousness for 10 seconds. after pt axox4. Vitals taken, 106/64 bp, hr 85 and spo2 100% RA. pt brought to urgent care via wheelchair for further evaluation. pt able to walk with steady gait without assist to wheelchair. breathing equal and unlabored. no open wounds noted no medication given.
1324481	5/17/2021	CA	13	F	5/17/2021	5/17/2021	pt fainted after getting the shot. pt was dizzy and pale after the shot. pt blood pressure was normal then dropped quickly to 80/40 per nurse and then came back to normal. pt rested and was given water and candy afterwards. pt walked around store after wards and felt fine and went home with parent.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1324467	5/17/2021	CA	14	F	5/17/2021	5/17/2021	14 year old female with a CC of lightheadedness about 8 minutes after her first dose of Pfizer. States she also noted mild nausea. I asked the patient to elevate her legs and she states her symptoms resolved. I also had the patient drink more water at that time. No wheezing, no hives, no tongue, lips, or throat swelling. No vomiting. Vitals signs were stable, oxygen saturation 98%. EMS was not called and mother and patient decided not to go to ED for follow-up as the patient has a history of vasovagal syncope around needles and states this response is normal for her.
1324014	5/17/2021	OH	17	F	5/17/2021	5/17/2021	PATIENT PASSED OUT IN DAD'S ARMS, CAME TO WHEN WE LAID HER DOWN SWEATINESS AND DIZZINESS RESOLVED ON ITS OWN
1324070	5/17/2021	MI	13	M	5/17/2021	5/17/2021	Patient became very pale eyes rolled behind head and was unable to keep head up. Fainted for a few seconds before waking up again.
1324288	5/17/2021	WA	14	F	5/17/2021	5/17/2021	Syncope 5 minutes after the vaccination
1324201	5/17/2021		16	F	5/17/2021	5/17/2021	Patient fainted about 30 seconds after the vaccination. She regained herself after about 5 seconds.
1324146	5/17/2021	CA	13	F	5/16/2021	5/16/2021	Shortly after receiving the vaccine patient fainted. 911 was called. Pt recovered and parent refused to have patient transported.
1324118	5/17/2021	MA	14	M	5/17/2021	5/17/2021	Immediately after receiving vaccine, pt had a syncopal event with brief LOC. Caught by medical staff and lowered to the ground - placed supine with legs elevated. Pt quickly regained consciousness and was alert and oriented x3. Has a history of syncope with vaccines and medical procedures. Dad present. Vital signs obtained and noted to be WNL HR 84 NSR Spo2 98% on room air B/P 123/61 laying down 118/62 sitting Pt hydrated with juice and was able to sit up and ambulate freely. Stayed for an additional 15 minute of observation without incident and left for home with dad.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1324109	5/17/2021	GA	14	F	5/13/2021	5/13/2021	Vasovagal Syncope @ 10:05 14 year old female. No breakfast or fluids in am before vaccination. EMT called BP 104/68 oxygen 99% HR 78 . BS 85. 10:14 seizure like behavior eyes roll back in head both arms constrict. BP 100/60 IV fluids started 100ml saline. 10:30 BP 104/70. ( Per mother history of syncope four years ago after receiving an allergy shot.) alert and oriented x4 at 10:40. released to mother .
1324090	5/17/2021	AZ	15	M	5/17/2021	5/17/2021	Shortly after exiting the pharmacy, the patient's dad came back to the pharmacy propping up his son. Stated his son got light-headed and almost fainted. The pharmacist had the patient come into the vaccine area, sat him down, and took his blood pressure (106/80). His breathing was monitored and when it checked out, the pharmacist gave a single dose of diphenhydramine 25mg. The patient drank 2 x 16oz of water. Paramedics were called as a precaution. The patient was able to walk out on his own. The pharmacist made a follow up call at 2PM and the father acknowledged that his son is doing fine.
1324080	5/17/2021	CA	16	M	5/15/2021	5/15/2021	about 5 minutes after administration pt fainted. pt was in the company of his mother who stated pt quickly regained consciousness. we offered to call the paramedics pt's mother refused reassuring us her son was fine. several hours later we tried contacting pt at the phone number listed on their file but could not reach the pt and could not leave a message
1324455	5/17/2021	OH	16	F	5/17/2021	5/17/2021	Immediately after receiving vaccine patient stated that her entire hand was tinging and numb feeling. This was the hand of the arm the vaccine was administered in. Patient said no other symptoms of syncope were present and it was just the left hand with this issue. 10-15 min later she said for a short time it went up to elbow but did not last there. Had her stay an extra 15 min and by the time the patient left she said it was better.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1324568	5/17/2021	WA	17	M	5/17/2021	5/17/2021	PATIENT FAINTED FEW MINUTES AFTER RECEIVING THE VACCINE. HE LOOKED LIKE HE WAS HAVING A SEIZURE. IT LASTER FOR A BOUT 15-17 IN MY ESTIMATE. HE WAS ALERT AFTER AND ANSWERING QUESTIONS ABOUT HIS NAME, DOB AND WHERE HE WAS. TOOK HIS BLOOD PRESSURE TWICE-5 MIN APART AND IT WAS LOW. 113/58 AND THEN 102/50 TO MY RECOLLECTION. PARAMEDICS WERE CALLED IMMEDIETLY AND PATIENT HAD HIGHER BLOOD PRESSURE WHEN THEY WALKED IN. IT WAS "NORMAL". PATIENT TOLD US HE HAS A HISTORY OF VASOVAGAL SYNCOPE AND HE FAINTED BEFORE WHEN HIS BLOOD WAS DRAWN. HE SAID THAT IT SEEMED LIKE A SEIZURE BEFORE BUT CHECKED WITH NEUROLOGIST AND WAS NEVER DIAGNOSED WITH EPILIPSY. PT LEFT IN A STABLE CONDITION
1321951	5/16/2021	IL	16	F	5/16/2021	5/16/2021	Patient has a seizure history. Mother stated they have had numerous vaccines in the past without a problem though. Patient was waiting the period of time afterwards. Mother then stated she was having a reaction. Mother stated she is a nurse and said she believed the patient was having a seizure. Mother later was not sure if patient had fainted also since she was nervous about receiving the shot in the first place. After paramedics arrived, they took her glucose and was 77. Paramedics let mom then take patient home to get food.
1321944	5/16/2021	TX	13	M	5/16/2021	5/16/2021	Syncope, seizure lasting less than 5 min, vomiting
1321919	5/16/2021	PA	16	M	5/16/2021	5/16/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient seemed to have a fainting spell about 10 minutes after vaccine was given, patient came too and felt "sick to his stomach", patient stated he felt okay, but once paramedics came, mom wanted him to go to with them to the hospital.
1321810	5/16/2021	TX	16	F	5/15/2021	5/15/2021	Syncope, loss of consciousness for approximately 10 minutes
1321744	5/16/2021	TX	15	M	5/15/2021	5/15/2021	Syncope and alleged seizure as reported by mother and bystanders (Pharmacist did not witness event)

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1321674	5/16/2021	MA	17	F	5/3/2021	5/4/2021	While sitting in class, suddenly passed out and vomited at the same time. Came to about 30 seconds later. No additional adverse affects after the episode.
1321597	5/16/2021	MN	15	M	5/15/2021	5/15/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild
1321590	5/16/2021	CA	17	M	5/11/2021	5/11/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: patient had second vaccine in series and fainted. fell face forward from chair and hit cheek and left eyebrow area. patient was laid down and told to put feet on chair. blood pressure and heart rate were lower than noraml. patient was monitored for blood pressure and heart rate until vitals normalized. patient and careprovider declined emergency services offered.
1321584	5/16/2021	TX	15	F	5/5/2021	5/15/2021	Systemic: Chills-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Medium, Systemic: Nausea-Medium, Systemic: Numbness (specify: facial area, extremities)-Medium, Systemic: Shakiness-Medium
1321964	5/16/2021	CA	14	F	5/15/2021	5/15/2021	Patient fainted about 10 minutes after receiving first dose of Covid-19 vaccine. She was instructed to remain seated in the waiting room but got up and walked around the store with her parents and felt faint after walking for a minute or two. She passed out and was caught by her dad and gently laid down on the floor. Paramedics were called to check vitals as patient continued to feel drowsy for a few minutes. She was assessed by paramedics and released to parents after checking vitals, blood glucose, heart. She stated she was feeling better after several minutes of sitting or laying down.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1321992	5/16/2021	TX	16	M	5/16/2021	5/16/2021	<p>Patient was given Pfizer Vaccine on 5/16/21 at 11:00-11:10am. I read through the patient medical history through the handheld and noticed there was "yes" on seizure history. I ask the mother what happened and she told me it was from the first incident with the Pfizer vaccine. At the time of the first incident the mother stated that patient fainted and convulsed upon regaining consciousness. Patient has had no history of seizures prior to then or had any big injuries that could trigger it. Patient's mother states physicians think it's triggered by anxiety and not a true seizure, so MRI or tests was not needed. Doctor recommended patient to come back if it happens again. With the information provided I used professional judgement and was on high alert with the patient. After administrating the vaccine to the patient, I monitored patient's vitals carefully. Patient was stable and I walked with him to his seat near the wall and left him with his family. About a few minutes later the mother told me to come to her aid. Patient had a 1 time continuous seizure for about 30 seconds-1minute. After regaining consciousness the patient said he did not remember getting the vaccine. Patient's mother was very concerned and under control and did not overreact to the situation. Also, I promptly relayed to (pharmacist) to call 911 and he called a member of management. While pharmacist was on the phone with 911 the patient regained consciousness. I monitored patient's vitals while I waited for a member of store management. Store management took a little bit longer to respond (5-10 minutes) but arrived to document the whole incident. About 30 minutes after the incident patient's vitals were stable and the ambulance was not needed and the family took him to the hospital to get monitored. Patient rode the electric wheelchair was escorted out by store management to the car.</p>
1321588	5/16/2021	MA	16	F	5/15/2021	5/15/2021	<p>Systemic: Chills-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Hypotension-Mild, Systemic: Shakiness-Mild, Systemic: Weakness-Mild, Additional Details: Paramedics/911 called, patient's parent refused transport to the hospital. Patient waiting in recovery with NP and nurses, RPH to check</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1322259	5/16/2021	AL	17	F	5/16/2021	5/16/2021	Patient felt light headed and fainted. Patient was alert and aware immediately and did not sustain injury. Ambulance was called but patient did not end up needing.
1321963	5/16/2021	CA	15	M	5/15/2021	5/15/2021	PATIENT WAS GIVEN THE COVID-19 PFIZER VACCINE @11:18AM. THEY WERE ASKED TO STAY 15 MINUTES AT THE WAITING AREA AND AROUND 11:21AM, HE FAINTED. I RAN TO THE PATIENT, HE WAS ALREADY CONSCIOUS BUT STILL CALLED 911. PARAMEDICS CAME 15 MINUTES LATER, HE WAS ALMOST RELEASED TO GO HOME BUT UPON STANDING UP, HE FAINTED AGAIN. HE WAS TAKEN TO HOSPITAL AND WAS DISCHARGED SAME DAY.
1322382	5/16/2021	FL	12	M	5/16/2021	5/16/2021	Fainted in chair about 3 minutes after shot was given
1322279	5/16/2021	FL	12	F	5/16/2021	5/16/2021	About two minutes after she received her shot she told us she was seeing black spots. Then she told me she couldn't see and she passed out. She started to regain consciousness and a little bit of blurred vision and then she began dry heaving. She was clammy and sweaty at that point but continued to improve after she drank some water.
1322213	5/16/2021	VA	14	M	5/16/2021	5/16/2021	Client received Pfizer # 1 @ 09:26 Hx of fainting w/ blood draws and injections in past but did not inform staff Mother present at all times Client had vasovagal episode with syncope within seconds of receiving vaccine Was unresponsive for < 15 seconds. Did not fall or slide off chair at vaccinator's table Taken to EMS area for observation via W/C BP/P 100/60, 60 lying, sitting and standing Client felt back to normal within minutes of episode EMS advised transport to hospital. Mother declined. Observed for 30 minutes in EMS area Client and mother left EMS area independently @ 10:00

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1322151	5/16/2021	VA	15	F	5/16/2021	5/16/2021	Pt was brought in by her father for her first dose of Pfizer vaccine. Prior to receiving the vaccine, her father asked her to let the writer know of her fear of needle and what occurs when she she has blood draws or vaccination. Patient states that she usually lays down because she feels faint and passes out at times. After she sat down, another chair was provided to rest her legs. Pfizer dose was administered and within a minute, she acknowledged that she about to passed out. She had a near syncopal episode with both arms contracting. She was carried from the chair to the floor. Her father, who was prepared for this, had ammonia with him and had the patient sniff it and she responded to it. She was observed for little over 30 minutes and walked out of the pharmacy stating that she felt well. Throughout the ordeal, she was responding appropriately.
1322150	5/16/2021	MI	15	F	5/16/2021	5/16/2021	Patient received injection and sat down in the waiting area with her Mom. Less than 5 minutes after the injection she fainted and appeared to have a small seizure , her mother shouted at her and shook her and she became conscious and vomited. 911 was called , they evaluated the patient and she went to the hospital.
1322131	5/16/2021	IN	14	M	5/14/2021	5/16/2021	Exhaustion Headache Lightheaded/dizzy Nausea Fainting
1322120	5/16/2021	CO	13	F	5/16/2021	5/16/2021	The patient fainted after vaccine administration. The patient was fine after about 30 minutes of sitting.
1322089	5/16/2021	IL	15	F	5/16/2021	5/16/2021	Patient received her first dose of the Pfizer COVID19 vaccine at approximately 12pm. Patient felt fine immediately after the vaccination and was instructed to sit and wait for 15 minutes. The immunizer, watched the patient sit down in a chair. A few minutes later the mother of that patient began screaming help, help. Patient had fainted, falling on the floor and hitting her head. I ran our to assist patient, I instructed my technicians to call 911. Patient was on the floor, shaking. I assisted her in rolling over. When she came to I helped her control her breathing and take deep breaths. I used I gauze pad to stop the bleeding on her head. I made sure she was lying flat on the floor. We gave her an ice pack to help with the numbness and tingling in her hands. The paramedics arrived and took patient to the hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1322136	5/16/2021	OH	16	F	5/16/2021	5/16/2021	Patient passed out within a minute of vaccination. Mother and I moved patient to a laying down position where she immediately woke up and knew where she was and what just happened. Declined any other symptoms. Mom said she passes out often after vaccinations. Patient was conscious carrying on a conversation like normal immediately after coming to. Over the next 30 minutes I tried to get patient to a sitting position to take her blood pressure but every time we tried she needed to lay back down because she felt like she was going to pass out. After trying this twice and being unsuccessful I had EMS called to check on patient to make sure nothing more serious going on. EMS came and took a couple blood pressures and pulses which were normal. Patient was starting to feel better. Walked out with EMS and planned on going home.
1322016	5/16/2021		15	M	5/16/2021	5/16/2021	Patient fainted post vaccine and was out for about 10 seconds, and then came to. After waiting 15 minutes, drinking some water, and eating a light snack, patient was fine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1322324	5/16/2021	CA	13	F	5/16/2021	5/16/2021	client had syncope episode after receiving 1st dose Pfizer Covid Vaccine. Client received vaccine at 1336 and was standing next to vaccine station and Father as sibling was receiving vaccine. Within 3 minutes of standing client had syncope episode and hit back of head on floor. RNs responded. PHN called 911 at 1340. Per RN client collapsed and hit back of head, Father tried to hold on but was unsuccessful. As PHN was speaking with paramedics, client regained consciousness. Client stated she remembered feeling dizzy and then woke up on the floor. Client alert and oriented, pale and stated blurry vision. RN elevated legs. Vitals: blood pressure 130/90, pulse 102, oxygen 99%. Father denied any relevant medical history, medications, allergies or history of syncope. Client stated feeling dizzy, denied pain on head or rest of body. Paramedics arrived approximately 1346 and assumed care. After assessment Father signed AMA with paramedics. Client sat in anti gravity chair after paramedics left. EMT stayed with client. Vitals at 1412: blood pressure 120/80, pulse 85, oxygen 96%. Client stated feeling dizzy and head hurts when she moves. Blurry vision resolved. PHN spoke with parents to review ER precautions and advised to make follow up appointment with primary doctor. After sibling was done with observation, client left facility at 1425 with steady gait.
1320970	5/15/2021	TN	16	M	5/15/2021	5/15/2021	Within approx. 5 minutes of receiving vaccine another patient (not related) alerted pharmacy staff to a patient "having a reaction" in our waiting area. When I approached the patient, he was staring ahead at his mother while she informed me that he experiences similar reactions when at the doctors office when he receives any shot. Before I approached he was passed out, but he was coming to when I arrived. He was able to speak, look at me, and move without delay within a minute and showed no further symptoms.
1320781	5/15/2021	MI	16	F	5/15/2021	5/15/2021	Syncope caused patient to lose consciousness and fall out of chair hitting her head. Paramedics were called to the scene but patient did not require additional medical assistance at the time. Follow up with PCP recommended.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1320859	5/15/2021	IL	14	F	5/15/2021	5/15/2021	pt fainted roughly five minutes after shot. She came to shortly after and was helped back into her chair. Pt complained of dizziness and numbness in her arms. Blood pressure was taken 79/56. Paramedics came and checked pt out . Pt was released to mom after being given water and sitting for 10 more minutes.
1320893	5/15/2021	IA	15	F	5/15/2021	5/15/2021	Patient went to sit 15 minutes for recovery post-vaccine with her mom. All of a sudden she said "My arm feels funny," then laid her head on her mom. Her mom said her eyes rolled back and she passed out and slid down the chair onto the floor. 911 was called, pharmacist ran to scene. Patient remained on floor, started puking. Told her to breath deep, offered water. She slowly started feeling better. Paramedics arrived and examined her. After about 30 minutes, patient left with mom. No ER needed.
1320921	5/15/2021	IL	14	F	5/15/2021	5/15/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Mild
1320948	5/15/2021	TX	14	F	5/13/2021	5/13/2021	Approx. 5 min after vaccination patient started to feel dizzy. Technician went to retrieve ice packs and patient fainted. Pharmacist gently moved patient to her side on the floor and brought knees up to her chest while technician called 911. Patient regained consciousness after approx. 2 minutes before EMS arrived on scene. EMS took patient's blood pressure (hypotensive), administered saline drip in ambulance onsite then released patient to parents. Followed up with parents next day, patient was monitored at home and was feeling fine. Per EMS patient most likely was dehydrated. No prior history of event post vaccine.
1321005	5/15/2021	AL	16	F	5/15/2021	5/15/2021	Patient fainted right after getting vaccinated - she has a history of fainting with needles
1320591	5/15/2021	MO	13	F	5/14/2021	5/14/2021	Daughter passed out after 5 minutes of receiving vaccine. She said she couldn't hear for a little bit as well.
1320422	5/15/2021	MN	13	F	5/14/2021	5/14/2021	Systemic: Fainting / Unresponsive-Mild

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1320935	5/15/2021	MD	16	F	5/15/2021	5/15/2021	Patient fainted after vaccination. Patient was put into the wheel chair by the nurse and taken to observation area. Patient wake up and was alert and oriented. Patient was asked to sit for 30mins observation. Patient feels better.
1320450	5/15/2021	HI	14	M	5/14/2021	5/14/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient fainted 5 minutes after administration during 15 minute post-vaccine observation period. Per witnesses he slumped over to his left side and fell onto the floor to his left side loosing consciousness briefly. He was assessed by immunizing pharmacist and nurse practitioner and was found to have normal regular pulse & was pale in color. He regained consciousness shortly after a few seconds, EMS came over and assessed him later and was deemed ok to go home after 30mins.
1320442	5/15/2021	OR	14	M	5/14/2021	5/14/2021	Systemic: Fainting / Unresponsive-Severe, Systemic: Nausea-Mild, Additional Details: Patient received injection and got up from chair. After standing for a few minutes he fainted and lost consciousness. His mom and I got him to the floor and he regained consciousness within a minute. He said he felt thirsty and nauseated. His mom gave him water. He laid on the floor for 20 minutes and then sat up for a few minutes. Then he walked out of the dressing room and left the store.
1320434	5/15/2021	CT	17	M	5/14/2021	5/14/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Weakness-Medium, Additional Details: patient felt dizzy and lightheaded and fainted off the chair. never lost consciousness. recovered after staying in laying down position with knees bent, then had a bottle of water and another drink. walked out after 40 minutes with mom
1320432	5/15/2021		9	F	5/14/2012	5/14/2021	Syncope, drunk water and been under observation. Looks great and let home with her father. Pulse 92 SPO2 98 BP 102/66

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1320431	5/15/2021	CA	13	F	5/14/2021	5/14/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Additional Details: 13 year old female fainted when sitting during her 15 minute observation. she fainted when her mom was standing next to her. we put her on the floor and raised both of her feet. she became concious after 15 seconds. We gave her water and chocolate. we took her blood pressure and her reading was 95/71 with pulse of 78. we had her sit for an addiotional 15 minutes. After feeling ok she left with her parents.
1320427	5/15/2021	NC	14	F	5/14/2021	5/14/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Hypotension-Medium, Systemic: Shakiness-Medium
1321355	5/15/2021	NE	13	F	5/15/2021	5/15/2021	Patient was sitting with her mother in front of the pharmacy for the 15 min waiting period after vaccination, and mom alerted us to "something going on here." I (pharmacist) went over to the patient and she appeared to be having a seizure, hands clenched, eyes rolled back in head, and she shook a small amount for a short period of time, though mom believes she just passed out. Mom and I protected head and held her in place, it was over within a few seconds. A Nurse Practitioner was in the clinic next door and we alerted her. Together, we laid her down, asked her questions, took pulse with pulse oximeter and blood pressure. All seemed within normal range. We called 911 due to appearance of seizure. Rescue squad came and evaluated her.
1320419	5/15/2021	NC	15	M	5/14/2021	5/14/2021	Systemic: Fainting / Unresponsive-Severe, Additional Details: while patient was waiting out in the waiting area for their 15 minute monitoring session the patient passed out and fell to the floor. The patient did not injure himself with falling to the floor and woke up immediately after he passed out. We immediately put ice packs on him and had him drink a bottle of water while sitting on the floor and made him stay in the waiting area until his color came back in his face and felt fine to go home. He was extremely nervous about getting the vaccine.
1320417	5/15/2021	TX	16	M	5/14/2021	5/14/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1321022	5/15/2021	NY	13	M	5/14/2021	5/14/2021	PATIENT'S PARENT ADVISED TO PHARMACIST PATIENT HAD FAINTING/PASSING OUT SYMPTOMS IN PAST WITH AN HPV VACCINE. PHARMACIST HAD PATIENT REMAIN SITTING AFTER VACCINATION. WITHIN A COUPLE MINS, PATIENT'S MOM FLAGGED DOWN PHARMACIST, REPORTING EXTREME SWEATING, NAUSEA, TROUBLE SEEING. PHARMACIST CALLED 911 AND EMS ARRIVED WITHIN 10 MINUTES TO MONITOR VITALS. PATIENT WAS RELEASED FROM EMS CARE AND ABLE TO WALK/LEAVE PHARMACY WITHOUT AN ISSUE.
1320429	5/15/2021	CA	15	F	5/14/2021	5/14/2021	Systemic: Allergic: Itch Generalized-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Nausea-Mild, Systemic: Shakiness-Mild, Additional Details: 5 Minutes after the vaccine, pt lost consciousness for a few seoncds. pt showed some jerking motion. Pt was given water and benadryl. About 30 minutes after the shot, pt fully regained consciousness and back to normal
1321428	5/15/2021	WA	14	F	5/15/2021	5/15/2021	Vasovagal syncope resulting in loss of consciousness for approximately 1/2 to 1 minute. Followed by nausea and multiple rounds of emesis over the course of the next fifteen minutes. Patient remained in pharmacy for approximately another 15 minutes before her mom and her felt she had recovered enough to leave under her own power.
1321483	5/15/2021	AR	12	F	5/15/2021	5/15/2021	Pt walked to waiting area and was light headed and pale. Pt fainted and immediately recovered.
1321457	5/15/2021	CA	14	F	5/15/2021	5/15/2021	PATIENT FAINTED AND RECOVERED CONSCIOUSNESS WITHIN ONE MINUTE. OCURRED WITHIN 5 MINUTES OF BEING VACCINATED
1321255	5/15/2021		17	F	5/14/2021	5/14/2021	pt was very scared before vaccine, after vaccine passed out, i suspect syncope , came back fast sat and was fine
1321431	5/15/2021	AR	16	M	5/15/2021	5/15/2021	Vaccine was administered to patient. Patient was walked to chair in waiting area and fainted. Once patient fainted, he immediately recovered. No treatment was necessary and left after 15 minutes



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1321040	5/15/2021	SC	16	M	5/15/2021	5/15/2021	Within minutes of receiving the vaccine, the father says patient became slumped down in his chair, was drowsy, and he thought his son had passed out. Patient had become very pale in color, and his father says he was sweaty/warm to the touch. He was conscious, but wasn't very alert.
1321311	5/15/2021		17	M	5/15/2021	5/15/2021	Near fainting, low blood pressure and low oxygen saturation
1321248	5/15/2021	TX	15	F	5/15/2021	5/15/2021	In 2-3 minutes after injection patient fainted, she was conscious but dizzy, she was sweating a lot, her skin was pale and clammy, she felt nauseated and threw up
1321221	5/15/2021	IL	14	F	5/15/2021	5/15/2021	Patient fainted due to vasovagal
1321197	5/15/2021	CA	15	F	5/15/2021	5/15/2021	Patient fainted within 5 minutes after injection. Patient experienced a syncope event passed out. Patient regain conscious within a minute. Patient may have injure her head upon falling.
1321099	5/15/2021	IL	12	M	5/15/2021	5/15/2021	pt received Pfizer covid 19 vaccine with mom in the room. Less than 5 minutes later, step dad reported that patient passed out and hit his head on the side. Pt was bleeding from the left forehead. A technician called 911. I wiped blood from the injury and applied a gauze and instant ice pack. pt was breathing and fully responsive. pt denied any other pain or discomfort other than the injury on the forehead and injection site pain in the arm.
1321453	5/15/2021	MA	14	F	5/15/2021	5/15/2021	PATIENT FAINTED ABOUT 2 TO 3 MINUTES AFTER GETTING HER FIRST DOSE OF COVID VACCINE. NO INJURIES REPORTED. MOM AND PHARMACIST ASSISTED THE PATIENT, PARAMEDICS ARRIVED AT SCENE FOR EVALUATION. AFTER GETTING SOME FLUIDS AND SUGAR, PATIENT FELT BETTER. MOTHER REFUSED TO GO TO HOSPITAL. AFTER LONG OBSERVATION, PATIENT DEPARTED PHARMACY WITH HER MOTHER.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1321185	5/15/2021	CA	15	F	5/14/2021	5/14/2021	syncope with bilateral tonic/clonic movements. per parents, patient has history of vasovagal syncope following exposure to needles or lancets (vaccines, finger prick). approx 2 minutes following injection, patient lost consciousness, followed by several clonic movements bilaterally of upper and lower extremities. patient was transferred from chair to floor, legs were elevated. She regained consciousness quickly, was given water. When she felt better, she once again sat in a chair. After another 5 minutes (approx), she had another episode of loss of consciousness with increased tone of UE and LE bilaterally and also several clonic movements. She was again transferred to the floor, regained consciousness. She was more shaky and diaphoretic following the second episode but was otherwise aware and oriented. She was observed for another 30 minutes at the pharmacy and then left.
1321042	5/15/2021	CO	14	F	5/15/2021	5/15/2021	Pt received vaccine while seated and when she stood to go to observation area she experienced syncope and fell supine to tile floor. No LOC, was A&Ox4 immediately. Pale, strong pulses, RRR P 60's, unlabored resp effort. BP not evaluated. Some nausea, no vomiting. Exam of head revealed mild TTP with no open wound, swelling, or depression. Pt responded to rest and required no intervention. Pt was monitored x 60 mins with full resolution of sx and discharged to home in good conditon.
1321084	5/15/2021	CT	14	F	5/15/2021	5/15/2021	Patient got up from receiving shot and fainted on the ground-patient hit his head. EMS was called. Patient turned very pale and nausea, patients arms was swelling. Patient started to return to conscience but remined unwell. EMS did an evaluation. Father took son to hospital
1321128	5/15/2021	IL	15	M	5/15/2021	5/15/2021	Patient felt dizzy, hot, nauseous and subsequently fainted approximately five to ten minutes after vaccine administration. He regained consciousness within a few seconds. They had him lay on the floor with feet elevated. Dizziness and lightheadedness resolved. He remained under observation for 30 more minutes.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1321132	5/15/2021	CA	14	M	5/15/2021	5/15/2021	Adverse event: RN called to vehicle by father who was yelling for help. Once RN arrived at vehicle opened passenger door to find patient fluttering eyes after father stated he had just passed out. Patient was clammy, pale, and diaphoretic. RN advised patient to take slow deep breaths. Patient followed instructions, stated his name and said he felt 'funny'. Pulse taken and was HR 58. Then vehicle was moved to the side and vital signs were taken at 1301. BP 82/42, HR 80, RR 13. Patient was alert, oriented and answered questions appropriately. Treatments: RN and Charge RN present and spoke to both Father and patient about potential contributing factors to episode. Patient given water and gatorade. Able to finish bottle of gatorade and stated his symptoms had improved. Second set of vitals taken at 1324. BP 116/72, HR 82, RR 16. Patient also stated he had a banana for breakfast. Advised patient to stay hydrated, eat lunch, and rest. Advised father to reach out to pediatrician if any further events or questions about today event
1321141	5/15/2021	CA	15	F	5/1/2021	5/15/2021	15 year old female syncope s/p Pfizer first dose Covid19 vaccination at 1300 . Pt was with both parents Assisted fall to ground Approximate LOC of 10 seconds No injuries Laid down supine with legs elevated. After about three minutes pt placed in W/C and placed in cot in supine position. Initial VS 99/56 71 12 98% O2 sat on RA Ate a bag of potato chips and drink one bottle of water (118 mL) Ambulated to BR by self, steady gait, maew, nad, a+o x3. Given instructions to patient and parents to increase salt intake and water intake and to lay down immediately if dizziness returns. Repeat VS at 1320 97/64 67 16 99% on RA Pt is asymptomatic at this time. DCd home with parents and to f/u as needed with pcp and to inform staff of syncope for 2nd vaccination,

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1321144	5/15/2021	CA	14	F	5/14/2021	5/14/2021	<p>Patient received the 1st COVID vaccine (Pfizer lot # EW0182 use by 5/15/2021) at 1455. The client had a history of fainting (x3) with intramuscular injections. The client reported eating lunch prior to arriving for her appointment. The client was vaccinated in the anti-gravity chair at 1455 by EMT. The client became very pale about 1 minute following the vaccination administration and she loss consciousness for 5 seconds, during this time she had 2 myoclonic contractions. RN and EMT immediately placed the patient in Fowler's position in the anti-gravity chair during the syncopal episode. The patient immediately regained consciousness and was alert and oriented to person, place, time, and situation. The patient remained in Fowler's position and vitals were taken at 1456: BP 125/95 (R arm), HR 45, RR 18, and oxygen saturation at 95%. The patient denied experiencing lightheadedness, shortness of breath, dizziness, nausea, headache, or blurry vision. The patient was given a juice box. The patient's color slowly returned. Vitals were retaken at 1505: BP 123/82 (R arm), RR 20, HR 50, oxygen saturation at 98%. The patient stated, " I usually feel really bad after I faint but this time I feel fine." Vitals at 1510 were as follows: BP 130/70, RR 18, HR 67, oxygen saturation at 100%. The patient was speaking in full sentences and laughing with her friend. Vitals taken at 1515: BP 125/ 68, RR 16, HR 68, oxygen saturation at 99%. The patient was positioned from a Fowler's position to sitting upright. The patient's color returned to her face and she denied any nausea, dizziness, blurred vision, double vision, or chest pain. Vitals were taken at 1520: BP 125/70, HR 82, RR 16, oxygen saturation at 99%. At 1524, the patient's blood pressure was 125/68 and HR was 58. The patient continued to deny any shortness of breath, dizziness, nausea, or vision changes. The patient's heart rate was taken at 1531, HR 55 and again at 1536, HR 62. The patient's mother stated her daughter was currently taking an antibiotic for acne (dosage and name unknown) and denied having any drug allergies or chronic medical conditions. RN instructed the patient and her mother about emergency precautions and to follow up with their primary care provider. RN, also educated the patient and her mother about the importance of informing the healthcare provider about her history of fainting with injections when receiving the second COVID Pfizer vaccine. Gave the patient's mother V-safe</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							information and reported the occurrence in VAERS. The patient had a steady and even gait when leaving the site with her mother at 1537.
1321160	5/15/2021	IL	14	F	5/15/2021	5/15/2021	14 year old female fainted. alert and oriented X 0 not verbally responsive
1321044	5/15/2021	CT	15	F	5/15/2021	5/15/2021	patient fainted and was dizzy and pale
1317735	5/14/2021	NC	14	F	5/14/2021	5/14/2021	Immediate syncope lasting about 15 seconds with 5 seconds of tonic-clonic activity and brief emesis. Normal mental status within 30 seconds. Initial heart rate 50, and BP 90/60, recovered to normal with BP 100/60 and heart rate 70 within 30 minutes. No signs of allergic reaction or anaphylaxis. Taking fluids and felt well upon discharge.
1316519	5/14/2021	MN	15	F	5/13/2021	5/13/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: Tinnitus-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Fainted immediately after administration & came to within 1 minute. Vision impairment & plugged ears for approx 10 minutes afterwards. She remained in the observation area for 30 minutes and was fully recovered when she left the store.
1317797	5/14/2021	WA	13	M	5/14/2021	5/14/2021	Patient Fainted
1317449	5/14/2021	OH	12	F	5/13/2021	5/13/2021	The patient was given the pfizer vaccine and then was standing watch her brother gets his. She all the sudden fainted and dropped to the floor. We rushed over and put her feet in the air on a chair and checked her BP and pulse ( 115/70, 71). She didn't look pale or sweaty or any other symptoms per patients response. We gave her an ice pack for head and had her lay down for 15mins. I repeated the BP/pulse and still WNL.
1317734	5/14/2021	IL	12	F	5/14/2021	5/14/2021	Patient Vomitted and Fainted for couple secs. No signs of distress or SOB observed. Patient stated "that she is ok". Patient discharged home.
1317705	5/14/2021	OK	15	F	5/14/2021	5/14/2021	Patient fainted after the needle was removed. She quickly regained consciousness. Blood pressure was low. She waited 15 min. Blood pressure was good. Pt felt fine. She left with her Dad.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1317580	5/14/2021	VA	15	M	5/14/2021	5/14/2021	pt received first dose of Pfizer COVID vaccine. 2-3 minutes after the shot was completed, I was alerted that someone has "passed out" in the designated waiting area. upon arriving at the scene, I saw his mother holding him and helping him to the floor. she states he had fainted---she states he did not lose consciousness, did not fall, and did not hit his head. I called 911 and stayed with him the whole time until the rescue squad arrived. parent states pt has never had a reaction to a vaccine previously, has no health conditions, no allergies to food or drugs. upon arrival, rescue squad gathered information. a mutual decision was made between parent and rescue squad not to take patient to hospital; they walked him to the vehicle
1317420	5/14/2021	SC	13	M	5/14/2021	5/14/2021	Patient fainted for a few seconds and regained consciousness quickly. We gave him some water and he was fine.
1317240	5/14/2021	CA	15	F	5/13/2021	5/13/2021	Pt experienced fainting spell right after vaccination. BP 107/73; HR 68; RR 16; T 98.4 & pt stable and d/c'd home with father
1317024	5/14/2021	NC	13	F	5/14/2021	5/14/2021	My daughter passed out 2 times within 5 minutes of receiving her first dose. She complained of being nauseous after both fainting episodes. We gave her water and orange juice and she ultimately felt better after about 25 minutes of resting.
1317019	5/14/2021	IL	17	M	5/14/2021	5/14/2021	Patient fainted after leaving vaccination administration room and passed out on the floor. Patient was conscious and 911 was called and arrived. Patient did not leave in ambulance and was doing fine.
1316520	5/14/2021	PA	13	F	5/13/2021	5/13/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: patient fainted as stood up waited about 30 minutes, drank some water said felt fine after about 10 minutes

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1317597	5/14/2021	IL	16	F	5/14/2021	5/14/2021	Patient received vaccine, 1-2 minutes later stated she was feeling dizzy and passed out and began to seize. 911 was called. patient was monitored and given water and an icepack upon regaining consciousness. Paramedics did a physical assessment, including checking blood pressure and blood sure. Patient's guardian refused going to hospital. After 30 minutes patient and guardian went home as patient stated she felt fine. Pharmacy planning to follow up with patient the next day.
1317843	5/14/2021	TX	14	F	5/14/2021	5/14/2021	Patient fainted after received her 1st dose of vaccine
1316525	5/14/2021	NE	13	M	5/13/2021	5/13/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Hypotension-Medium, Additional Details: PATIENT PASSED OUT, HAD SYNCOPE, EMT WAS CALLED AND CAME TO EVALUATE. BP DROPPED BUT CAME BACK. MOM WAS WORRIED.
1318442	5/14/2021	CA	12	F	5/14/2021	5/14/2021	Patient received the vaccine, and 5 minutes later when walking out of the consultation room she fainted and hit her head on the high machine.
1318957	5/14/2021	KY	16	F	4/26/2021	4/26/2021	Within 5-10 mins post-injection pt became pallor, sweaty, dizzy and had a vasovagal episode while sitting in her chair. Pt exhibited jerking motions and then quickly had a syncope episode lasting <1 min. Pt was lowered to the ground during the episode. No trauma occurred. Pt mother beside pt entire time. During this time a pulse ox was put on pt and her legs were elevated. Pulse ox remained 96-98%. After waking, water and wet rag was given to pt and pt moved to reclined chair after 5 mins. Pt remained pallor and dizzy x15mins, after 40 mins pt was able to walk and leave the clinic. Mother stated in past that pt had a vasovagal episode after the Gardasil vaccine.
1318905	5/14/2021	CO	12	M	5/14/2021	5/14/2021	Patient received their first Pfizer Covid vaccine and while his sibling was receiving her vaccine approximately two minutes later the patient fainted and fell on the floor and hit his head.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1317910	5/14/2021	CA	14	M	5/14/2021	5/14/2021	PATIENT FAINTED . He has an history of fainting according to grandmother. he was sweaty and pale. paramedic came and his blood pressure was 120/70 heart rate 70. no problem now
1318563	5/14/2021	MA	15	F	5/13/2021	5/13/2021	PT got shot was with mom, seemed ok. Sat down to wait the 15 minutes, at about 7 minutes after sitting fainted.
1318439	5/14/2021	CA	16	F	5/14/2021	5/14/2021	ADVERSE EVENT: DIZZINESS/ SYNCOPES AND NAUSEA, PATIENT ALSO TURNED PALE DURATION OF 15 MINUTES. TREATMENT: MONITORED PATIENT ENTIRE TIME AND PROVIDED SUPPORTIVE THERAPY. GAVE PATIENT WATER OUTCOME: PATIENT RECOVERED IN 15 MINUTES AND WAS OBSERVED FOR AN ADDITIONAL OF 15 MINUTES (30 MINUTES TOTAL) AND PATIENT WAS RELEASE TO THE CARE OF HER GUARDIAN
1318245	5/14/2021	ME	14	F	5/14/2021	5/14/2021	After about a minute or so, Pt. felt pretty warm/hot in the room and started saying that she could not see/vision was blurry and she started turning pale/yellow. The room was stuffy so we moved from the vaccination room to the waiting room but the symptoms (vassalage syncope) seemed to progress so we brought her into the pharmacy where there was enough room for her to lie down. We had a fan run directly on her & within a few minutes the EMTs were present and they checked her out initially & they decided to bring her to the ambulance & checked her vitals. They asked her mom if she wanted to bring her to the hospital as her vitals were all normal. Mom decided to bring her just in case to make sure everything was okay and get her checked again as a safety precaution/parental concern.
1318204	5/14/2021	MO	13	F	5/14/2021	5/1/2021	Pt exhibited an episode of syncope/lightheadedness directly after the vaccination. Counseled patient about the risks of standing after a vaccination. Immediately gave Benadryl to the patient upon initial assessment.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1317916	5/14/2021	CA	14	F	5/1/2021	5/13/2021	Approximately 4 minutes after administration of vaccine, patient fainted and was caught by parent and gently laid on ground. Patient was monitored by pharmacist until paramedics arrived. Patient woke up quickly and was in good spirits and left the store on her own after being monitored by paramedics. Followed up with parent the next day and she was doing well with no adverse effects except for a mild sore arm.
1318043	5/14/2021	WA	16	F	5/12/2021	5/12/2021	received vaccine and stood up. During walking out of room, fainted and potentially had seizure as she fell. Head hit the ground. Stayed awake, alert after she fell. Generally knew who, what, when, where and that she just had vaccine. EMS called who arrived and transported to ER for evaluation.
1319503	5/14/2021	CO	13	F	5/14/2021	5/14/2021	Patient was walking around the pharmacy approximately 10 minutes after receiving her first COVID vaccine where she felt lightheaded and passed out into a shelf. By the time pharmacist and technician were with the patient, the patient was awake and oriented. Offered to call 911, both patient and mother refused. Gave patient a Gatorade and a chair to relax before leaving the store. Patient was able to walk out on her own and felt fine.
1318037	5/14/2021	CA	15	F	5/14/2021	5/14/2021	Patient felt dizzy and fainted after 4 minutes of receiving the Pfizer COVID-19 vaccine. Pt immediately woke up, no change in level of consciousness. Patient awake, alert, and oriented to name, place, time, and situation. Vital signs were within normal limits. BP 96/54, HR 71, SpO2 99% in RA. Patient left ambulatory with mother in stable condition after 40 minutes of monitoring and observation.
1317986	5/14/2021	CA	13	M	5/13/2021	5/13/2021	Patient received the vaccine and was completely fine immediately following. We walked around the store, conversed, and 10-12 minutes after injection he had syncope and generalized tonic clonic seizure for minutes. We were transported 911 to Hospital ED where he had normal labs, normal brain MRI, and consultation with Peds Neuro. He was post-ictal for 30+ minutes to follow the incident. He has secondary trauma to his R temporal and occipital bones and likely a mild concussion resulting from the fall.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1317956	5/14/2021	KY	17	F	5/14/2021	5/14/2021	Patient given dose @ 6:00 pm, mother stated prior that she had passed out with HPV vaccine in past. Had patient lay back while giving vaccine and after 5 minutes she stated she felt fine and proceeded to waiting area. After sitting in chair in waiting room, patient fainted, return to previous state by 6:20.
1317946	5/14/2021	WA	15	F	5/14/2021	5/14/2021	Patient fainted while sitting in a chair after receiving the vaccine. After checking on her, she was responsive and was nervous about receiving the vaccination.
1317456	5/14/2021	CA	17	F	5/13/2021	5/13/2021	Episode of syncope in observation area. No s/sx of distress. AOx3. Given water, assisted to stretcher & sx resolved (BP 118/75; HR 71; RR 16; O2 sat 100%). No health hx or medications. Released from vaccine site with mother
1318570	5/14/2021	MI	15	F	5/14/2021	5/14/2021	PATIENT FAINTED WHEN STANDING UP OUT OF CHAIR AFTER VACCINATION REGAINED CONSCIOUSNESS IN SECONDS AFTER SITTING DOWN
1314306	5/13/2021	MI	16	F	5/12/2021	5/12/2021	The patient felt tired and describes her eyes going dark, then passed out a few minutes after vaccination. She was vaccinated and then left the immunization room to sit down for a 15 minute waiting period. When she went to sit down, she collapsed on the floor. Her mother assisted her into a chair. She continued to be incoherent and have her eyes rolling back into her head for a few minutes. We used a cool cloth on her forehead and the back of her neck. The parents requested that we call 911. EMS arrived shortly and evaluated her. Heart rate, blood pressure, pulse ox, blood sugar and chest sounds were all within normal range. The patient stated that her arm felt heavy and "funny". She then stated that her tongue felt funny. EMS evaluated her tongue and said it looked normal. To err on the side of caution, she was taken to the hospital to determine whether or not she was having a delayed onset anaphylactic reaction. This patient has no history of seizures.
1314333	5/13/2021	NY	14	F	5/13/2021	5/13/2021	Pt received vaccine and developed syncope less than 30 min after administration

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1314653	5/13/2021	NE	14	M	5/13/2021	5/13/2021	Fainting, patient fainted after administration and was being monitored for 30 minutes sitting down in our pharmacy.
1314775	5/13/2021	VA	13	F	5/13/2021	5/13/2021	The patient fainted approximately 10 to 15 minutes after receiving the vaccine. She and her father walked to the front register and were waiting in line when she fell. We called 911 and monitored her closely until they came. The patient was coherent and talking and said she was not in pain. Paramedics came and took her to the hospital.
1314923	5/13/2021	CA	14	M	5/13/2021	5/13/2021	14 year old male pt presented with syncope episode upon walking from vaccination room to the observation area, LOC for 2-4 seconds, pt placed in supine position with elevated feet, woke up immediately. Pt did not hit head and was assisted to into wheelchair and place on cot. 2:25pm vitals: BP 66/48 P 92 SpO2 98 on RA. Pt history obtained from father, no history of allergies but does have needle related anxiety. Pt supine with feet elevated, ate bag of chips, juice box and water. VS at 2:33 BP 98/65 P 65 when sitting. Pt ambulated, alert and oriented x3, and final VS at 2:38 at BP 94/62 P 76.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1314943	5/13/2021	CA	14	F	5/13/2021	5/13/2021	14 y/o female presented to observation after receiving covid-19 pfizer vaccine c/o of dizziness and expressing syncope after lying down for ten minutes in the vaccination station. Pt V/S as follows; at 1332; 79/49 53 12 and O2 100% RA in supine position with legs elevated. Pt continued to express dizziness. Pt reposition to seating after ten minutes. Pt V/S as follows at 1340; 86/50 57 16 and O2 100% RA. Pt provided water and chips. Pt reposition to standing after ten minutes. Pt V/S as follows at 1350; 76/45 57 16 and O2 100% RA. Pt express feeling dizzy after standing. Pt advised to reposition to sitting. Pt V/S while sitting at 1400 are as followed 85/55 53 16 and O2 100%. Pt then advised to stand and try to ambulate once ready. Pt stands and expressed they felt fine and was ready to ambulate. Pt ambulated thirty feet without assistance. Pt VS after standing and ambulating at 1209 as followed; 84/54 63 18 and O2 100% RA. Mom stated PCP reports SBP of 90 in March via phone. Pt and Pt mother advised to follow up with PCP prior to playing Baseball next day. Pt DC after displaying steady gait after ambulating, eating chips, drinking a full bottle of water Pt stating "no longer feeling dizzy" and VS taken at 1409. Supervisor notified.
1314953	5/13/2021	MI	15	F	5/13/2021	5/13/2021	Patient fainted after getting Covid-19 Pfizer immunization. She recovered right away and she seems to have no effects from the fainting or the shot. She said she has fainted in the past and she is afraid of needles but she did not mention that at the moment of answering the questioner.
1315655	5/13/2021	CA	15	M	5/13/2021	5/13/2021	Pt fainted shortly after receiving vaccine, 911 called immediately, BP fluctuating rapidly, pt was mostly awake but not alert. Paramedics took out in ambulance with Dad
1315448	5/13/2021	CO	14	M	5/13/2021	5/13/2021	Near syncope. Monitored in clinic. Vitals stable. Self-resolved after 5 minutes. Monitored for 30 minutes

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1312611	5/12/2021	CA	17	F	5/12/2021	5/12/2021	Patient was in recommended observation and was on the phone with her father and told him she began to feel nauseous. Shortly after she leaned forward from the chair and fell to the ground passed out. Her blood pressure was checked immediately and found to be 121/81. She was immediately responsive and said she still felt nauseous and light headed. EMT was called and they arrived within 10 minutes. Her father also arrived on scene. EMT determined that no serious medical treatment was required and patient left with her father to drive her home.
1310340	5/12/2021	IL	17	M	5/12/2021	5/12/2021	patient was found to have fainted in the waiting area. Reports hitting his head, but was conscious by the time we examined him. A+Ox3, vision intact, speaking normally, complaining of slight pain where he hit his head
1307006	5/11/2021	TX	17	F	5/11/2021	5/11/2021	Few minutes after Pfizer 1st dose injection, patient felt lightheaded and fainted.
1308295	5/11/2021	PA	16	F	5/11/2021	5/11/2021	Patient fainted
1304189	5/10/2021	CA	17	F	5/10/2021	5/10/2021	Pt felt dizzy after the 1st dose of Pfizer vaccination. As I was walking out to check on her, she fainted. She regained conscious immediately. I gave a small soda to drink and she threw up after but she didn't faint again. She felt better right after she threw up and stated that this never happened before. After about 45 minutes, pt stated that she felt much better and wanted to leave with her dad.
1303602	5/10/2021	CA	17	F	5/10/2021	5/10/2021	Pt felt like she was going to vomit 2 mins after administration, then fainted as being assisted to gurney to lie down.
1302873	5/10/2021	IL	16	F	5/10/2021	5/10/2021	Patient had anxiety about getting the second shot and had fainted on the first dose of pfizer. After the shot the patient thought she might faint, never did. Patient was hot, anxious and then vomited. 911 was called

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1302872	5/10/2021	FL	17	F	5/10/2021	5/10/2021	Dizziness, followed by brief syncope, all resolved within 2 minutes. She fell out of chair on to ground and immediately woke. Sweaty and pale, placed cool compress on back of neck and gave her a cold water to drink. She remained upright on the floor for approximately 5 minutes until she felt like she was fully recovered. Her father was present the entire time. She stated that she had no injuries or pain from falling out of chair. No rashes, bruising or bleeding observed. Mgr came over and patient's father declined to file a report for injury.
1302276	5/10/2021	PA	17	M	5/7/2021	5/7/2021	Approximately 10 minutes after vaccination, patient began jerking and passed out. Patient was placed on the floor and vitals were taken which were normal. After approximately 10 minutes, patient was brought to sitting position and after a few minutes began jerking movements and felt faint. After approximately 10 minutes, patient was walked to a chair but after a few minutes he again began jerking and felt faint. Patient was returned to the floor. Parents refused transport to the hospital. Father helped patient to the car and he was placed in the back seat lying down. Father stated he may take him to the ER if he seems like he needs it.
1302182	5/10/2021	PA	17	F	5/10/2021	5/10/2021	syncope in observation area after vaccination, was sent to hospital for further evaluation
1301000	5/9/2021	NY	16	F	5/7/2021	5/8/2021	20 hours after receiving the vaccine I felt very dizzy and nauseous for a moment and then fainted and was unconscious for a minute. I had developed a fever about 8 hours after receiving the vaccine, but by the time I fainted the fever was pretty much gone.
1300756	5/9/2021	TX	16	M	5/8/2021	5/8/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Medium

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1300763	5/9/2021	NJ	17	M	5/8/2021	5/8/2021	Site: Pain at Injection Site-Mild, Additional Details: Patient was waiting after the his first covid shot and he was talking with his parents, they had a conversation for 5 minutes and then the patient fainted, fell down, had seizure for few seconds and then woke up in few seconds. Patient was sweating, feeling hot. He was breathing normal. Face was red. 911 was called. Patient had no issues with needles. HR was 104. Patient felt better after 10-15 mins and left with his parents. No hospitalization needed.
1301041	5/9/2021	MO	17	F	5/9/2021	5/9/2021	Syncope following vaccination. Patient reported blurry vision, dizziness. Had patient rest with feet elevated and gave patient bottle of water. Observed patient for 30 minutes. After 30 minutes patient reported feeling back to normal.
1301259	5/9/2021	WI	16	M	4/15/2021	4/15/2021	Patient fainted in store about 5 minutes after receiving vaccination, patient seemed anxious when vaccine was given
1301513	5/9/2021	WA	17	F	5/8/2021	5/8/2021	This writer received the following report: Adverse Event: Guest reports that she passed out and this was her first time. (Vital Signs: SPO2-99%, P-60) Treatment: AID called - Juice and water provided - EMT's arrived and assessed. (Vital Signs: SPO2-100%, P-60, B/P-90/54). No further treatment indicated. Outcomes: EMT's assessed no further treatment indicated and they released guest to the care of her mother. Guest and her mother were informed if this event occurs to go to the nearest emergency room and report to her PCP.
1300758	5/9/2021	IL	17	F	5/8/2021	5/8/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Shakiness-Severe
1300395	5/8/2021	MI	16	F	5/7/2021	5/7/2021	Patient received Pfizer vaccination at 04:55 pm. Her father accompanied her. A few minutes after receiving the vaccination, she passed out. Her father shook her arm and she became cognizant again. She did not remember passing out and has never passed out in the past. I monitored her for 30 minutes and gave her bottled water to stay hydrated. After 30 minutes she was feeling well and I observed her as she stood up. She had no further problems.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1300324	5/8/2021	NY	17	F	5/6/2021	5/6/2021	PATIENT HAD A SYNCOPE EPISODE AROUND 5- 10 MINUTES AFTER GETTING THE INJECTION
1300235	5/8/2021	NY	16	M	5/4/2021	5/5/2021	Child woke up at 3 am with severe nausea. Within minutes he complained about not being able to breathe. His lips turned blue and he was about to pass out. As I was able to keep him awake, I am not sure whether he would have had a febrile seizure (it very much looked like it) or just fainted. The fever spike was too fast, and his body couldn't handle it. His extreme nausea persisted for four hours (but he didn't vomit). He was completely debilitated. Fever spiked to 103 but stabilized at 102 for the following 24 hrs.
1299921	5/8/2021	IL	16	M	5/8/2021	5/8/2021	Patient fainted at front of store approximately 10 minutes after vaccine administration.
1299844	5/8/2021	MA	17	F	4/25/2021	4/25/2021	Patient had syncope event following first shot. Father was in room with pharmacist. She also stated she had not eaten anything prior. After event, she claimed this had happened prior BUT SHE DID NOT make aware that this previously occurred on form.
1299727	5/8/2021	OH	16	F	5/5/2021	5/6/2021	18 hours after administration, vasovagal syncope and low blood pressure for 11 hours after onset; patient fainted and could not sit up or stand -- blood pressure would drop; symptoms persisted for 11 hours
1299511	5/8/2021	OR	16	F	5/7/2021	5/7/2021	Systemic: Fainting / Unresponsive-Mild
1296138	5/7/2021	CA	16	M	5/6/2021	5/6/2021	Syncope, dizziness, pallor, hungry, no breakfast. Stable and released with mother after significant improvement.
1295080	5/7/2021	WV	16	F	5/5/2021	5/5/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Nausea-Mild, Systemic: Seizure-Mild, Additional Details: Parents were with patient. says it happens every time she gets shots or blood work. possible NES and/or hypotension. says its happened in docs office before and they're testing her for pots and her sister has non epileptic seizures. She was fine after about 15 minutes. gave her a cold packet to put on the back of her neck and just monitored her for further symptoms.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1295279	5/7/2021		16	F	5/4/2021	5/5/2021	My daughter reported general achiness the night of the vaccine (May 4) and went to bed. The next morning (May 5) she passed out standing up from the toilet (about 5 minutes after getting out of bed).

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1295509	5/7/2021	TX	16	F	4/10/2021	4/14/2021	My 16-year-old daughter, very healthy without any health conditions, got her first dose of the Pfizer vaccine on Saturday evening, April 10th, at around 5pm. On Wednesday, she started complaining of shortness of breath, chest pains, which she described as a feeling of someone stubbing her heart. By Thursday, she began blacking out repeatedly throughout the day, each blackout lasting about a minute. These progressed and whenever she blacked out, she would not remember what happened. At first, she and I brushed it off as maybe lack of calcium since she rarely drinks milk. But as they intensified, I began to become more concerned. I told her I cannot leave her by herself in the house as I prepared to go pick up her young siblings from school then schedule an appointment with her doctor. On our way back home, she blacked out again, however, it was for more than a minute. Straight away, I drove to the ER close by. The doctor came back to inform me that her heartbeat was irregular and concerning based on her age. In that same moment, she began complaining of excessive pain like someone punching her heart out, and then she passed out again. Still with my two other children, the whole ordeal began to frighten them and illicit some heavy tears. Being that this ER was general admission, the doctors insisted they call in the paramedics to transport her to another ER for children. However, after being transported to the other ER, her condition began to intensify rather quickly and the pediatric doctor at the second ER informed us we would have to be transferred to Childrens intensive care unit where the cardiologists could check her heart, find the ultimate cause, and monitor her closely. In that moment, as a mother, I was speechless and extremely terrified. Seeing my daughter being transferred from ER to ER, made it even tougher on me so much that I could no longer hold myself together. Here she was in terrible pain and being moved around with no clear diagnosis and treatment. From there on, we spent a couple days in the Cardiac ICU waiting and praying with friends for answers and the best treatment she could get to ease the pain. By about the third day of being in the ICU, the cardiologists informed me, she had Acute Myocarditis. This was so shocking in a sense that both sides of the family have no history of heart issues. Secondly, she is a very healthy child.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1296509	5/7/2021	ME	17	M	5/7/2021	5/7/2021	Patient describes his experience as a "loss of vision" shortly followed by "blinking out" and dropping his phone. Patients in the observation area noticed him fainting and called pharmacy staff over to the location. Patient experienced no issues breathing nor experienced any swelling. Patient describes quickly feeling better, though pulse showed 60 BPM once EMS arrived.
1297330	5/7/2021	MO	16	M	5/7/2021	5/7/2021	Patient had no issues with 1st shot. After 5 minutes of injection pt fainted. He revived right away but pupils were dilated and he had trouble staying conscious. After a few more minutes pupils were normal but he was pale and sweaty. He drank some water and felt better. EMS were called and said he was ok. All happened within 30 minutes.
1297599	5/7/2021	OR	16	F	5/7/2021	5/7/2021	16yoF was accompanied with an adult who was present for the vaccination. The COVID-19 Vaccine Pfizer-BioNTech 0.3mL administered IM in right deltoid while patient was sitting. Patient remained sitting for 10 minutes after administered dose. Patient reported feeling well after the injection. Patient stood up while we continued to talk, after 2 more minutes passed out while standing. Suddenly, patient began to go limp and her eyes crossed and rolled back. Patient fell backwards into the privacy curtain and into aisle 13 of the store. Patient's head bounced off the floor. Immunizer knelt next to patient. Patient was unresponsive until immunizer placed cold hand on back of neck and front of chest to check if she was breathing, immunizer calmly guided patient to breath, slow deep breaths into the belly and patient's eyes fluttered open. She said her head hurt really bad. Immunizer offered to the accompanying adult to call EMS because patient should be evaluated after hitting her head so hard. The accompanying adult denied EMS, then stating that patient had previously fainted while walking and said that she would be fine. Immunizer advised patient to remain laying down while immunizer got some ice. Ice was then placed on the back of the head. Patient slowly stood up after laying for 10 minutes and was walked over to a sitting area to put feet up and continue with ice for another 5 minutes before the accompanying adult wanted to leave.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1296340	5/7/2021	UT	16	M	5/7/2021	5/7/2021	syncope - pallor, nausea, sweating, Had pt sit on floor and remove mask, gave water & stay for 30 min. Checked BP wnl before he left, with someone else driving.
1292881	5/6/2021	MA	16	F	5/6/2021	5/6/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Vomiting-Mild
1291856	5/6/2021	NJ	17	M	5/5/2021	5/5/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Hyperventilation-Medium, Systemic: Visual Changes/Disturbances-Medium
1291865	5/6/2021	NJ	17	M	5/5/2021	5/5/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Severe, Systemic: Hyperventilation-Mild.
1292929	5/6/2021	IL	16	F	5/5/2021	5/5/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: mom said she passes out after shots, fainted less than 1 min, had her lay down with feet up for 15 min, then sit up for 15min before leaving,

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1292972	5/6/2021	CA	17	F	5/6/2021	5/6/2021	Client received her second dose of the Pfizer COVID-19 vaccine (Lot #EW0179 Exp. 8/2021) at 10:03 AM. EMT saw client stand in observation area. Client appeared "unsteady on her feet". EMT rushed to patient and guided her slowly to the ground while protecting her head. Patient then fainted. EMTs assisted patient to gravity bed where patient regained consciousness. Patient was alert and oriented to person, place, time, and event (AAO x 4) immediately following the incident. Client's vitals were assessed every 5 minutes. They were recorded as follows 10:19- Blood Pressure (BP) 100/74, Heart Rate (HR) 86, Oxygen Saturation (SPO2) 99%, and Respiratory Rate (RR) 18; 10:24- BP 100/72, HR 81, SPO2 99% RR 18; 10:29- BP 100/76, HR 82, SPO2 99% RR 16; 10:34- BP 102/74, HR 84, SPO2 99% RR 18; 10:39- BP 100/72, HR 82, SPO2 99% RR 18; 10:44- BP 110/76, HR 86, SPO2 99% RR 18. Client was given a bottle of water and instructed to remain in a semi-fowler's (45 degree) position until vitals stabilized. Patient remained on vaccination site for 30 minutes following the episode of fainting. EMT obtained orthostatic vital signs (vital trend from lying down, to sitting, to standing). Patient was negative for orthostatic hypotension. Symptoms resolved as indicated above in vital signs. Patient stated she was "feeling better" and declined EMS transport. Patient and father were educated by RN on home care (rest and fluids) and to seek emergency medical attention if symptoms persisted or worsened. Patient left the vaccination site at 10:45 with father and sister with steady gait and in no change in status.
1293393	5/6/2021		17	M	5/6/2021	5/6/2021	SYNCOPE, NAUSEA. Evaluated by EMS-Cleared
1293443	5/6/2021	VA	17	M	5/6/2021	5/6/2021	15:30 Client got Pfizer #2 1535 Client had full lost of consciousness ( Syncope) in route to Observation due Vasovagal Client observed by Safety Officers and symptoms resolved Client able to leave with mom
1293836	5/6/2021	IL	17	F	5/6/2021	5/6/2021	Pre-syncope while at restraint approximately 45 minutes after vaccine. She slumped to the ground and lost muscle tone before being caught by her grandparents.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1293627	5/6/2021	TN	16	F	5/3/2021	5/4/2021	At approximately 9 AM on the morning after receiving the second dose, the patient became dizzy at school. As she was walking to the teacher's desk, she lost consciousness and fainted, hitting her head on a desk, scraping her neck on a desk, and suffering several other minor injuries from the fall. She was immediately seen by school nurse and released to my care for the rest of the day. She rested at home and then was seen in at Walk-In Clinic to be evaluated for a concussion. On Day 2 after receiving the vaccine, the patient reported a sore throat, but no other symptoms. She was seen on the third day post-vaccine by our pediatrician's office for possible strep. She tested negative for strep and a concussion from her fainting episode was confirmed due to the lingering headache.
1293674	5/6/2021	WA	16	M	5/5/2021	5/5/2021	Patient who has a history of fainting came in for a Covid-19 vaccine. Patient fainted right after getting the shot. Medics were called. Patient is okay after a few minutes of rest. Patient's father brought him home
1292984	5/6/2021	NC	17	M	5/5/2021	5/5/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Severe, Systemic: Vomiting-Medium, Additional Details: Patient began to seize/faint in chair within 5 minutes post-vaccination. Paramedics were called as I stabilized patient on floor. Consciousness regained within 60 seconds, patient confused/unaware of what had occurred. Patient flush, lightheaded, vomiting. Paramedics arrived and confirmed patient was stable and safe to leave scene without further intervention.
1291859	5/6/2021	NJ	17	M	5/5/2021	5/5/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadedness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Hyperventilation-Medium, Systemic: Visual Changes/Disturbances-Medium.
1290366	5/5/2021	MO	16	M	5/5/2021	5/5/2021	16 y/o with needle phobia. 7 minutes after administering vaccine the patient fainted. the patient bit into his tongue and chipped 1 of his front teeth.
1288865	5/5/2021	CA	17	F	5/4/2021	5/4/2021	Systemic: Fainting / Unresponsive-Mild

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1289317	5/5/2021		17	M	5/4/2021	5/4/2021	Syncope and dizziness. Stable and released.
1289617	5/5/2021	NY	17	F	5/3/2021	5/3/2021	Site: Pain at Injection Site-Mild, Systemic: Chills-Severe, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Severe, Systemic: Fever-Medium, Systemic: Headache-Severe, Systemic: Unable to Sleep-Mild, Additional Details: mom called to report adverse reaction to 2nd dose of pfizer vaccine. pt had chills on monday, fever on tuesday, wed morning child passed out in the kitchen mom heard her fall, she did call 911. child was transported via ambulance to strong ER. pt was diagnosed with syncope. pt is now home with mild headache/lethargy and recovering. mom has called pcp waiting to talk to her.
1290346	5/5/2021	CA	16	F	5/5/2021	5/5/2021	Client received the Pfizer Covid-19 Vaccine (Lot #EW0167 Exp. 08/2021) at 1:51 PM. Approximately 10 minutes after receiving her first dose the patient fainted from her chair in the observation area. Patient did not strike her head. EMT and other nurses responded and sat the patient upright and began treatment. Patient was A&O X3, immediately after fainting. Patient was assisted to the gravity bed and vitals were taken, see below. Patient stated that she felt better almost immediately after laying in the gravity bed. Vital signs are as follows: 1400- BP: 100/80, O2: 98%, P: 80, Res: 18; 1405- BP: 106/74, O2: 98%, P:96, Res: 18; 1410- BP: 110/70, O2: 99%, P: 90, Res: 18; 1415- BP: 110/70, O2: 99%, P: 87, Res: 18; 1420- BP: 112/70, O2: 99%, P: 86, Res: 18; 1425- BP: 110/70, O2: 99%, P: 96, Res: 18. Patient's vitals improved over time after laying down. Patient was accompanied by her mother who was outside at the time of her fainting. Patient has a history of fainting after injections and getting blood drawn. Patient and Patient's mother felt comfortable after 30 minutes of observation to leave the vaccination site and return home. Client declined EMS transport. Patient and Patient's mother were instructed to seek medical attention if symptoms worsened or if symptoms returned. Patient left the facility in good condition with a steady gait.
1291245	5/5/2021	NC	17	M	5/5/2021	5/5/2021	Passed out and had seizure lasting 45-60 seconds.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1289818	5/5/2021	CA	16	M	5/4/2021	5/4/2021	Within 3 minutes of receiving the vaccine, Subject experienced syncope, had ringing in the ears, loss of vision, was pale, diaphoretic, and hyperventilation. BP 102/49 and 96/58. Staff responded, provided supportive care. Subject regained consciousness. Reported on 5/5/2021 made a full recovery. It is noted he reports he worked out that morning, had not eaten or had water that day. Did not seek medical attention.
1286642	5/4/2021	MA	16	M	5/4/2021	5/4/2021	Syncope event
1281255	5/3/2021	MD	17	M	5/2/2021	5/2/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed/Sweating-Mild, Systemic: Weakness-Mild, Additional Details: FOLLOWED UP WITH PATIENT AT 6:30P ON 05/02/2021. DAD SAID PATIENT IS DOING OK NOW. HE EATS AND TALK NORMALLY.
1281231	5/3/2021	MN	17	F	5/2/2021	5/2/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Mild, Systemic: Seizure-Medium, Systemic: Vomiting-Mild
1281248	5/3/2021	TX	16	F	5/2/2021	5/2/2021	Site: Pain at Injection Site-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Headache-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Additional Details: Tingling at site of injection. Patient was seated after receiving the vaccine and suddenly collapsed. Patient maintained consciousness throughout the episode and her symptoms have improved.
1282077	5/3/2021	AK	16	F	4/30/2021	4/30/2021	Vasovagal Syncope
1282350	5/3/2021	OH	16	F	5/3/2021	5/3/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Severe



<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1283475	5/3/2021	VA	17	M	5/3/2021	5/3/2021	The 17 year-old patient fainted and lost the consciousness for approximately 3 minutes, 10 minutes after he received his first Pfizer vaccine. He was laid down on the ground, was given water and started to gain his consciousness slowly. He was palpitated, sweating, dehydrated, dizzy and nauseous. Blood pressure was checked 126/78, glucose 118. The reaction could be related to his diet as he has been fasting. He got better gradually when the medical team came. He was advise to keep hydrated and to eat. Patient was taken to the hospital for further check-up
1281287	5/3/2021	NY	17	F	4/29/2021	4/30/2021	Fainting; syncope Emergency room visit: low blood pressure, high heart rate, administered a bag of fluids to hydrate High fever, chills and lightheadedness
1280794	5/2/2021	VA	16	M	5/2/2021	5/2/2021	Patient came into the immunization room for his shot along with his mom. He did state he hated needles, but was in good spirits. He got the shot, I filled out his card, and directed him and his mom to sit in the waiting area for 15 mins in case of dizziness or a reaction. They were walking out of the room to the waiting area and he almost immediately fainted. He fell and possibly hit his head on the chair/ floor when he went down. (This was maybe 2 mins post-injection). He almost looked like he was going to have a seizure (arms were tensed up, his eyes were not focused, was starting to shake) but then he suddenly came-to. He seemed to be pretty coherent after he woke back up but 911 was called since he was bleeding
1280705	5/2/2021	OR	16	F	5/2/2021	5/2/2021	Within about 5 minutes of receiving her first Pfizer Covid19 vaccine, the patient passed out and hit her head on the floor. She regained consciousness quickly (within seconds) after I got to her. She stated she had felt nauseas and tingly before fainting. She has not experienced this before with other vaccines. Ambulance was dispatched due to her hitting her head. Parents and paramedics determined she was ok to go home.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1280492	5/2/2021	NY	16	F	5/2/2021	5/2/2021	16 y/o female with NO PMH and no h/o similar prior experiences/syncope c/o "feeling tired" ~3 min after receiving the 1st dose of pfizer vaccine. Pt LOC, "gently" falling onto the floor, landing on her face ~5 min after receiving the vaccine. Pt reported feeling tired before LOC, not associated with any other symptoms (dizziness, changes in vision/hearing). LOC lasted ~10 seconds, pt immediately returned to baseline. She was sat up with the help of her mother and nurse and the clinical lead was notified. Pt was laid down on a cot, VS were taken, ice was applied to her pressure points. Pt reported complete resolution of symptoms within ~5 min. Pt was progressively moved from lying down to sitting to standing. Pt denies eating or drinking anything today and was given fluids and snacks. Pt was monitored for a total duration of 45 min. Pt was driven home by parents. Pt was advised to eat and hydrate today and for the next dose. Pt and parents were advised to call PCP / 911 if symptoms return/persist/worsen or if pt develops concussive symptoms. Pt was instructed to inform the nurse that she fainted ater 1st dose and to prophylactically lay down prior to receiving prior to second dose vaccination.
1280412	5/2/2021	CT	16	M	5/2/2021	5/2/2021	Patient was sitting down and said he felt dizzy, guardian with him stated that he passed out briefly and then just said he felt dizzy. He wanted to get some air so him, myself, and his mom went outside and waited for the paramedics to arrive . Once outside, patient said he felt better but a little dizzy. Paramedics came to make sure he was okay, he went to the hospital after that,
1280277	5/2/2021	CA	16	F	5/2/2021	5/2/2021	Patient passed out with associated convulsions within 2 minutes of vaccine being administered. No previous Hx of this post vaccination but did occur once after donating blood. Patient was lowered to flat position on floor.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1279782	5/2/2021	FL	16	F	5/1/2021	5/1/2021	Systemic: Confusion-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Nausea-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Additional Details: Patient had fainting episode immediately after vaccine administration. She became responsive in few seconds. she said before fainting she felt tingling, rapid HR and really cold. she reports nausea and confusion right after becoming responsive. Mother denied the need for EMS said she is fine and she has had fainted once after flu shot. Her blood pressure was 100/62 and 95/82 with Heart rate of 99 and 89. She lied down for 30 minutes. she reported feeling fine before leaving.
1278206	5/1/2021	NY	17	F	5/1/2021	5/1/2021	~~Approximately 2 minutes after vaccination the 17 year old female had a "tonic seizure". Became unresponsive for about 2 minutes. Mother reports daughter has a history of fainting/seizure after blood draws ("she's afraid of needles")" Patient left with family ambulating.
1277726	5/1/2021	MA	16	M	5/1/2021	5/1/2021	SYNCOPE WHILE UNDER SUPERVISION
1277747	5/1/2021	MA	16	F	4/29/2021	5/1/2021	Fainted 48 hours after shot, sweats, slumped over. Luckily I was there to catch her. Complete loss of color. Came on very suddenly. Could have been catastrophic if she was driving.
1277758	5/1/2021		17	F	5/1/2021	5/1/2021	Immediately after administration of vaccine, patient fainted. Patient assisted in to wheelchair and wheeled to private observation area. Patient assisted to gurney. Patient has cool compress to forehead. Patient also nauseous, pale, and sweaty. Patient mother reports patient did not eat today. Given water and apple juice. Patient declined granola bar. Vital signs as follows: 0950-BP 88/59, P 86, RR 20, 95% RA, no pain. 0955-BP 92/60, P 69, 99% RA. 1000-BP 96/67, P 75, 100% RA. Education given to patient and mother regarding eating/drinking before next dose and to tell the vaccinator that patient passed out at last vaccine and to lay on gurney before second dose is given. Patient and mother acknowledged understanding. Patient back to baseline at 1010.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1278157	5/1/2021	VA	16	M	5/1/2021	5/1/2021	Vasovagal with syncope after receiving vaccine and still with vaccinator and father. Regained consciousness after "a few seconds" per vaccinator. Transferred to EMS observation area for evaluation. Placed supine with feet elevated. 1522-BP 108/59; P 74. Pale color to face. Alert and oriented, departed EMS observation after approximately 20 minutes. Able to ambulate without difficulty and departed vaccine clinic accompanied by father.
1277655	5/1/2021	NY	16	M	5/1/2021	5/1/2021	After waiting in the waiting area for about 10 minutes the PT said he felt light headed and passed out falling to the floor. Mom was at his side and stated that he went to 'dead weight' and then she lowered him to the floor as best as she could. Mom said that she started 'shaking' and then stopped after about 15 seconds. After PT was stood up he felt like he was going to vomit but he did not. PT was extremely diaphoretic.
1278076	5/1/2021	TX	16	F	4/27/2021	4/27/2021	Patient received second dose of Pfizer vaccine and was waiting in the observation area when she fainted and was held to chair by Security Guard and mother. Patient reports that she had not eaten and that she has a history of fainting with other injections/blood draws. Patient was given orange juice and a snack and reported feeling better. RN remained with patient in observation until patient and mother left.
1273859	4/30/2021	MA	17	F	4/28/2021	4/29/2021	Fainted- Started feeling sick and other common side effects after 7 hours continuing throughout the next day, and passed out at 8pm about 30 hours after the shot. And continuing to feel common side effects throughout night 2 and next day (aprox. 48 hours after shot)
1272941	4/30/2021	CA	16	F	4/26/2021	4/26/2021	Site: Pain at Injection Site-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: shakes-Mild, Systemic: Shakiness-Mild, Additional Details: pt fainted and had shakes/ convulsions for a few seconds. after 30 seconds pt awake and stated ok , after 30 min pt stated ok after 30 min observastion. mom n dad brought to hospital dad called and said pt was ok . no unusual findings
1272910	4/30/2021	TX	16	F	4/29/2021	4/29/2021	Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1272944	4/30/2021	CA	16	M	4/26/2021	4/26/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Additional Details: pt fainted after injection but was fine after laying down for roughly 15 min. gave h2o and waited 30 min before ok to drive home. consulted parents... will drive son to next appt.
1272979	4/30/2021	MA	16	M	4/29/2021	4/29/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Mild, Systemic: Hypotension-Severe, Additional Details: Patient passed out and lost consciousness. EMS called. Patient was breathing. O2Sat >95%. EMS arrived after patient regained consciousness. Patient refused transport to hospital.
1274281	4/30/2021	PA	17	F	4/30/2021	4/30/2021	Near syncopal episode, revived with smelling salt. Water and snacks offered. Patient has history of fainting with needles. After laying down for several minutes she was able to sit up to eat and drink. Patient able to walk out, father at her side for assistance.
1274352	4/30/2021	CA	17	F	4/28/2021	4/28/2021	Headache (4/10). Fear of needles, with history of fainting. O2 sat 100%. BP 91/74 (pulse 63).
1274486	4/30/2021	CA	16	M	4/30/2021	4/30/2021	Patient fainted and proceeded to feel nauseous. Patient was in chair when the mother asked for help and the patients head was slumped over. Patient was put in cot and counties to feel headache and dizzy.
1274503	4/30/2021		17	M	4/30/2021	4/30/2021	PT 7 MINS POST VACCINE BECAME DIAPHORETIC, A/Ox0, UNRESPONSIVE TO VERBAL STIMULI, EPISODE OF SYNCOPE LASTING LESS THAN 1 MINUTE. PT LAID ON FLOOR AND STERNAL RUB PERFORMED. PT RESPONSIVE TO PAINFUL STIMULI. V/S W/IN NORMAL LIMITS WITH SPO2 PRESENTING AT 93% BUT RESOLVED ONCE PT BECAME A/Ox3. PT GIVEN WATER TO SIP ON AND DISCHARGED IN NAD.
1275533	4/30/2021	MO	16	F	4/30/2021	4/30/2021	Patient started seeing stars, fell up against silver anti-theft gates by front doors, then passed out. Did not hit head, and was awake and alert by the time I reached her.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1274799	4/30/2021	CA	16	F	4/30/2021	4/30/2021	<p>Patient fainted post-vaccination. Observed patient beginning to lean forward and RN was able to prevent her from falling. Patient's eyes observed to roll upward while patient became unresponsive to stimuli and diaphoretic. No incontinence. EMS called while patient assisted simultaneously to gurney by multiple staff. Upon lying down, patient awoke and become alert and oriented to person, place, time, and situation, though stayed pale and diaphoretic for several minutes. VS @ 12:55: BP 120/80, P 59, SAO2 99%, resp unlabored. VS @ 13:00: BP 138/83, P 62, R 20, SAO2 99% VS @ 13:04: BP 123/73, P 54, SAO2 99% VS @ 13:10: BP 100/69, P 78, SAO2 98% Sitting at edge of bed without symptoms at 13:05, alert and conversing with staff and mother. EMS arrived at 13:07 - their monitor showed NSR, random blood sugar = 93. Ate a snack and drank juice, symptoms completely resolved. Mother declined transport to ED. Discharged home with mother with post-vaccination instructions, will receive 2nd dose while lying down.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1271161	4/29/2021	NY	17	F	4/29/2021	4/29/2021	Recipient is a 17yo who presented for second dose of COVID-19 vaccine. She reported some anxiety related to receiving dose #2, and had some nausea after dose #1. She was alone as a driver of her own POV. Consent was obtained from the recipient and her custodial grandparent by phone, witnessed by doctor. She initially did well after the vaccine, but after approximately 5 minutes began to complain of feeling nauseated, lightheaded, and tingling extremities (hands and feet). She was noted to be hyperventilating, and was placed in a supine position but continued to feel some lightheadedness and difficulty breathing. Breath sounds were clear without wheezing noted, HR 70s with RRR. She was noted to have ongoing anxiety, nausea and symptoms progressed and although she remained normotensive to hypertensive (initial BP 128/74), she had repeated episodes of syncope. She was transferred to the ambulance and further vitals and EKG were obtained. She had some confusion after episodes of syncope and some seizure-like activity with syncope, with very brief episodes of LOC, with noted tachycardia with HR up to the 140s during episodes of syncope. BP ranged 129/86 to 140/84. IV access obtained and she was given NS and started on oxygen at 2 liters, but saturations remained in the 98-99% range. She was ultimately transferred to the local ER for further evaluation and management given ongoing symptoms, evaluated at hospital.
1270928	4/29/2021	OH	16	F	4/29/2021	4/29/2021	Patient passed out during monitoring, observation period. She was alert and oriented and EMS was contacted. She sat up and drank some water. EMS monitored her heart rate and blood pressure and she was released to her father.
1270129	4/29/2021	NV	17	M	4/28/2021	4/28/2021	Systemic: Fainting / Unresponsive-Mild
1269789	4/29/2021	CA	16	F	4/27/2021	4/27/2021	Patient fainted and unconscious less than 10 seconds. Patient flushed and admitted she had not eaten since the am. No further treatment required.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1271015	4/29/2021	FL	16	F	4/22/2021	4/22/2021	Within 2-minutes of vaccination, the patient experienced a syncopal episode. EMS evaluated the patient on-site. The patient was hypotensive (84/44) with a FSBG of 59mg/dL. EMS administered 15g PO Glucose. IV access was attempted but not obtained. Upon re-evaluation, the patient was hypertensive (147/116) and tachycardic (117bpm). EMS transported the patient to Hospital Emergency Department. In the ED, the patient stated they became dizzy and passed out after vaccination. The patient noted that they did not eat anything all day. The patient was hypotensive (99/56). The patient's labs/tests indicated dehydration and the physician administered 1L IV normal saline. The patient was discharged with dehydration and vasovagal syncope.
1271159	4/29/2021	CA	17	F	4/27/2021	4/27/2021	Syncope. BPs 85/43 (pulse 43), 95/57 (pulse 86). Found slumped in chair and placed in Trend. Position. Given water, juice.
1271572	4/29/2021	OH	16	M	4/29/2021	4/29/2021	Approximately 10 minutes after being administered with Pfizer COVID vaccine patient became lightheaded and almost fainted. Patient did not fall out of chair, but did slouch over in chair. The patient's father alerted pharmacy staff and the nurse administering vaccines today, and I went out to check on him. Patient was sitting up in chair at this time, but was very sweaty, pale and cloudy. Nurse instructed him to place his head down by his knees and provided him with water, Gatorade, and cold compresses. Once patient was feeling a little bit better we moved him into a private room with father and let him lay down at rest. When patient felt okay to leave he was advised to lay flat when he got home and eat. Father was also advised to stay with him until he was feeling 100%. Event lasted approximately 30 minutes. A call was placed to parents around 3pm to check on him and he was doing well. (moving around and playing video games)
1271694	4/29/2021	CA	16	M	4/27/2021	4/27/2021	Pt fainting during vaccination. Pallor at vaccination area. Vitals wnl.
1272266	4/29/2021	IA	17	F	4/28/2021	4/29/2021	Arm pain, slight swelling in injection site area. Swollen lymph nodes on both sides of neck, overall malaise/body aches, fatigue, light-headedness resulting in fainting episode, headache



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1272495	4/29/2021	TX	16	M	4/29/2021	4/29/2021	Pt was in the waiting room waiting 15 mins post vaccine. He was sitting with father and felt dizzy and put his head down. Father said pt has fainted in past and was expecting this reaction. Pt was dizzy for less than a minute and we gave some orange juice and he felt better.
1272544	4/29/2021	CA	16	F	4/29/2021	4/29/2021	patient received vaccination at 9:29am. She was asked to sit down and wait for 15 minutes post vaccination. Patient and grandmother left after 5 minutes. she had a brief fainting episode at the front door of store. She came back to pharmacy and was observed for 30 more minutes, she felt fine and then left the pharmacy
1271361	4/29/2021	CA	17	M	4/27/2021	4/27/2021	Syncope. BPs 119/49 (pulse 58), 99/47 (pulse 59). O2 sats 99%.
1269795	4/29/2021	CA	17	F	4/28/2021	4/28/2021	Patient fainted
1266426	4/28/2021	CA	17	F	4/27/2021	4/27/2021	Pt had an episode of syncope for 10 seconds after getting vaccinated . Blood pressure dropped to 90/50, Hr 48. After repositioning the pt and giving some fluid Blood pressure raised to 113/96 Hr 72.
1266337	4/28/2021	NY	17	F	4/28/2021	4/28/2021	Pt. had first vaccine at 14:55. Pt. walked to observation one where she fainted upon arrival. Pt. was CAOx3 after she was laid down. Pt. was transferred to the back via wheelchair where she was observed for 15 minutes without any further complications. After 15 minutes patient walked out without any obvious difficulties.
1266707	4/28/2021	MN	17	F	4/27/2021	4/27/2021	Patient fainted after vaccine, had patient lay down, called 911, Fire and Rescue responded, patient left with father.
1268056	4/28/2021	NJ	17	F	4/28/2021	4/28/2021	Patient fainted after vaccine administration.
1269229	4/28/2021	CO	17	M	4/27/2021	4/27/2021	Patient passed out and ended up falling off the chair hitting his forehead (left side)on the concrete flooring. Patient seemed to be doing okay after being observed by EMS for about 45 minutes. BP 110/74, denied dizziness or nausea but was complaining of headache. Patient's mother refused transport to ER.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1268977	4/28/2021	IL	16	F	4/1/2021	4/1/2021	Patient fainted while seated minutes after vaccine was given. Mother was next to her to prevent her from falling to floor. She complained of nausea and blurred vision. She was given water and Gatorade and began feeling better 5-10 minutes after fainting.
1266854	4/28/2021	PA	17	M	4/27/2021	4/27/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Additional Details: Patient fainted after receiving his first dose of the shot. He was very pale and sweating but responsive to questions. Monitored his blood pressure and had him sit and drink water. After 15 minutes his color had returned, stopped sweating and was totally alert/oriented. Per patients mother he had just come from school and had not eaten much that day which she belived to be a contributing factor
1262475	4/27/2021	WA	17	M	4/27/2021	4/27/2021	Fainted immediately after administration. Came too shortly after by utilizing cold pack and drank cold water. Patient left feeling well after 30 minutes.
1263332	4/27/2021	UT	17	M	4/3/2021	4/3/2021	Patient fainted 25 minutes after receiving the vaccine. He was seated at the time, and fell forward out of his chair. He hit his head on the hard floor. The medical staff on site treated him and called for EMS. He was taken by ambulance to the hospital because of a continued low blood pressure and to rule out any problems due to hitting his head.
1262294	4/27/2021	CT	16	F	4/26/2021	4/26/2021	Systemic: Flushed / Sweating-Mild, Systemic: Shakiness-Mild, Additional Details: Patient has been fasting and did not mention to immunizer that she passed out twice today because she is not eating anything only water. Paramedics came and check on her and patient was stable and recovered at the time.
1263077	4/27/2021	CA	16	M	4/2/2021	4/3/2021	Fever 100.6 - given tylenol Near fainting - mother called medical facility and spoke and was advised by a Triage nurse
1263091	4/27/2021	OH	17	F	4/27/2021	4/27/2021	Patient felt dizzy and fell over. Possible Vasovagal syncope

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1262139	4/27/2021	WA	16	F	4/27/2021	4/27/2021	Pt felt "near syncope" event, with a feeling like she was going to vomit. The sensations relived themselves with several minutes of observation from the EMTs on site.
1259075	4/26/2021	MN	16	F	4/26/2021	4/26/2021	Patient was with her mother and she fainted while walking down the aisle. We got her water and a chair to sit in. She stared feeling nauseous and seeing "dark". 911 was called and she was assessed. was found to have low blood pressure (patient reported not having food or drink yet). Ambulance advised she go to the ER , She did with her mom.
1257679	4/26/2021	CA	17	M	4/25/2021	4/25/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: Pt fainted about 5 min after admin. Had pt on the floor about 1/2 hour. He responded in a few seconds, but on multiple blood pressure checks he bp was low. Gave crackers and water. Took pulse which was normal. Had pt sit for additional 15 minutes. Eventually he was ok to lewave but mom was monitoring bp. Called pt at end of day and he was fine. Said he had fainted before with blood drawn in past.
1257954	4/26/2021		17	M	4/19/2021	4/19/2021	Patient became very nervous five minutes after having vaccination, fainted to the floor with body tremors, BP 81/38 P45, Resp. 18, EMT at side with nursing staff, was put on stretcher, and complained of dizziness, nausea and lightheadedness, Later BP 114/55, P67 Resp.17. Patient transferred to ER. Recovered, no medications administered.
1258113	4/26/2021	TX	16	F	4/24/2021	4/24/2021	Received first dose of Pfizer , within 1 minute fathe noted she "passed out". Called staff to car ad observed pt with clonic/tonic movement of hands, eyes closed, respirations slowed but even pulse approx 58/min. Responded to verbal Stimuli. Said she felt failt, lips pale, skin clammy. 911 called had additional same incident 9 minutes later. Transferred pt to medical facility by ems after 2nd episode .
1258631	4/26/2021	TX	16	M	4/24/2021	4/24/2021	Patient received his first dose and fainted in the chair immediately after, when he saw a drop of blood trickle down his arm. Patient regained consciousness right after. Patient was monitored closely in observation and left the vaccination site in stable condition.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1258563	4/26/2021		16	F	4/25/2021	4/25/2021	Patient had syncope (BP 85/52 -- > 106/68, RR 14 -- > 14), flushing/sweating, not alert for 9 minutes. BP dropped after passing out, put patient in Trendenburt position, gave orange juice. Patient alert & ate crackers. Advised to give second dose lying down. Patient stable, released from vaccination site.
1259686	4/26/2021	MA	17	M	4/26/2021	4/26/2021	pt got lightheaded and passed out. pt informed us he had not eaten all day so we are not sure if the lightheadness is from that or the vaccine
1258399	4/26/2021		17	M	4/18/2021	4/18/2021	Patient had syncope (BP 100/59 -- > 97/63), flushing/sweating, dizziness, nausea. Stable -- released from vaccination site.
1259688	4/26/2021	OR	17	M	4/20/2021	4/20/2021	bp 128/76 pt w syncope 5 mins into monitoring. hit head on front left. monitored for s/sx of concussion. denies blurred vision head ache. monitored for 15mins post fall 09:07 am pt c/o blurring in right eye peripheral vision pt to check with pcp if symptoms continue or worsen.
1259706	4/26/2021	IL	17	F	4/26/2021	4/26/2021	pt has a history of fainting almost every time she has a needle stick , she did again. Patient was faint and light headed for 20-30 minutes at 30 minutes her bp was 96/69 63 pulse. she left on her own feet with mother at her side.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1259719	4/26/2021	IN	16	F	4/26/2021	4/26/2021	After RN administered vaccine she spoke to my daughter for some time afterwards 5-6 minutes and my daughter was fine answering her questions and just visiting with her. She directed us to the table to schedule her second vaccine which was directly in front of us. We went to this table and spoke with two other ladies choosing a date and time and she was also fine talking with them and answering questions of eat time offered and then suddenly she went straight back with warning passed completely out and struck the back of her head on the concrete floor. EMS and RN?s who were there went to her aid immediately and she was unconscious for a little over a minute. They initially couldn?t get her to respond and finally she came to and had no idea what happened and no recollection of falling. She had blurred vision and bleeding a bit from the back of her head and they wanted her to have CT of her head after hitting it that hard. They took her by ambulance to hospital and they assessed her and ordered a CT. The CT thankfully came back clear and she has follow up appointment with concussion doctor first thing in the morning. On discharge she was describing her pain from hitting head a 7/10 It was very scary and everyone around us was visibly upset as well. She has never fainted or had a reaction to any other shot, vaccine or needle before today so that was a very unusual reaction.
1259981	4/26/2021	NV	16	M	4/26/2021	4/26/2021	5 minutes after dose while standing and watching sister receive dose of vaccine, patient experienced presyncope. Patient started to sway and lost muscle control. I helped to the floor and laid him out. Patient conscious whole time and never stopped breathing. Did not lose cognizance. Had momentary feeling of nausea that immediately passed. Did not believe necessary to call 9-1-1 as patient did not exhibit any allergy symptoms of any distress during the whole episode. Allowed to lay on floor for about 5-10 min. Supplied patient with bottle of water to help with dry mouth and he drank and felt better. After another 10 minutes patient was up on feet and feltmuch better. Mother called an hour and a half later (about 5 min ago as I prepare this form) to inform me that he was back to 100%.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1260022	4/26/2021	OR	16	M	4/23/2021	4/23/2021	Patient presents with a potential reaction to the COVID19 vaccine. I was called to the patient's vehicle just outside the vaccination area. The patient appeared to having a moderate to severe vasovagal episode without total syncope. There did appear to be slight pseudoseizure activity present, however, there was no LOC or loss of bowel or bladder tone. The patient was placed in a supine position and moved to the monitoring area. With positional changes and aggressive hydration, he rapidly improved to baseline. He did endorse that he has had similar episodes with blood draws, etc. He was returned home with his mother as the driver and with preventative instructions for his second dose.
1259609	4/26/2021	CA	17	F	4/25/2021		FAINTED D/T FEAR OF NEEDLES, RESOLVED, NO TRANSPORT
1256874	4/25/2021	CA	17	M	4/25/2021	4/25/2021	Tingly, Dizzy, nausea , fainted
1255882	4/25/2021	PA	17	M	4/25/2021	4/25/2021	Pt fainted after vaccine given . C/o of not eating prior to arrival. PT ambulate to stretcher w/o assistance. Water and crackers given. No c/o dizziness or S.O.B. Pt released at 8:18am.
1256415	4/25/2021	CA	16	F	4/23/2021	4/23/2021	Syncope, flushing/sweating, vitals wnl. Given apple juice, graham crackers.
1256556	4/25/2021	CA	16	F	4/23/2021	4/23/2021	Syncope, 102/62 (pulse 72), 98/64 (pulse 70). O2 sat 100%. Feeling dizzy post-vaccination and syncope.
1256622	4/25/2021	GA	17	M	4/25/2021	4/25/2021	Patient fainted. Patient also stated that they have not eaten all day. BP was normal when it was checked after the event
1255860	4/25/2021	VA	17	M	4/24/2021	4/24/2021	Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Shakiness-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: Family History: Both parents had seizures after being immunized in the past and this was their son's first immunization. Otherwise, the patient was calm and healthy.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1256955	4/25/2021	IL	16	M	4/25/2021	4/25/2021	Patient received the vaccine and sat down for 15 minutes. After the 15 minute wait patient got up to schedule their second dose appointment. While waiting in line, patient fainted and fell to the floor. Patient stated had blurred vision, was not showing signs of difficulty breathing, denied a soar itchy throat. Had patient lay down, feet were elevated. ambulance removed patient from pharmacy area via stretcher.
1256579	4/25/2021	CA	17	F	4/25/2021	4/25/2021	C/O dizzy, syncope x1, less than 5 seconds, patient reports similar problem with all other vaccinations and injections. Father reports daughter ate dinner last night. Did not eat breakfast before coming to site. Patient alert and oriented x4 after incident.
1251669	4/24/2021	IL	16	M	4/24/2021	4/24/2021	after vaccination patient start feeling dizziness and fainting. Pharmacist on duty helped the patient by checking blood pressure and pulse rate. Patient was give orange juice, after 10 minutes patient starts feeling better left pharmacy
1251277	4/24/2021	IL	17	M	4/24/2021	4/24/2021	Pt felt dizzy after receiving his vaccine. While walking towards the observation room accompanied by father and vaccinator nurse patient had a fainting episode. He was lowered to the ground by nurse/father and an assessment performed. VS within normal limits Fainting episode lasted a few seconds. Pt reported no medical conditions or hx of fainting. Pt also mentioned he hadn't eaten anything before receiving his vaccine. Vitals signs as follows: BP at 0830 110/55, HR 60, O2: 96%, at 0837: BP 107/58, HR 69, O2 97%. Pt observed for approximately 25 minutes and discharged home in stable condition accompanied by his father.
1250823	4/24/2021	RI	16	F	4/23/2021	4/23/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Additional Details: patient briefly fainted post vaccination, was accompanied by mother, immunizing pharmacist assisted with care, provided ice pack for head, laid patient on back with feet elevated, patient returned to conciousness, after returning to seated position patient complained of nausea so we returned patient to laying on back feet elevated. Patient was observed by immunizing pharmacist and mother prior to leaving under own ability. BP 123/81 HR 87 at 555pm, injection was at 517pm.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1251439	4/24/2021		17	M	4/24/2021	4/24/2021	Passed out, vomited once
1251584	4/24/2021	IL	17	M	4/24/2021	4/24/2021	3 min after receiving the vaccine pt verbalized feeling faint. Staff offered pt a cool pack for his neck. Patient accepted. Pt reported not having had breakfast and leaned back into the chair and became pale. PTA eyes were noted to be rolled into his head. Pts body became rigid. Staff assisted pt to the floor to a supine position. Staff obtained baseline vitals (127/75, HR 66) while simultaneously dialing EMS. Pt a color returned within approx 2 min and pt was talkative. Dad reports pt with fear of needles with hex of syncope in past. Pt reported feeling fine upon EMS arrival. Pt declined EMS transport. Tolerated water and muffin without difficulty. Pt without injury. Self ambulated out of clinic after additional 15 min observation period.
1251737	4/24/2021	NY	16	F	4/24/2021	4/24/2021	FAINTING, LIGHTHEADED
1252055	4/24/2021	AZ	16	M	4/19/2021	4/21/2021	Diffuse urticarial reaction leading to mild distributive shock and syncope



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1252422	4/24/2021	IL	16	M	4/24/2021	4/24/2021	Pt was seated in the waiting area after receiving his first dose of covid 19. His parents who also received the vaccine were waiting with him. I was preparing another dose for patients waiting for their covid vaccination. I heard pounding on the clinic room and ran to check. The mom had knocked on the door because her son had fallen out of his chair.. when I arrived he was on the floor and his parents said he was regaining consciousness and moved him in to a seated position. At this point another customer was calling 911. I had my technician call management. I observed the patient and asked if he was doing ok. His parents asked him if he was hurt and he responded in the negative. The patient was feeling cold and his hands were "cold and clammy" according to his mom so I held off on the cold compress. He wanted water but was also nauseous so I told the parents that I do not want to risk aspiration. We gave him a bag to throw up. I recommended that they take him to get seen when the paramedics arrived as I was concerned about him shaking before fainting. At this point the paramedics arrived and he was taken to the hospital as he was not feeling well. I followed up with the patient's mom and she said all his tests came back normal (EKG, et) and that the doctors may think it could have been due to anxiety from getting the vaccine. She was really appreciative of the call.
1252426	4/24/2021	TN	16	M	4/24/2021	4/24/2021	PATIENT PASSED OUT AND EXPERIENCED CONVULSIONS APPROXIMATELY 1-2 MINUTES POST VACCINATION. HE WAS UNRESPONSIVE FOR 5 - 10 SECONDS AND THEN BECAME ALERT COMPLAINING OF "FEELING HOT" AND HAD TROUBLE BREATHING. EMS WAS CALLED AND PATIENT WAS TRANSPORTED TO LOCAL HOSPITAL.
1253784	4/24/2021	CO	17	F	4/24/2021	4/24/2021	Patient felt lightheaded and dizzy after receiving the vaccine, and then passed out.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252671	4/24/2021	TN	17	M	4/24/2021	4/24/2021	Patient received vaccine and came and sat down next to his father in the waiting area. Approximately 5 minutes after sitting down he fainted and fell out of chair. His father guided his fall. It took 2-3 minutes for patient to gain conscientiousness. He was disoriented, pale, groggy. 911 was called and arrived approximately 20 minutes after event. After the paramedics examined patient, he regained his bearings and color. The family decided to go home at approximately 10am. I spoke with mother at 7pm tonight and patient has been fine all day.
1248233	4/23/2021	IL	16	F	4/23/2021	4/23/2021	Patient stated that she sometimes gets a little lightheaded after a vaccine and would like to wait her 15 minutes after the vaccine in the room instead of the waiting area. After the administration of the vaccine she stated she was going to pass out and lost consciousness. She had a normal pulse and was breathing normally. Her mother stated that she has passed out after injections in the past. Once for close to an hour. Her mother indicated that she did not want an ambulance called. I watched her closely for about 30 to 40 minutes and made sure she was not disoriented until she felt steady enough to stand up and walk. Upon leaving the pharmacy the patient felt fine and ready to get on with her day.
1246117	4/23/2021	NJ	15	M	4/22/2021	4/22/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Vomiting-Mild, Additional Details: Patient had fading consciousness 5 minutes after vaccine administration. When patient became unresponsive to questions and care, Epipen was administered. Patient recovered quickly, ambulance was called. Patient went with ambulance.
1247048	4/23/2021	CA	16	F	4/19/2021	4/19/2021	syncope

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1247226	4/23/2021	IN	17	M	4/23/2021	4/23/2021	Pt arrived to facility accompanied by his father to receive 1st dose of pfizer vaccine. Prior to receiving the vaccine pt denied any illness, allergies, or previous reactions to other vaccines. Pt appeared nervous. Received 1st dose on 4/23/2021 at 1000 in right deltoid. Pt and father then walked to front of the room to schedule appointment for 2nd dose of pfizer vaccine. While standing at the table making his appointment, pt experienced a vasovagal syncope episode where he fainted hitting his head on the ground. Pt regained consciousness about 10sec later. Pt then assisted to a chair. On assessment pt diaphoretic/pale, HR bradycardic 42, RR 14, O2 96%, POCT glucose 81, alert/oriented x3. Pt assisted to wheelchair, transported to ED accompanied by father and 2 MAs for further evaluation.
1247396	4/23/2021	NC	16	M	4/23/2021	4/23/2021	Syncope occurred 10-15 seconds after getting COVID vaccine. Was sitting in the car with mother at a drive-through clinic and no injury was noted. He was not driving vehicle. He was immediately aroused and was oriented to person, place and time. He did not seek medical help after leaving clinic due to feeling well. Symptoms resolved immediately. Upon speaking to patient(Mother with him), he continues to have no symptoms and advice was given about future vaccines and hydration. Patient stated that he will seek medical help if having any new/worsening symptoms.
1248215	4/23/2021	PA	17	F	4/23/2021	4/23/2021	After receiving vaccine, patient became light headed and passed out sitting in chair. diaphoretic and clammy. Heartrate 60, BP 60/29,SPO2 100%. Medical response called, patient taken to ER, accompanied by mother
1247968	4/23/2021	CO	16	M	4/22/2021	4/22/2021	PATIENT PASSED OUT AFTER RECEIVING HIS FIRST DOSE OF VACCINE. PATIENT STATED THAT HE HAD NOT EATEN ALL DAY. HE ONLY PASSED OUT FOR A FEW SECONDS, AND THEN FELT DIZZY FOR THE NEXT 5-10 MINUTES.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1248436	4/23/2021	IL	17	M	4/23/2021	4/23/2021	A few minutes after getting vaccine, while still sitting in chair, pt fainted. Never left chair. Came to quickly, and was helped to a cot. VS: P=76 BP 120/72 P. Ox=98% He was given a juice box, declined crackers. Was initially very pale, but pinked up nicely once he was prone. After 5-10 minutes, he sat up, with VS: P=80 BP 128/70 P. Ox=99% After 5 minutes, he stood up, felt fine. VS: P=80 BP=136/82 P. Ox=99%. Per mom and pt, this has happened with other vaccines in past, most recently earlier this year with a Men B vaccine. We advised giving next COVID vaccine (and others) while laying down. VAERS form completed. Pt left without further incident.
1248712	4/23/2021	CA	16	F	4/19/2021	4/19/2021	Syncope
1248099	4/23/2021	CA	17	F	4/22/2021	4/22/2021	Fainted, BP 89/59, O2 sat 99%. Patient fell and hit her head under the chin. Patient has a history of low BP with shots. Sent to ED.
1241908	4/22/2021	VA	16	F	4/21/2021	4/21/2021	pt started feeling really dizzy and nauseated immediately after taking the vax. she started having a seizure and made a growling type of noise and urinated on herself. The nurse at the vax site helped bring her back and was told to take her to a doctor. She was monitored and released from the vax clinic when her BP was 107/76. She was taken to medical center where she saw. She was told she had Syncope due to the stress of the situation of getting the vaccination. She is resting today and seems to have some fatigue.
1241721	4/22/2021	TX	16	M	4/15/2021	4/15/2021	5:24pm Pt called staff over and said he felt faint and then fainted. Parent in car, layed pt back in car, talking to him to help orient him. Vitals obtained, temp, 96.2 temporal, 62HR, 100 %spo2, 116/60 Bp. 116/60. 5:32 Pt awake enough, stable to be observed for another 10 minutes. Pt stated he is fasting ad thats probably why i fainted/ 5:47 pt awake and stable enough to leave. Mother is ok with Pts condition.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1241913	4/22/2021	MN	16	F	4/19/2021	4/19/2021	Within a minute of receiving the vaccine, my daughter fainted and had a short seizure. She did not hit her head because I was able to help her on her way down - it was a ver small room with 3 people in it. The pharmacist was there and he said it was a seizure, she just jerked her chin up, sharply 3 or 4 times. She laid on the ground for about five minutes, then sat on the ground, then sat in a chair for a total of about 20 minutes. She felt dizzy and nauseated for about 15 minutes after. She drank a juice and felt better so we drove home, no other symptoms since.
1242983	4/22/2021	RI	17	M	4/22/2021	4/22/2021	Vasovagal syncope with fall and head contusion. Refused transport to ER.
1243565	4/22/2021	GA	17	F	4/13/2021	4/13/2021	Moments after receiving vaccine patient passed out. Mom and Dad were with her. Pharmacist had dad lay her on the floor, pharmacist lifted legs and patient immediately regained consciousness. Pharmacist asked patient to stay in the waiting area until she felt better. Patient was given frozen water bottle wrapped in paper towel (store was out of immediately cold ice packs). When patient indicated she was ready to leave, pharmacist instructed parents to walk near in case she felt faint again. Pharmacist called patient a few hours later to check but no answer. Left message but no return call.
1243653	4/22/2021		17	M	4/22/2021	4/22/2021	pt fainted, lost LOC x 20 sec according to mom, upon arrival pt was awake, alert, clammy and pale, HR=85, laid pt in supine position, monitored HR x 15 mins, pt awake and alert, oriented, described a syncopal episode, stated he hadn't eaten yet today, engaged in conversation, then sat pt in sitting upright position x 15 mins, HR=85, gave pt juice = 50gms carb, pt continued stated he felt much better, still appeared pale, then 15 mins pt able to ambulate without difficulty, HR=85, mom refused to go to emergency room as counseled. mom states he has a history of syncopal episodes with blood draws, or getting shots.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1243741	4/22/2021	CA	16	M	4/22/2021	4/22/2021	16 year old received Pfizer dose #1 (Lot # EW0158) @ 1155 am. While in the recovery area @1156 began feeling dizzy and faint. Was lowered to the floor and placed in Trendelenburg position. First set of vital done at 1158am. 138/62, 18, 92, @ 96% O2 sat. Mom stated that this is not a new event, has a history of syncope with injections. Second set of vitals @ 1158, 118/60, 84, 99% O2 sat. Returned to chair. Had a second episode, and was once again lowered to the floor, and positioned with head between knees and did deep breathing exercises. Next set of vitals at 1209 am, 118/62, 77, 18, 98% O2 sats. Returned to chair when stating he felt better. Discharged from Recovery with Mother to home at 1233 am with final set of vitals of 110/70, 64, 18.
1244764	4/22/2021		16	M	4/20/2021	4/20/2021	Syncope, dizziness, fainted. Crackers, water, apple juice given. Vitals wnl.
1244982	4/22/2021		16	M	4/21/2021	4/21/2021	Syncope, flushing/dizziness, sweating, BP 92/50 (pulse 77). F/u pulse 116/56, O2 sat 99%.
1243633	4/22/2021	IL	16	F	4/21/2021	4/21/2021	Patient was on observation having a conversation with her father when suddenly she started passing out and exhibiting twitching like having Petit mal convulsions and not able to arouse, and later in 2 minutes she recovered eyes open appears pale in face and lips, not aware that she had passed out, and became responsive. Father claims that HR is always running on low side because she is an athlete. On around 4:40pm she was released under the care of her parent and recommended to get an appointment with her PCP for further evaluation Patient status was checked the following day 4/22 and Pediatrician said that it must be a vasovagal Syncope per Neurologist he consulted no further appointment will be needed at this time

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1241599	4/22/2021	CA	17	F	4/21/2021	4/21/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Chest Tightness / Heaviness / Pain-Mild, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Severe, Systemic: Headache-Mild, Systemic: Hyperventilation-Medium, Systemic: Nausea-Severe, Systemic: Shakiness-Medium, Systemic: Tachycardia-Mild, Systemic: Visual Changes/Disturbances-Severe, Systemic: Weakness-Mild
1238604	4/21/2021	CA	16	M	4/21/2021	4/21/2021	Patient appeared pale, light headacheness, near fainting, tunnel vision, skin cold and clammy within 10 minutes of 2nd Pfizer injection. Patient rested on gurney and felt better. 1st BP taken at 10:45 BP 85/47, HR 56. 2nd BP taken at 10:55 BP 95/57, HR 61. Patient left the facility 30 minutes after his vaccination with stable condition.
1236341	4/21/2021	TX	17	F	4/20/2021	4/20/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild
1236630	4/21/2021	MI	17	F	4/20/2021	4/20/2021	Patient became dizzy and passed out after returning to her car. Guardian beeped horn and nurses evaluated patient. Patient aroused easily. Patient very pale. Patient vomited x 1. BP 88/50, P 53, R 14, Spo2 99%. 911 called, arrived within 15 minutes. Vitals and blood sugar stable. Patient denied any further dizziness and reported not eating prior to vaccination appointment. Patient also reported similar incident one other time after receiving a shot. Patient discharged home, no EMS transport. Follow up phone call revealed patient was feeling fine.
1237261	4/21/2021	IL	17	M	4/20/2021	4/20/2021	Patient experienced syncope post vaccination, recovered and released

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1238249	4/21/2021	CA	17	F	4/6/2021	4/6/2021	emale client received her first dose of Covid Vaccine (Pfizer, Lot # ER8729, Expiration date: 07/31/2021) at 1132. This minor client, accompanied by her mother proceeded to the observation room for her 15 minute wait period. Co-lead RN, was present in the observation room assessing another client. At 1137 this client's mother loudly voiced from the back of the room, "she's feeling dizzy" and co-lead observed client was hanging her head. Co-lead and EMT1 hurried to her side, and client stated she was feeling lightheaded and dizzy and was suddenly pale and diaphoretic. EMT1 immediately transferred her from chair to floor with full assistance to prevent a fall/injury. Client was placed in trendelenburg position by elevating feet and placing them on the chair. Client was unresponsive for about 15 seconds until she regained consciousness and returned to baseline mentation. Client verbalized she "blacked out" and did not remember being placed on the floor. Client denied pain and respiratory distress. EMT1 called 911 at 1138. Client and her mother deny she has any medical issues, allergies, medications, or previous incidence of syncope. At 1145, first set of vitals taken by EMT1 indicate hypotension and bradycardia as follows: BP 68/44, HR 58, and RR 16. At 1145 paramedics arrived and assumed care after receiving report from EMT2. At 1150 medics took VS with BP 70/50, HR 54, and blood glucose 95, and determined they would start an IV to administer a 500cc bolus for dehydration and to improve BP. Client was also placed on 2L O2 for comfort, no desat noted. At 1200, medics advised client's mother and co-lead they would transport client to the Hospital for further evaluation. Medics departed at 1205 to transport client to the hospital.
1239128	4/21/2021	HI	17	F	4/20/2021	4/20/2021	Per recovery RN notes: "At approximately 0841, patient stated feeling dizzy. Mother noted with patient. Patient anxious. Pt loss of consciousness for approximately 10 seconds. Rapid response called. Patient regained consciousness. Patient with emesis x1. Vital signs stable BP 109/70 HR 64. SpO2 at 99 on room air. Rapid response team arrived at scene. MD assessed patient. Per mother, patient has a history of syncope after vaccinations. Per MD, ok to go home once stable. Patient noted to leave facility at 0904, in stable condition."



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1239241	4/21/2021	WI	17	F	4/20/2021	4/20/2021	Patient received her 2nd dose of COVID (Pfizer). She walked out of the immunization room to wait in the store, made it about 2 aisles over, and fainted. Patient's father and the Pharmacist immediately got to her side. She came to within less than 1 minute. In the meantime EMS was called and the Pharmacist waited with the patient until they arrived. EMS looked over the patient and patient was able to leave on her own after waiting out the nausea and dizziness that had occurred. Patient also reported a headache which was most likely from hitting her head on the way down.
1238209	4/21/2021	CO	16	M	4/21/2021	4/21/2021	patient saw black stars in his eyes and fainted. Fainted for about 5 seconds and came back very pale white. Has history of vasovagal reactions post injections. After laying down on flat surface for about 20 minutes with water and chocolate bar he started feeling better and his face got more color.
1233019	4/20/2021	NH	17	F	4/20/2021	4/20/2021	Transient lightheadedness with brief syncope. Subsequent NV controlled with position of comfort. Patient had not eaten anything today and had only coffee so far. Pt was given fruit, muffin and water and was monitored for an additional 45 minutes with continued improvement and no other symptoms.
1232120	4/20/2021	MD	16	F	4/19/2021	4/19/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Headache-Mild, Systemic: Nausea-Mild, Systemic: Shakiness-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: Tingling in face and legs

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1232131	4/20/2021	CA	16	F	4/19/2021	4/19/2021	Systemic: Chills-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Medium, Systemic: Weakness-Medium, Additional Details: Patient fainted in chair shortly after receiving vaccine. She came to within a minute, but body became very rigid and she began to seize throughout her whole body. This lasted less than 30 seconds and she was very pale and lightheaded. Patient described feeling extremely nauseous with chills, slowed breathing and lightheadedness. Moved patient to a new area to elevate feet, stated feeling better but was extremely nauseous and unaware that she had fainted or seized. 911 called per parents request
1232104	4/20/2021	TX	16	M	4/12/2021	4/12/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Additional Details: Patient fainted and hit his head and scratched his right arm
1234444	4/20/2021	NY	16	F	4/16/2021	4/16/2021	The patient passed out completely while sitting after having her 1st covid vaccine. She was alert shortly thereafter but had blurry vision and low blood pressure. She said she was very hot and was sweating somewhat. We gave her some water and gradually she started feeling better. In the meantime, we had call 911 and when they evaluated her, they felt it was somewhat of a panic attack since she did have anxiety before getting the vaccine.
1234484	4/20/2021	CO	17	F	3/27/2021	4/17/2021	Felt dizzy at work the next day after the second shot. Passed out and then was sitting down and I felt nauseous. I threw up 5 times and my arms started to get numb. I had a fever when I got home and I couldn't move because my body hurt so badly. Migraine and dizziness has been persistent ever since and is interfering with my daily life. Been treating with tylenol which helps a little but not completely. As soon as I stand up and move I feel like I'm going to pass out.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1232225	4/20/2021	RI	17	M	4/20/2021	4/20/2021	Near syncope, weakness 30 min after vaccine admin. Patient was C&A, self ambulatory & in no signs of immediate distress, strong regular bi lateral radial pulses w/ warm dry skin & regular respirations with good rate depth quality. Vital signs were obtained w/ no remarkable findings patients condition improved while in EMS care & was then released to patients father whom assumed responsibility of patients father. Patient was instructed to stay hydrated & eat food & Both patient & patients father where instructed to seek medical attention if symptom's worsened or reoccurred.
1232668	4/20/2021	CA	17	M	4/20/2021	4/20/2021	Patient was sitting in observation for approximately 5 minutes , started feeling light headed and passed out. Patient was out for approximately 15 seconds before recovering. There were no seizure like symptoms or post-ictal state. Patient was helped onto a cot and a set of vitals was taken, BP 118/84, O2 98%, HR 84. Patient was advised to wait at least 15 more minutes and told not to leave until after the 15 minutes had passed and he was no longer having any symptoms. Patient was brought home by a family member.
1229442	4/19/2021		16	M	4/15/2021	4/15/2021	Patient passed out in observation area, another patient called out for assistance. Patient appeared diaphoretic, bp 85/50. I have patient water and observed him for an additional 15 mins afterward. Retook blood pressure, 110/78. patient awake, talking to father. States he "feels much better".
1227461	4/19/2021	WA	17	M	4/17/2021	4/17/2021	Adverse Event Safety Officer reports guest who received Pfizer vaccine (Lot #EW0164) had a syncope episode within seconds of being vaccinated. Intervention\Treatment\Why it Happened Guest was assisted to the supine position and LE elevated. Aid (EMT?s) were called and responded and assessed for further interventions. (B/P: 110\49, P-84, SPO2 ? 98% r/a). Guest reported to EMT?s that he has a history of feeling faint with vaccinations. Outcomes Guest was assessed by EMT?s and no further interventions indicated and released to the Vaccination Post Op Area. Monitored for 30 minutes with partner and reported no further concerns or issues.
1229505	4/19/2021	PA	16	F	4/17/2021	4/17/2021	Syncope

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1229527	4/19/2021	VA	17	F	4/15/2021	4/15/2021	Syncope episode. EMS monitored, blood sugar taken resulted 97 after juice, declined transport after all s/s resolved (45 minutes)
1229553	4/19/2021	VA	17	F	4/15/2021	4/15/2021	Patient experienced severe syncope episode. Monitored by onsite EMS - 45 minutes until symptoms resolved. Patient waited additional 45 minutes. Patient declined transport to ED.
1229869	4/19/2021	CA	16	M	4/18/2021	4/18/2021	Patient fainted and fell on the floor. Patient was awake and oriented on the floor. Vitals taken, BP 100/52,pulse 72, respiration 12. EMS called. Patient transported to hospital for further evaluation.
1230238	4/19/2021	CA	17	F	4/19/2021	4/19/2021	FAINTED AND FELT LIGHT ENDED POST VACCINE, ALSO FELT NAUSOUS
1230557	4/19/2021	CA	16	F	4/17/2021	4/17/2021	Syncope, dizziness, flushing/sweating. BPs 92/52, 94/58 (pulse 77), O2 sat 98%.
1230905	4/19/2021	FL	16	F	4/15/2021	4/16/2021	No immediate response, approx 4 hours after dose started not feeling well passed out 3 times with 5 minute time frame, EMS called, became coherent while they were route, continue to improve and vitals were checked and advised to monitor. Currently experiencing dizziness when standing from a seated position consistently with no improvement, also fatigued as well. In touch with Primary Care Physician and am monitoring .
1229858	4/19/2021	OH	16	F	4/19/2021	4/19/2021	Patient with near syncope, provided juice, ice pack and rest, continued to feel dizzy, moved to the cot to lay down, then a syncope episode occurred, Medics on site, transfer to local Emergency Department via squad. Vital Signs: B/P 120/73 P: 103 R: 18 Pulse ox: 100%
1226075	4/18/2021		17	F	4/18/2021	4/18/2021	Patient passed out, no injuries

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225206	4/18/2021	CA	16	M	4/17/2021	4/17/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Medium, Additional Details: After getting the vaccine, patient was feeling lightheaded while he was sitting down. He tripped over the chair and fell over when he tried to get up too quickly. Patient fainted briefly as we were trying to get him to a chair and was pale initially. 911 was called. After he was given water and the paramedics arrived patient got better. paramedics tested vitals and everything was in normal range. patient reported being nervous about getting the vaccine. paramedics left after collecting info

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1227132	4/18/2021	OH	17	F	3/1/2021	3/1/2021	<p>Vasovagal Syncope; unauthorized age patient, 17 years of age; This spontaneous case was reported by a nurse and describes the occurrence of SYNCOPE (Vasovagal Syncope) in a 17-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 012A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Congenital heart disease NOS since 22-May-2003. On 01-Mar-2021 at 2:30 PM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 01-Mar-2021 at 2:30 PM, the patient experienced SYNCOPE (Vasovagal Syncope) (seriousness criterion medically significant) and PRODUCT ADMINISTERED TO PATIENT OF INAPPROPRIATE AGE (unauthorized age patient, 17 years of age). On 01-Mar-2021, SYNCOPE (Vasovagal Syncope) had resolved. On 01-Mar-2021 at 2:30 PM, PRODUCT ADMINISTERED TO PATIENT OF INAPPROPRIATE AGE (unauthorized age patient, 17 years of age) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter considered SYNCOPE (Vasovagal Syncope) to be unlikely related. No further causality assessment was provided for PRODUCT ADMINISTERED TO PATIENT OF INAPPROPRIATE AGE (unauthorized age patient, 17 years of age). No relevant concomitant medications were reported. The patient did not receive any treatment. The event, SYNCOPE (vasovagal syncope) was an acute episode and recovered quickly within minutes. Follow-up received on 06-APR-2021 included additional reporter information, date of vaccine administration, patient's race, ethnicity and other relevant medical history, start and dates of product administered and the events, anatomical location, and reporter causality. This report refers to a case of inappropriate schedule of vaccine administered for mRNA-1273 (lot #unknown) with no associated syncope reported. The reporter considered SYNCOPE to be unlikely related. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Most recent FOLLOW-UP information</p>

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1223987	4/17/2021	TX	17	F	4/15/2021	4/15/2021	incorporated above includes: On 06-Apr-2021: additional reporter information, date of vaccine administration, patient's race, ethnicity and concurrent condition, additional event - Syncope, onset and stop dates of the event, - Product administered to patient of inappropriate age, injection site, and reporter causality.; Sender's Comments: This report refers to a case of inappropriate schedule of vaccine administered for mRNA-1273 (lot #unknown) with no associated syncope reported. The reporter considered SYNCOPE to be unlikely related. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1222795	4/17/2021		16	M	4/16/2021	4/16/2021	Nausea, dizziness and fainted for some few minutes. Paramedics were called, patient did not need any treatment and was able to go home.. Mom was counseled on signs and symptoms to watch out and if needed to seek medical care
1222795	4/17/2021		16	M	4/16/2021	4/16/2021	Patient fainted in chair and regained consciousness and transferred to med bay. Patient states vision and hearing went fuzzy, nausea, lightheadedness. Pt given juice, decreased ____, A&Ox4. Mild HypoTN and Brady at baseline. BP 103/58, HR 50, RR 16 -- > 114/66,52, 16 Pt able to stand and walk. Released from vaccination site.
1223670	4/17/2021	OH	16	M	4/17/2021	4/17/2021	pt was getting his first covid vaccine with his mom. pt was vaccinated first then mom was vaccinated. After mom was vaccinated I had my bad to the patient and his mom throwing away supplies, Pt passed out and was not responsive to mom or to myself the pharmacist. I thought the patient needed an EpiPen and went to get the EpiPen out of the pharmacy and while my back was turned mom stated that the patient convulsed a few times. By the time I returned with the EpiPen pt was not convulsing and had passed out and started to recover and become responsive. Pt was pale but was aware of his name, birthday, date, and current president. A tech called EMS. Pt was talking when EMS arrived and color had started to return to normal. pt was able to walk out to the ambulance to be checked out. Mom stated she wanted to take pt to ER for more evaluation.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1223696	4/17/2021		16	M	4/16/2021	4/16/2021	Syncope, Flushing/sweating Pt felt light headed, assisted to ground by RN. Placed in wheelchair and moved to med bay. VSS on arrival. Pt eating and drinking w/ no issues. Feeling normal. Observed patient to stand. Stron/steady gait. BP 130/85, HR 93, RR 22 -- > 130/80, 81, 18. Patient stable and released from vaccination site. Grass allergy
1223738	4/17/2021	WA	16	F	4/9/2021	4/9/2021	Vasovagal syncope. She began to get very warm, then fainted and became very pale. She was better within 5 minutes.
1223750	4/17/2021	CA	16	M	4/17/2021	4/17/2021	Patient received Pfizer vaccine and was standing with parents during his suggested 15 minute wait time. During this time, parents noted that he "passed out" but they caught him. He then gained consciousness immediately and sat down to be monitored by pharmacists on duty. His vitals were checked immediately. O2 saturation was 97-99. Blood pressure 138/83mmHg with HR of 81. Patient had trouble breathing for 2 minutes. O2 saturation did not change. After 2 minutes, he breathing improved and patient was calm.
1223939	4/17/2021	CA	16	M	4/17/2021	4/17/2021	Recipient experienced brief loss of consciousness (few seconds per report) / vasovagal syncope from a standing position. He fell and hit his right frontal bone of skull upon fainting. Patient awoke after a few moments per report and was AAOx4 within moments of this reporting clinician's arrival to scene. Vital signs stable. Patient's frontal bone with minor red abrasion / erythema and scant swelling. He did not complain of changes in vision/ nausea / emesis. Neurological and Musculoskeletal exam intact without issues.
1222773	4/17/2021		17	F	4/16/2021	4/16/2021	Dizziness, Syncope; Cough abd pain, sweathing. BP 101/53, HR 60; RR 24 -- > 119/59, 67,20 -- > 94/67, 57. Given OJ and water, pt felt fine after drinking water and OJ. Patient stable and released from vaccination site.
1223871	4/17/2021	MN	16	F	4/17/2021	4/17/2021	Patient passed out shortly after getting shot--recovered fully after 10 minutes
1217810	4/16/2021	GA	16	M	4/14/2021	4/14/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient has not eating anything for 20 hours and that was the possible cause of syncope



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1220491	4/16/2021		16	M	4/14/2021	4/14/2021	Syncope; HR 97/50, HR 70, RR 16, Temp 97.5, SpO2 97%
1220579	4/16/2021	CO	16	M	4/13/2021	4/14/2021	Patient had two events that our pediatrician encouraged us to notify about. First, on 4/15/2021 around 13:30, Patient stretched in class and fainted. He was unconscious about 30 seconds. Second, beginning 4/15/2021 around 2100 he noticed a rash across his chest and down both arms. The rash is spreading to his abdomen and back today (4/16/2021). We saw a physician at his pediatric clinic this afternoon for evaluation.
1216199	4/15/2021	IL	17	F	4/15/2021	4/15/2021	1705- Pt passed out right after vaccine. Pt regained consciousness about 3-5 seconds later, stated that she couldn't hear anything. Pt moved to the observation area in a wheel chair. 1715- Pt passed out again, ammonia inhalants used. Regained consciousness 3 seconds later. Pt sweaty. Ice placed to back of neck. Pt moved to cart. First set of vitals @ 1717: Spo2: 100% HR: 53 BP: 83/42 Water and snack given to pt. Second set of vitals @ 1720: Spo2: 95% HR: 54 BP: 88/48 Third set of vitals @ 1726: Spo2: 97% HR: 64 BP: 102/64 Pt sitting up and talking with staff an mother, color in face improving. Pt states she is starting to feel better. Fourth set of vitals @1732: Spo2: 99% HR: 67 BP: 103/66 Pt sitting at 90 degrees, eating and drinking. States she does not feel nauseous. Last set of vitals @ 1537: Spo2: 100% HR: 62 BP: 94/63 Per mother she normally faints with vaccines. Pt states she is feeling much better. Reminded pt and mother to keep up with fluids.
1214035	4/15/2021	NC	17	F	4/14/2021	4/15/2021	3 episodes of vasovagal syncope this morning, clustered over approximately 1 hour, on the day following her second dose of Pfizer Covid-19 vaccine.
1213381	4/15/2021		17	M	4/13/2021	4/13/2021	After receiving first Pfizer vaccine, patient had a vasovagal episode. Patient states he became dizzy, lightheaded, and became diaphoretic prior to syncope. There were some mild seizure-type activity after the syncope. Patient was transferred to the ED In the ED, patient experienced no further episodes of seizure activities. Patient was evaluated, observed, and later discharged with PCP and neurology referral.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1211928	4/15/2021	FL	16	F	4/14/2021	4/14/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild
1207170	4/14/2021	IL	17	F	4/13/2021	4/13/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild, Additional Details: Patient was close to vomiting, benadryl was given, patient recovered.
1207072	4/14/2021	SC	17	F	4/13/2021	4/13/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Additional Details: Patient fainted in waiting area 5 minutes after shot. Patient's muscles stiffened up and she hit back of head on shelf. Pharmacists lowered patient to recovery position on floor, where pt recovered consciousness and relaxed. Patient's mother said that patient has vaso-vagal responses to shots and that she was having one of those. Patient was well and was able to leave without further assistance.
1207812	4/14/2021	PA	17	M	4/9/2021	4/9/2021	patient fainted after receiving the vaccine. was fine after resting and rehydrating
1209293	4/14/2021	AZ	17	F	4/9/2021	4/9/2021	The shot was given on Friday around 1 pm. Blurry Vision immediately after vaccination, then felt fine until 7 pm. At 7 pm she fainted at Lacrosse practice. The following day, Saturday, she fainted at work and was sent home. Sunday, she slept most of the day. Monday, she fainted at school and was sent home. Symptoms have been feeling of her heart racing, blurry vision, fainting, weakness, and major fatigue. No fever.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1210025	4/14/2021	MI	17	F	4/14/2021	4/14/2021	Patient arrived with mom for Covid vaccine at 12:48 pm. Mom reports a history of fainting so nurse decided to administer vaccine with client lying down. Vaccine was administered and client immediately stiffened arms and appeared to seize while her eyes rolled back. Nurse reported she turned the client onto her side and she "came to within 20-30 seconds." She reported blurry vision but could read when asked to do so. She quickly became alert and oriented. Her mother reported that she had a previous episode one time in the past year with painful menses. Her vitals remained stable but each time she attempted to stand up, she reported feeling "sick." She developed a headache within minutes of the vaccine and took 2 Tylenol while still there. Client left with parent to follow up at hospital.
1210726	4/14/2021	OH	16	F	4/13/2021	4/13/2021	Patient stated in evaluation form that she had passed out once before after giving blood for labwork. She and her mother decided to continue with the vaccination as it had never occurred before after getting a vaccine. A few minutes after the vaccine the patient lost consciousness. Mom stated that her face tensed up right before hand. The patient remained in her chair for the duration of the event. She regained consciousness about 30 to 60 seconds later, and within a few minutes she was conscious but still very shaky, pale, and hot. She was able to sip some water and we put a cool, wet paper towel on the back of her neck. The patient and her mother remained seated and under observation for an additional 15 to 20 minutes with no further issues, at which point they left the store. I followed up with the patients mother the next day and she said her daughter was exhausted last night, but this morning she woke up feeling well and went to school like normal.
1207057	4/14/2021	NY	17	M	4/13/2021	4/13/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Headache-Mild, Systemic: Hypotension-Mild, Systemic: Weakness-Mild

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1205962	4/13/2021	NY	17	F	4/12/2021	4/12/2021	While waiting during the 15 minute monitoring period patient (17 year old female) fainted in her chair. Mom noticed that patient's arms went rigid right before she passed out. Patient was still breathing and was laid on the ground to her side and 911 was called immediately. Mom was massaging her thighs and arms to increase blood flow and she regained consciousness within a few minutes. She was very pale and felt weak. She was given water and remained laying on the ground for another 10 minutes before EMS arrived. She explained she gets anxiety about any medical procedure, has had history of fainting after shots/blood draw/blood pressure reading. EMS took fingerstick reading and gave her oxygen to ensure she doesn't faint again from blood glucose fingerstick. Vitals came out to be normal. Mom explained this is very normal and she doesn't see the need to take her to the hospital. EMS offered to have patient with them in the ambulance for another 15-20 minutes before she's free to leave.
1205928	4/13/2021		16	M	4/12/2021	4/12/2021	Syncope and dizziness, BP 125/75, HR73, RR16. Patient experienced syncope and fell to floor from chair. Regained consciousness after ~3 seconds. Vital signs stable, released in stable condition
1205471	4/13/2021	CO	16	M	4/13/2021	4/13/2021	patient fainted,
1205380	4/13/2021	MD	17	F	4/13/2021	4/13/2021	patient fainted after receiving vaccine - her dad was with her here in the pharmacy and stated that this was typical of her when getting blood drawn/needles
1202785	4/13/2021	CT	17	U	4/13/2021	4/13/2021	Systemic: Chills-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild, Systemic: Weakness-Mild
1200657	4/13/2021	CA	17	F	4/12/2021	4/12/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Additional Details: she was sitting for 15 minutes observation she fainted and fell from the chair. She wa unconscious for about few seconds. called 911 for her. she looked paled. paramedics took her in. checked all her vital sign she was fine , her dad took her home. Spoke to dad at 6 pm in the afternoon. she is home resting and having dinner.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1200010	4/13/2021	OK	16	F	4/10/2021	4/10/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: Syncope with twitch, fully awake and oriented within a minute.
1195714	4/12/2021	NY	17	F	4/11/2021	4/11/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: pt passed out several minutes after receiving vaccine. BP was measured at 144/82 and the patient's father stated she had passed out in the past when giving blood or seeing needles after a vaccine. no allergic response or history of allergy reported prior to administration outside of mild shellfish allergy. pt was monitored for 30 minutes before being allowed to leave with her father
1195729	4/12/2021	IL	16	F	4/11/2021	4/11/2021	Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Hyperventilation-Medium, Systemic: Hypotension-Medium
1195558	4/12/2021		17	M	4/10/2021	4/10/2021	Patient fainted and fell while standing, hit head on floor, brief loss of consciousness, pupils PERRLA. Minor head pain, BP hypotensive (80/54) in wheelchair. Gave juice and crackers (hadn't eaten that day), glucose 91. Patient stable upon leaving, recommended ER visit for head evaluation.
1197287	4/12/2021	FL	16	F	4/12/2021	4/12/2021	Patient felt dizzy and passed out for a minute. Patient also urinated while passed out
1199044	4/12/2021	TX	17	M	4/12/2021	4/12/2021	pt experience syncope with normal blood pressure, but low pulse and loss of vision for short period of time. EMS reported normal BP, heart check and pulse and oxygen. vision did return and pt felt better after about 20 minutes

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1198436	4/12/2021	WI	17	F	4/12/2021	4/12/2021	Patient and Father were at desk to schedule follow-up vaccination when patient fell to the ground. Writer and additional clinic manager responded to event. Patient was rigid, eyes rolled back and not responding. Writer and manager attempted to arouse patient, with no response. Per father, patient has passed out in the past with blood draws. Feet were elevated and ice pack applied behind neck. Patient's fists were clenched, teeth clenched, back arched and appeared to have urinary incontinence. Episode lasted approximately 1-2 minutes. ED responded. Patient regained consciousness and was able to interact with writer appropriately. Bp 124/78, pulse 80 bpm, oxygen saturation 100%. Patient assisted to stretcher and transported to ED
1196465	4/12/2021	NJ	16	F	4/3/2021	4/3/2021	Pfizer-BioNTech COVID- 19 Vaccine EUA: Vaccine recipient experience vasovagal syncope post vaccination
1194300	4/11/2021	MN	17	F	4/11/2021	4/11/2021	PATIENT WAS SEATED AFTER VACCINATION FOR OBSERVATION PERIOD. PATIENT FAINTED IN HER CHAIR ABOUT 10 MINUTES AFTER VACCINE. SHE CAME TO AFTER ABOUT A MINUTE OR LESS. SHE LOOKED PALE, SHE WAS GIVEN ICE PACKS, WATER, AND ORANGE JUICE. 911 WAS CALLED, PATIENT WAS TAKEN AWAY VIA AMBULANCE ON A STRETCHER.
1193672	4/11/2021	PA	16	F	4/11/2021	4/11/2021	After the patient got the vaccines she started to have the pre-verso symptoms related to cardioinhibitory syncope

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1193197	4/11/2021	NY	16	M	4/11/2021	4/11/2021	16 yo previously healthy male who presented with dad for his second vaccination today, after a couple of minutes later the patient without any prior hx of fainting, experienced a syncopal episode, patient had loss of consciousness for about 30 seconds, patient was held by the dad, never hit the floor, patient denies any prior episode, denies any use of ETOH, neither drugs, states that was hydrating over the last couple of days prior with gatorade for prevention of dehydration, denies any prior symptoms such as headaches. The patient was seen by EMS and Dr , he was assisted in the medical tent , vitals signs were consistent with HR; 56 BP: 112/48 O2 sats of 98% , patient was placed on a stretcher and legs we were elevated to 90 degrees with a chair, No head trauma, Patient was stable, AAOx3 , PERRLA, EOMI, Lungs CTA B/L and regular pulse was noted. hydration with water 16 oz was provided, father at side, patient was observed for 30 mins and another set of vitals was taken which revealed BP: 119/72 HR: 75 O2 sats: 99%. Patient was dispose to home, father was advised to take son for his regular check up, also to make any further medical provider that he had an episode of syncope after second dose of Pfizer vaccine.
1191986	4/10/2021	NY	17	F	4/10/2021	4/10/2021	patient stated feeling dizzy and seeing darks spots. patient passed out for about 30 seconds.
1190669	4/10/2021	MD	16	M	4/10/2021	4/10/2021	Patient fainted during post vaccination time. He was conscious. Pharmacist raised his Feet for few minutes, Patient's symptoms started improving in 15 minutes.
1190645	4/10/2021	IL	16	F	4/9/2021	4/9/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: passed out for less than 1 minute immediately after shot given-Mild, Additional Details: passed out immediately after shot given for less than 1 minute, after coming to, had her lay on floor with legs up, blood pressue and pulse normal 111/88 , 70bp, was okay. had her stay over 30 minutes for obeservation, her dad with her
1190469	4/10/2021	NE	17	F	4/10/2021	4/10/2021	Patient fainted within 5 minutes of administration. She came to very quickly and felt nauseous. We monitored and had her drink water. Advised mother to call PCP on Monday
1190260	4/10/2021	OH	16	M	4/10/2021	4/10/2021	Syncope after vaccine

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1189596	4/10/2021	CA	16	M	4/8/2021	4/8/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: pt fainted but regained his consciousness shortly after, he was observed for 1 hour after the incident, I called the parent on 4/9/21 and father said that he is doing well and back to normal
1186459	4/9/2021	MN	16	F	4/9/2021	4/9/2021	Pt was vaccinated. She said she felt fine. Pt walked 15 feet then fainted. Her mom was able to catch her. We moved her to a cot. She slowly regained consciousness. She had no signs of anaphylaxis. She was breathing fine. Her mother states she has fainted during blood draws in the past and her daughter hadn't eaten this morning. We monitored pt for 30 minutes. Her color and smile came back. Pt was able to walk out on her own. Her mother will monitor her today.
1184068	4/9/2021	MA	17	F	4/8/2021	4/8/2021	Systemic: Abdominal Pain-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Nausea-Mild, Additional Details: Patient lost of consciousness for a few second after received the vaccine. She was feeling better with taking rest and hydrating with water. Patient's father reports this has happened with vaccination in the past. Vitals signs@12:30pm: BP 110/60; HR 72; O2 Sat 99%. One tablet of 25mg Benadryl was given to patient.
1188135	4/9/2021	MA	17	F	4/8/2021	4/8/2021	Patient felt week and fainted, came to without Epipen and was had nausea and vommiting and was very thirsty. Pale, EMT's called. Blood pressure was normal. She went home with mother. Mom said she has done this before with medical procedures, very anxious.
1183387	4/8/2021	AZ	16	F	4/8/2021	4/8/2021	Patient showing symptoms (closing/opening of eyes. fall back on chair. pale face) of fainting tendency within 5 minutes of vaccines. Pharmacist instructed patients to take slow, deep breaths and try to open eyes. Patients was able to stabilized.



<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1181879	4/8/2021	SD	17	M	4/8/2021	4/8/2021	Shot given around 1125 am. Pt and pt's mother went to sit in front of pharmacy. At around 1135, pt fell out of chair, sounded/looked like he may have hit his head on blood pressure machine that he was sitting near. We thought he had fainted. Pt woke within 10 or so seconds after fall and was confused. Said his head didn't hurt. His skin did lose it's color and he was looking "white as a sheet". We had pt lie on floor and elevated his feet. After a few minutes he was feeling better and was able to sit in a chair. Pt and his mom left the pharmacy area about 15-20 minutes after pt fainted. Upon looking at video of the event, it appears that before the patient fell out of his chair that his right arm raises up and his elbow is bent in a very stiff way. A split second later his whole body appears to stiffen and bend to the left, then he falls out of the chair and is lying on the floor. When on the floor, his legs appear to be fairly stiff as well. This whole episode seems to last about 10 seconds or less. The video makes it look more like a seizure than a case of syncope.
1181785	4/8/2021	MI	17	F	4/8/2021	4/8/2021	Patient fainted. She faints after all immunizations according to her and her father. She was fine, laid down, raised feet, ice pack on forehead/neck. She rested and left after 15 minutes
1180677	4/8/2021	AZ	16	M	3/31/2021	3/31/2021	Approximately 5 minutes after receiving his first shot he passed out and seized for approximately 15 seconds. Fire and EMT called and stabilized him then taken to hospital for tests.
1180409	4/8/2021		16	F	4/7/2021	4/7/2021	post vaccine syncope. did not fall. brought to observation tent. monitored for 25 minutes and sent home.
1179511	4/8/2021	FL	17	M	4/7/2021	4/7/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Fever-Mild, Systemic: Flushed / Sweating-Medium

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1179503	4/8/2021	NJ	17	M	4/7/2021	4/7/2021	Site: Redness at Injection Site-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: FAINTED AND SCAR ON FACE-Mild, Additional Details: PATIENT SEATED AT SEAT 5 FELL AFTER FAINTING AND INJURED ON HIS FACE WITH BRUISE ON RIGHT SIDE AFTER HITTING GROUND WITH HIS GLASSES. PATIENT GOT CONSCIOUSNESS IMMEDIATELY AFTER. OFFERED MEDICAL HELP AND ATTENTION. GAVE WATER TO DRINK. HE WAS MONITORED FOR 30 MINUTES AND LEFT PHARMACY HIMSELF.
1179463	4/8/2021	NY	17	M	4/7/2021	4/7/2021	Systemic: Fainting / Unresponsive-Mild
1179352	4/8/2021	CA	17	M	4/7/2021	4/7/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: light headed, fainted after 5-10mins received vaccine-Mild, Additional Details: After received vaccine 5-10mins, he started feeling light headed, fainted. RN notified him to floor leftside, cold water to back of neck and forehead. BP: 91/66 -90/70, HR 91-85 when left side lying, BP 123/87, Hr 100 when sitting on floor. BP 122/85- 117/83, HR 99-95 when sitting in chair. He went home accompanied by his mother when feeling better. He has fainted in past with shots and blood draws
1183469	4/8/2021	CO	17	F	4/8/2021	4/8/2021	A few minutes after receiving the vaccine, the patient fainted in the pharmacy wait area. She woke up a few seconds later and was alert. She was able to answer questions like "what is your name?" "where are your?" " etc. She denied a history of fainting but did say she fainted once about 8 years ago. She remained seated in the pharmacy waiting area for another 30 minutes and said she felt fine. She denied feeling dizzy, short of breath, and any allergic reaction symptoms.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1177045	4/7/2021		17	F	4/6/2021	4/6/2021	Patient experienced an episode of syncope almost immediately after her first dose of Pfizer covid vaccine. She was unresponsive for approximately 20-30 seconds. Her vaccinator held the patient steady until help was available. When the patient came to, her pupils were not of equal size, left being larger than right. Cap refill was about 5 seconds. She felt hazy/dizzy and was clammy. First pulse readings were 39-45 bpm. Vitals recorded 1545 BP 73/40, P 48, O sat 99 1558 BP 91/55, P 58, O sat 96 1607 BP 106/62, P 68, O sat 98 BP 111/70, P 57, O sat 100 At the time of dismissal, patient reported that she felt fully recovered. She was accompanied by her father who was her mode of transportation. It was recommended that she be scheduled for an appointment with her PCP for baseline/well visit as she had not been in some time.
1174957	4/7/2021	MI	16	F	4/6/2021	4/6/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Shakiness-Medium, Systemic: Tachycardia-Mild

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1175510	4/7/2021	NY	16	F	4/7/2021	4/7/2021	<p>Patient presented for her first COVID-19 vaccine. Approximately a minute after vaccine was given, she was noted to be seated upright in the passenger seat of her car, with head bent forward and eyes open. She was unresponsive, stiff posture, and was placed into a reclined position. She then had some posturing with head turned to the left, no eye deviation or nystagmus, no tonic-clonic movement. Radial pulse was thready, bradycardia was noted, with normal respirations. She was noted to become diaphoretic and pale/ashen color noted to the face and arms. She became responsive within a few minutes, however initially was not able to answer questions clearly. She had no loss of bowel or bladder function. EMS assisted with evaluation. Initial blood pressure 78/31, HR 54, SpO2 100%. EMS then transferred her to the stretcher and she was transitioned from her car to the ambulance. She continued to improve spontaneously with BP 94/61 then 103/60 and HR 86 then 74. SpO2 remained stable at 100%. Skin color improved. She had normal responses to questions, no complaints of headache, dizziness, chest tightness, shortness of breath, numbness or tingling. She had some shaking/voluntary movement of the limbs and body noted, but she could control and stop this voluntarily, no myoclonic or tonic-clonic jerking noted. After syncopal event occurred, mom reported that the patient has a history of syncope routinely with blood draws and vaccines in the past, however this episode was slightly more prolonged and seizure-like activity was different. She has had some jerking movement previously with syncope which lasts 20-30 seconds, different from today's response. No known history of seizure disorder.</p>
1176684	4/7/2021	MN	17	F	4/2/2021	4/2/2021	<p>Patient passed out, fell out of her chair and hit her head hard after receiving her shot. Once she went down, two nurses ran to her assistance where they propped the patient's feet up on a chair and got her some water. Patient reported blurred vision, had a goose egg on the back of her head but did not appear to be mentally foggy.</p>

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1177554	4/7/2021		16	F	4/7/2021	4/7/2021	POST VACCINATION SYNCOPE. DID NOT FALL, LOWERED TO GROUND. QUICKLY ALERT AND ORIENTED, ASSISTED TO WHEELCHAIR. WHILE WAITING FOR COT HAD ADDITIONAL SYNCOPAL EPISODE, NAUSEATED. MONITORED FOR 25 MINUTES AND SYMPTOMS RESOLVED.
1178328	4/7/2021	OR	17	F	4/7/2021	4/7/2021	PER PT, FEELING DIZZY AND AS IF SHE WAS FAINTING - PT WAS RESPONSIVE TO QUESTIONS AND HAD NORMAL BREATHING. PT GIVEN 1 DOSE OF ADULT EPI (LOT 0FM501, EXP 05/22). PER EMT (ARRIVED WITHIN 10 MIN OF CALL), PT HAD NORMAL FAINTING SYMPTOMS OF HYPOTENSION AND LOOKING PALE
1178627	4/7/2021	NY	16	M	4/4/2021	4/4/2021	About 5 minutes after shot he said arm is tingling then fell off chair and hit the floor. He passed out for a couple of minutes and then opened eyes and said my throat is closing up. The EMS gave Benadryl and used the Epi Pen. He was transported by ambulance to the hospital.
1177122	4/7/2021	IN	17	F	4/7/2021	4/7/2021	Patient passed out. tingling in finger. light headedness. chest pain related to anxiety. occurred after about 15 minutes
1172667	4/6/2021	CA	16	F	4/6/2021	4/6/2021	Patient fainted shortly after shot
1171133	4/6/2021	IL	17	M	3/9/2021	3/9/2021	Within 1-2 minutes my son passed out and started violently shaking/convulsing. His chin was pinned to his chest, he struggled to breath and was making a sound as if he was loudly snoring but seemed to be struggling to breathe. I was unable to wake him. I'm not sure how long it lasted but maybe 2 minutes or so. He woke up and asked what was going on as we had all been standing over him trying to unsuccessfully wake him. He shared that he thought he'd been asleep and had been dreaming. He also shared that his throat hurt very much. He had the shakes for about 30 minutes after and was extremely exhausted. He slept for 14 hours as soon as we arrived home.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1171776	4/6/2021	NY	16	F	4/6/2021	4/6/2021	Patient is a 16yo seen for her first dose of the COVID-19 vaccine. She was seated in the back seat of the car. Shortly after receiving her vaccine (within a few minutes), she chose to move to the front passenger seat of the car, and after sitting in the passenger seat she became lightheaded and lost consciousness. Syncopal event was witnessed and lasted a few seconds. She spontaneously regained consciousness, and complained of some lightheadedness and tunnel vision. No significant confusion was noted, her responses to questions were appropriate. Initial pulse was thready and heart rate initially difficult to auscultate. Pale color noted on the face. Initial pulse approximately 50bpm. Breath sounds clear with good air exchange. Patient was placed in a reclined position with feet on the dash. She quickly recovered and repeat heart rate was auscultated at approximately 70bpm, stronger pulse noted. She was noted to have improvement and she was then driven out of the vaccine site after obtaining consent from her mother (who was the driver) and parked beside EMS. BP was 100/50 and HR 68-72, SaO2 97%. Lightheadedness resolved and she was feeling well, at her baseline. She was monitored for 30 min then allowed to leave with her mother, she was at her baseline at last evaluation. Per history review with her mother, she has had 2 prior episodes of syncope with pin removal from hand after surgery and IV placement.
1172910	4/6/2021	TX	16	F	4/6/2021	4/6/2021	Patient passed out for about 2 minutes upon receiving immunization. The patient was caught by her father and placed in a seated position. As the pharmacist went to call for assistance, the patient's father realized that she was awake again. The whole incident occurred within a few minutes. We had the patient sit in observation for 30 minutes, and we gave her water.
1173384	4/6/2021	ID	16	F	4/6/2021	4/6/2021	Patient fainted within 5~10 seconds after the vaccine; not responding to conversations, not responding to calling her name during the fainting. Patient woke up approximately 5 minutes after fainting, and reported that she started to feel much better. Patient was seated on chair under direct help of pharmacist at the time. No observable injury, did not fell to the floor. EMS was called and arrive, and patient care handed over to EMS.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1173793	4/6/2021	FL	17	M	4/6/2021	4/6/2021	After leaving vaccination room with mother, heading towards the lobby for minimum of 15 minutes post-vaccination observation, patient collapsed/ fainted and fell to floor. Mother was able to catch and support patient's head as patient slowly fell to floor. After only seconds, patient alert again and speaking and answering questions correctly. Patient attempted and was able come to a complete unassisted standing position, but was immediately encouraged to stay lying down until EMT has arrived. EMT arrived, assessed patient vitals, and encouraged patient and mother to go with them to hospital if they were concerned, but mother declined and signed affidavit. Patient and mother left to go get late lunch, as it was revealed patient had not eaten breakfast or lunch yet and was nervous about getting the shot.
1171249	4/6/2021	OH	17	F	4/5/2021	4/6/2021	6 am following day (4/6) after injection on 4/5/21, my 17-year-old daughter complained of sore right arm (injection site), tinnitus, syncope, nausea, fever. Day before had also been treated for vaginal yeast infection. Treated with miconazole and fluconazole (tablet and vaginal cream). Also complained that her ovaries hurt. She self-administered Motrin and applied heat. Went back to bed. Has rested without waking, suspect fatigue as well.
1170124	4/5/2021	CO	16	M	4/5/2021	4/5/2021	Pt was sitting down, and mother was standing by patient. Pt fainted and fell out of chair, Did not hit head per mother. Patient was awake and aware right away and sitting up. EMS came to evaluate patient.
1169635	4/5/2021	WI	17	M	4/5/2021	4/5/2021	Patient passed out, complained of being lightheaded and having loss of vision post 2nd COVID-109 vaccine. EMS was called. EMS evaluated patient and recommended going to the hospital for observation. Patient's father denied transfer to hospital and patient left with father to go home.
1168075	4/5/2021	MD	16	F	4/5/2021	4/5/2021	She almost fainted. BP dropped to 72/30. flushed pale skin. Pulse ox 96. Alert and felt dizzy throughout the stay. Paramedics arrived onsite and as requested by parents EMTs transported the client to the parents' vehicle.
1168697	4/5/2021	TN	16	M	4/5/2021	4/5/2021	Syncope and vomiting. Symptomatic treatment

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1168735	4/5/2021	OH	16	M	4/5/2021	4/5/2021	Eight minutes after receiving his vaccination, he developed lightheadedness and had a brief episode of syncope. He had a small laceration on his right for head.
1169677	4/5/2021	CA	16	F	4/5/2021	4/5/2021	Anxiety Felt like fainting Dizziness Tingling and cramping in hands Weakness EMT came to Observation area Vitals BP #1) 173/133 Pulse 86 O2 Sat 100% #2) 95/72 Patient refused transport to hospital
1170040	4/5/2021	IA	17	F	4/5/2021	4/5/2021	Fainted for 2 seconds. Sweating. Pale lips but the color got back on after few minutes. Tingling. Could not lift up her arm (but could feel squeezing thumb). Shaken hands and feet. Lied down on the ground around for 10 minutes and elevated feet. Had her to keep breathing in/out. Kept drinking water and gave orange juice. Called 911. EME arrived and took care of patient. Pt didn't want to ride on the ambulance and said fine. Was able to walk in the end. Left the scene with her mom.
1170150	4/5/2021	OH	17	F	4/5/2021	4/5/2021	Pt had reaction in the waiting room. Pt became pale, diaphoretic, passed out and had brief seizure x 3-5 seconds. She suddenly became aware again with no recollection of what happened. She continued to be pale and diaphoretic and c/o confusion and blurry vision. Pulse ox 98-100, HR dropped to 40's and BP 90/60. Squad was called, they assumed care and transported pt to ER with her mother present.
1169973	4/5/2021	PA	17	F	4/5/2021	4/5/2021	Following the vaccine admin patient felt a wave coming over her and passed out she experienced tunnel vision and was clammy. She was placed on the floor and was then placed on a back board and taken to medical observation, patient wears a continuous glucose monitor and her mom reported that her bld glucose was 129, patients vital signs upon arrival was 120/65, P 71, Ox 98% on room air @ 10:35, at 10:40 her blood pressure was 120/78. she was then placed in a sitting position and bp was 119/79 and then standing after 1 minute was 121/74- patient was released from observation via wheelchair she was taken to the exit with her mom and she exited the building.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1167102	4/4/2021		16	F	4/4/2021	4/4/2021	Patient received Pfizer vaccine at 2pm, went to coffee shop, and then went out to car to wait. Became dizzy 5 minutes after coffee shop order. Patient fainted approximately 15 minutes after receiving pfizer vaccine on 4/4/21. Mom came into store to alert courtesy clerk, alerted pharmacy who brought E-kit out to car, brought patient into store to take blood pressure. Took patients blood pressure. ~83/63 mmHg pulse 109. EMTs were called and arrived within 5 minutes. EMTs arrived and stated vitals were normal but recommended mother take patient to be checked out by a doctor at a nearby hospital. Patient saw Dr who determined she can get the second dose, but must remain seated for 15 minutes after vaccination
1164519	4/3/2021	MD	16	F	4/3/2021	4/3/2021	Dizziness and near syncope
1163802	4/3/2021	CA	16	F	3/30/2021	3/30/2021	Syncope, dizziness. BP 55/30 (pulse 56). Final BP 111/54, 100% O2 sat.
1159911	4/2/2021	WI	16	F	3/20/2021	3/20/2021	Vasovagal Syncope. Awake within 3 seconds, kept her legs elevated, pushed fluids and a snack. Patient was given the Moderna Vaccine and is under the age of 18
1158829	4/2/2021	TX	17	F	3/29/2021	3/29/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient felt some lightheadness and felt she was having a panic attack. sje slumped but patient was responsive
1155059	4/1/2021	MO	17	F	3/31/2021	3/31/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Hypotension-Mild, Systemic: Weakness-Mild
1155049	4/1/2021	MA	16	F	3/31/2021	3/31/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild
1155930	4/1/2021	WY	16	F	4/1/2021	4/1/2021	patient passed out 10 minutes after receiving the Pfizer covid vaccination
1156436	4/1/2021	OH	16	F	4/1/2021	4/1/2021	Syncope

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1155527	4/1/2021	WI	16	F	3/31/2021	3/31/2021	They made initial contact with young lady when she entered the holding area (as they do with every car). Their second contact came when the mother showed up on scene. At that time the patient reported that at one point her vision began to get dark on the peripherals and she may have passed out. She stated she turned on her hazard lights (four-way flashers) at that point. Our personnel never noticed a vehicle not progressing forward at any point. Our personnel then removed her from the line for evaluation: She no longer had any complaints, vitals: BP 106/57 P-64 and regular SPO2-99% and did not want transport to the hospital. The patient and mother were given instruction of things to watch for and what warranted calling 911. They report the mother and patient had no concerns upon their departure. Further, there were 4-6 personnel in the 15-minute holding area yesterday. They are constantly on foot moving between all the cars.
1152630	3/31/2021	OH	16	F	3/31/2021	3/31/2021	Patient waited 15 minutes after her vaccine and when she stood up to leave she fainted. Her mom alerted me right away and when I got out to the patient she was up and sitting in her chair. She was feeling fine at that point. She waited another 15 minutes and she was all better.
1152127	3/31/2021	MN	15	F	3/26/2021	3/26/2021	Pre-syncope. Chest tightness/short of breath. Sternal Chest pain. Symptoms started 30 minutes after vaccination. Serial vitals and exam x 2 were normal. Symptoms resolved after another 60 minutes of observation.
1149687	3/31/2021	AZ	17	F	3/31/2021	3/31/2021	Dizziness. Fainting. Low blood pressure
1147960	3/30/2021	OH	16	F	3/30/2021	3/30/2021	Felt dizzy about a minute after vaccine administration, patient described blurry vision and then she fainted and fell to the floor. Patient described no prior history of reactions to prior vaccinations. After about a minute she regained consciousness and was able to walk, talk, and function normally. Mom did intend to follow up with primary care doctor regarding the fainting episode.
1146345	3/30/2021	CA	16	M	3/29/2021	3/29/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Medium

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1149270	3/30/2021	TN	17	F	3/30/2021	3/30/2021	The patient received her COVID-vaccine and then told the immunizer she felt dizzy seconds afterward. She passed out for a few minutes and we were unable to wake her. We called 911 and she came back to consciousness after what felt to be several minutes.
1144691	3/29/2021	OH	16	F	3/29/2021	3/29/2021	Approximately 15 minutes following vaccination, the patient complained of headache, dizziness, chest pain and throat burning. I asked that she wait an additional 15 minutes so that we could monitor her. Approximately 30 minutes after vaccination, patient appeared to experience syncope or absence seizure (prev. history). we called 911 and paramedics transported her to hospital
1145793	3/29/2021	MA	17	F	3/28/2021	3/28/2021	Patient fell on her face and fainted for a couple of minutes.
1140000	3/27/2021	PA	17	F	3/27/2021	3/27/2021	Anxious with injections, felt lightheaded, then near syncope, placed to floor by staff with recovery, BP 80/50 in OBS- felt better, BP 84/54 at time of discharge and normal condition
1139183	3/27/2021	CA	16	F	3/25/2021	3/25/2021	Syncope, dizziness. BPs 92/54 (pulse 75), 105/60 (pulse 82). O2 sat 100%.
1131851	3/25/2021	OH	16	M	3/24/2021	3/24/2021	Systemic: Confusion-Mild, Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient and his mother presented about 30 minutes after receiveing vaccine stating he passed out in the car for about 15 seconds and fell on his way back into the store. He lied down for a while and said he was fine. Mother said do not call an ambulance, she would take him to the emergency department.
1136238	3/25/2021	AL	17	M	3/25/2021	3/25/2021	Pt was nervous about the shot, but seemed ok immediately after it was administered. He went to the chair to wait his 15 minutes with his mom. A minute later, his mom was calling that he was having a reaction. A technician called 911 while I went to check. He passed out for just a moment and came to quickly. His mom said he was ok but paramedics arrived within minutes and were checking him out. His blood pressure was super low and they monitored him and took over. They were gone within probably 10 minutes.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1135872	3/25/2021	CA	17	M	3/25/2021	3/25/2021	17 year old male had syncope episode with fall from seated position to floor with spontaneous regain of consciousness. 911 was called. Normal vital signs. Legs were elevated. Patient assessed by paramedics, PA and NP. Patient declined transport to hospital for further medical evaluation and was encouraged to seek medical care if symptoms worsened. Yes
1131277	3/24/2021	CA	17	M	3/24/2021	3/24/2021	Per father patient has a history of "passing out" following vaccine administration and blood draws. Following this vaccination administration patient c/o of being lightheaded and displayed a brief moment of generalized syncope while seated in chair and diaphoresis noted. No trauma no fall. Vital signs taken and patient assessed by staff. HR 52, BP 98/76 . Patient a&o x4 conversing with staff. Patient able to eat and drink.
1121887	3/22/2021	NY	17	F	3/22/2021	3/22/2021	At 5AM a 17 year old female accompanied by her sister which is her legal guardian, received first dose of Pfizer. While patient was in observation she became dizzy, passed out, and fell on the floor and hit her forehead. Patient was immediately attended to by clinical staff. Within less then a minute patient was alert and oriented X3 but could not recall what happened. Ambulance was called, and site lead was made aware. Vital signs at the time were BP: 90/45, O2 100%, HR: 55. Ambulance arrived on scene and assessed patient. Vital signs upon transfer to hospital 111/56 HR78. Patient was transfer to hospital.
1120981	3/21/2021	OK	16	M	3/21/2021	3/21/2021	Patient received vaccine and went to sit down in front of pharmacy. He then immediately started feeling lightheaded, his eyes rolled into the back of this head and he had a couple of convulsion. He did not lose consciousness and was immediately aware. He was pale, lips were blue tinged, pulse was 60, sweating and blood pressure was 98/50. Paramedics were called but he had recovered by the time they got there. They said he had a fainting episode due to the vaccination and did not have a seizure. The patient had not eaten anything the whole day and he felt that contributed. Followed up with patient's parent and he is feeling just fine now.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1118853	3/20/2021	WI	17	F	3/20/2021	3/20/2021	Patient fainted roughly 5 minutes after receiving the vaccine. She was sitting down on a chair resting her head on a table in the waiting room. She felt lightheaded and then fell down to the ground. Her mom was with her at the time. We made sure she was not having an allergic reaction. Patient responded seconds after she was on the floor but was not coherent. EMS was called and arrived within minutes. Patient was accessed and transported to the hospital.
1117196	3/19/2021	CA	16	F	3/19/2021	3/19/2021	PT RECEIVED 1ST DOSE OF PFIZER COVID VACCINE. SHE SAT ON A CHAIR FOR 15 MINUTES AND WAS FINE WHILE SEATED. AFTER 15 MINUTES SHE STOOD UP TO LEAVE AND WALKED ABOUT 25 YARDS WHERE SHE SUDDENLY FELT DIZZY AND PASSED OUT. SHE FELL TO THE GROUND, HER FACE SLAMMING THE FLOOR. AFTER A FEW SECONDS SHE WAS CONSCIOUS AND BREATHING. WE KEPT HER LAYING ON THE GROUND AND TOLD HER TO KEEP BREATHING. SHE WAS CONSCIOUS AND RESPONDING TO OUR QUESTIONS. WE CALLED 911 AND EMT ARRIVED AND TOOK OVER HER TREATMENT
1102641	3/15/2021		17	F	3/12/2021	3/13/2021	Hard heart rate, sweating, nausea, fainting

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092402	3/11/2021	LA	16	M	3/10/2021	3/10/2021	Summary: Syncopal episodes x 2 16 yo patient received his Covid-19 vaccine and as he was going to sit down in observation, he leaned on his mom and passed out. His mother gently lowered him to the ground (@ 1804). Patient's mother stated he just passed out and that this was his first injection ever in his life. Patient was immediately assessed by multiple nurses. Patient did not fall or hit his head or injure any part of his body. Patient took less than 60 seconds to respond to verbal commands and comprehend what had happened. Patient's legs were immediately raised and vital signs were obtained. He was diaphoretic and pale but both were dissapating. Patient denied difficulty breathing, pain, discomfort. Patient was moved to a reclined chair. Patient and family at side (mother and father) agreed to be monitored. At 1828, Patient complained of feeling "a star" on the left side of his chest. Patient was unable to describe this further. I asked if he was feeling anxious and he said yes. I instructed patient to take several deep breaths in through his nose and out through his mouth. After doing this 3 times, patient stated he did not feel anything funny in his chest anymore. At 1835, while still seated in a reclined chair, patient passed out again. He was pale and diaphoretic. A few team members saw him jerk/twitch and it was questionable if he was having a seizure. The jerking did not last but a few seconds. 911 was called @ 1826. Patient was transferred to a wheelchair and put in the ambulance @ 1841. Vitals were obtained throughout and charted. Pulse ox saturation levels were not below 96%. Immediately after the patient passed out the second time, his pulse was measured at 38 bpm and his lips displayed slight cyanosis. His pulse quickly rose to 52 bpm, within less than 10 seconds. One minute later his pulse was up to 68 bpm.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1092202	3/11/2021	CA	17	F	3/11/2021	3/11/2021	Written by the patient and guardian: " 8-10 minutes after shot, complaints of light head an throat closing up. Removed mask for fresh air, no relief. Went to get up for water, immediately for light headed, pale face, checked-out look in eyes. Body went limp, set 17yo in chair, still was light headed and lethargic. Laid 17yo down on floor, administered water. Vision came back dizziness went away. remained seated for another 15minutes. Continued hydrating w/ water, other symptoms diminished." From Dr.: "Witnessed patient pass out in chair, within 10-20s was helping caregiver lower patient to the floor and patient had come to. Increasingly alert. Endorses above narrative, as well as not having eaten or drinking much today, "maybe an apple". She does not have a history of vasovagal syncope. Patient Pulse at 65, normal breathing, no distress, no signs of injury. Overall episode appears to be vasovagal syncope. Patient asked to drink water and remain at the vaccine center an additional 15-20 minutes for observation. After 15 min patient feeling back at baseline. No further medical intervention.
1093380	3/11/2021	CA	17	F	3/11/2021	3/11/2021	PATIENT BECAME DIZZY AND PASSED OUT ABOUT 10 MINUTES AFTER RECEIVING HER VACCINE. WHEN SHE REGAINED CONSCIOUSNESS, SHE SAID THAT SHE COULDN'T HEAR OR SEE ANYTHING AND SHE ALSO WANTED TO VOMIT. WE CALLED EMERGENCY SERVICES. EMERGENCY SERVICES CAME WITHIN 10 MINUTES AND SHE SAID THAT SHE WAS FEELING BETTER; BOTH SIGHT AND HEARING IS NORMAL AGAIN. THEY RECOMMENDED SHE REMAINED SEATED FOR A LITTLE BIT MORE BEFORE LEAVING, BUT DECLARED THAT SHE WAS OK.
1090281	3/10/2021	CA	17	F	3/10/2021	3/10/2021	Syncope, BP 104/61 (pulse 100), O2 sat 100%. Given water and rested 45 minutes. Final BP 129/86.
1077934	3/6/2021	TX	16	F	3/5/2021	3/5/2021	Site: Pain at Injection Site-Mild, Systemic: Fainting / Unresponsive-Severe

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1069723	3/3/2021	ME	16	M	3/3/2021	3/3/2021	Given history of anxiety around needles, visual aura, paleness after episode, and quick recovery to baseline presentation most consistent with syncope with myoclonus. Seizure less likely given that this is different than his typical semiology and he has been well controlled on his current AED regimen. Discussed with the Neurology attending of the week who was in agreement. Point of care blood glucose was found to be 111. Per neurology recommendations, Trileptal level was drawn. Patient was observed for 1hr and remained at baseline with no additional events concerning for seizure. Patient and mother were informed about vasovagal syncope and instructed on precautionary measures to take with future shots. Given return precautions.
1059253	2/27/2021	RI	16	M	2/26/2021	2/26/2021	Systemic: Fainting/Unresponsive-Medium. Additional Details: Patient fainted about 5 minutes after receiving 2nd dose of vaccine. Pt hit his head on a table on way down. EMS called. PT was alert and oriented, but was taken to the hospital for evaluation by ambulance.
1040157	2/18/2021	WI	16	F	2/18/2021	2/18/2021	A minute after receiving vaccine, client lost consciousness for approximately 30 seconds paired with facial twitching. No history of seizures and history of syncope due to holding breath and anxiety with medical procedures and vaccinations in the past.EMS was called, client was evaluated by EMS upon arrival, parent was called and history verified. It was discussed with parent that PCP and client have a plan in place for these kinds of reactions to go home and continue monitoring, so client was driven home by friend.
1004854	2/5/2021	PA	16	F	2/2/2021	2/3/2021	Systemic: Fainting-Severe
1003503	2/4/2021	PA	16	F	2/2/2021	2/3/2021	Approximately 20 hours after vaccination patient felt faint, lost all color and fainted. She was in and out of responsiveness. Patient was transported to the ER. Patient was treated with fluids and discharged after observation. According to patient's mom the EKG and lab work were unremarkable. Patient has fully recovered.